

Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	IdeaPad	Logo	
Company name *	Lenovo		
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5J3 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo	
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html		
Additional information			

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.			
Type of product *	Notebook PC		
Commercial name *	Lenovo IdeaPad Z370		
Model number *	20099, 1025		
Issue date *	2011-1-03		
Intended market *	🛛 Global 📃 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other		
Additional information	ditional information ENERGY STAR® Qualified; EPEAT GOLD Rating; GREENGUARD Certified		

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Requirement met		
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).	I 🔀	

Model number *	Lenovo IdeaPad Z370	
Issue date *	2011-1-03	Logo

o lenovo

Product environmental attributes - Legal requirements				t met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\boxtimes		
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\boxtimes		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS) Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.	,		\square
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			\boxtimes
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			\boxtimes
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm ² /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/ThinkGreen_products.html#environment			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	\square		
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on th design of the product). Exception: Batteries that are permanently installed for safety, performance, medic or data integrity reasons do not have to be "easily removable". (See legal reference)	e 🔀		
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\square		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complie with legally required standards for radio and telecommunication devices (see legal reference).	s 🔀		
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\square		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			\boxtimes
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\boxtimes
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium ar hexavalent chromium by weight of these together.	nd 🔀		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\square		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montre Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	al 🔀		
	× · · · · · · · · · · · · · · · · · · ·			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model n	umber *	Lenovo IdeaPad Z370			
lssue da	ate *	2011-1-03 Logo	len	ov	
Produc	t environ	mental attributes - Market requirements - Environmental conscious design	Requir	emen	t met
Item		atory to fill in. Additional information regarding each item may be found under P14.	Yes		
P6		nt information		-	
P6.1*	Informat	ion for recyclers/treatment facilities is available (see legal reference).	\boxtimes		
P7	Design Disasse	mbly, recycling			
P7.1*		at have to be treated separately are easily separable	\square		
P7.2*	Plastic n	naterials in covers/housing have no surface coating.	\boxtimes		
P7.3*	Plastic p	arts >100g consist of one material or of easily separable materials.	\boxtimes		
P7.4*	Plastic p	arts >25g have material codes according to ISO 11469 referring ISO 1043.	\square		
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly available tools			Ē
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).			Ē
		lifetime			
P7.7*	Upgradir	ng can be done e.g. with processor, memory, cards or drives	\square		
P7.8*	Upgradir	ng can be done using commonly available tools			
P7.9.	Spare pa	arts are available after end of production for: 5 years			Ē
P7.10		s available after end of production for: 5 years			Π
		and substance requirements			
P7.11*		cover/housing material type:			
		type: PC+ABS-FR(40) Material type: Material type:			
P7.12		I cable insulation materials of power cables are PVC free.		\square	
P7.13		l cable insulation materials of signal cables are PVC free		\square	
P7.14	All cover	/housing plastic parts >25g are free from chlorine and bromine.	\boxtimes		
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See 🗌 🔀 🗍 Note B2)				
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4:				
P7.17	Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive), TBBPA (reactive), Other; chemical name: , CAS #: Alt. 2				
	ISO 104	Il specifications of flame retardants in printed circuit boards (without components) >25g accordin 3-4: <i>Brominated Epoxy Resin See P14</i>	g 🗌		
P7.18	concentr	etarded plastic parts >25g contain the following flame retardant substances/preparations above 0.1%:	in 🗌		
	Provide complete 1. Chem 2. Chem	 nt: No legal limits exist, this is a market requirement. a list of all used flame retardants including MSDS for each flame retardant. The list must contende chemical name, CAS number and supplier. ical name: , CAS #: , Supplier: 		_	_
	Alt. 2 Chemica FR(40)	al specifications of flame retardants in plastic parts >25g according ISO 1043-4:			
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)				
P7.20		plastic parts' weight >25g, recycled material content is 0.3%.			
P7.21		plastic parts' weight >25g, biobased material content is 0%.			
P7.22		urces are free from mercury			
P8	Batterie				
P8.1*		chemical composition: Lithium Ion/Lithium Manganese Dioxide			
P8.2	Batteries	meet the requirements of the following voluntary program/s: US RBRC			

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number * Lenovo IdeaPad Z370 Issue date * 2011-1-03 Product environmental attributes - Market requirements (continued) Requireme Item Yes P9 Energy consumption 9.1 For the product the following power levels or energy consumptions are reported: See P14 The product is bin paid w(WOL Enabled	n.a.
Item Yes N P9 Energy consumption P 9.1 For the product the following power levels or energy consumptions are reported: See P14 P	n.a.
Item Yes N P9 Energy consumption P 9.1 For the product the following power levels or energy consumptions are reported: See P14 P	n.a.
P9 Energy consumption 9.1 For the product the following power levels or energy consumptions are reported: See P14	
9.1 For the product the following power levels or energy consumptions are reported: See P14	· · ·
Sherry Sh	· □ · □
The product is shipped w/ WOL Enabled.	\$ 🗌
Energy mode * Power level at 100 V AC Power level at 115 V AC Power level at 230 V AC Reference / Standard for energy mode and test method *	
Peak (On-max) 90 W 90 W 90 W Full load	
Category B	
Idle State - WOL Enabled 10.30 W 10.30 W 10.70 W Use for Energy Star V5 registration(P _{idle})	
Sleep (S3) - WOL Enabled 0.60 W 0.60 W 0.67 W Use for Energy Star V5 registration(P _{slee})	
Sleep (S3) - WOL Disabled0.57 W0.64 WReference	
Off (S5) - WOL Enabled 0.28 W 0.29 W 0.33 W Use for Energy Star V5 registration(Port)	
Off (S5) - WOL Disabled 0.28W 0.29W 0.34 W Use for EuP	
EPS No-load 0.16 W 0.17 W 0.22 W	
(External power supply / charger plugged in the wall outlet but disconnected from the product.)	
TEC kWh/week kWh/week kWh/week	\square
Typical Energy Consumption	
ETEC *29.066 kWh/year29.118 kWh/year30.441 kWh/year $E_{TEC} = (8760/1000) \times (P_{off} \times 0.6 + P_{sleep} + 0.1 + P_{idle} \times 0.3)$	۲ 🗆
Poff: Off Mode(S5) - WOL Enabled; Psleep: Sleep Mode(S3) - WOL Enabled; Pidle: Idle State - WOL Enabled	
Display resolution : 1280*800 Megapixels	
Print Speed : Images per minute	
Default time to enter energy save mode: 25 minutes	Ē
P9.2* Information about the energy save function is provided with the product.	
P9.3* The product meets the energy requirements of the following voluntary program/s:	
ENERGY STAR® version: Version 5.0 dated July 1, 2009 Product category: A	
Others specify: Energy Star for External Power Supplies Eligibility Criteria Version 2	
Noise emission – Declared according to ISO 9296	<u></u>
P10.1 Mode Mode description Declared Declared A-weighted	
A-weighted sound pressure level L_{pAm} (dB)	
level L_{WAd} (B) Operator position \boxtimes Bystander position	\$
Desktop 🛛 (only if product is no	•
or Desk side operator attended	
Idle * HDD: Idle * 2.9 27	
Operation * HDD: Operating * 3.1 30.3	
	4
Measured according to: X ISO7779 ECMA-74 Other (only if not covered by ECMA-74 with L _{pAm} measurement distance m)	
P10.2 The product meets the acoustic noise requirements of the following voluntary program/s:	

Model nu	mber *	Lenovo IdeaPad Z370				
Issue date *		2011-1-03	Logo	leno	vo	
Product	environ	nental attributes - Market requirements (continued)		Require	ment	met
Item				Yes	No	n.a.
	Chemica	al emissions from printing products				
P10.3*	Test per	formed according to ECMA-328 (ISO/IEC 28360) standard , other specify:				\square
P10.4		emission rate (print phase) is (mg/h):				
	•••	Dust Ozone Styrene Benzene TVOC				
P10.5		Il emission requirements of the following voluntary program/s are met for :	TVOC			\square
	Electron	nagnetic emissions				
P10.6		er display meets the requirement for low frequency electromagnetic fields of the foll /s: MPR-II	owing voluntary	\boxtimes		
P11	Consum	able materials for printing products				
P11.1*	A Safety	Data Sheet (SDS) is available for the ink/toner preparation, even if not legally requ	ired (see P4.3).			\boxtimes
P11.2*	Paper c EN1228	ontaining post-consumer recycled fibers can be used, provided that it meets th 1.	e requirements	of		\square
P11.3*	2-sided (duplex) printing/copying is an integrated product function.				\boxtimes
P12	Ergonor	nics for computing products				
P12.1*	The disp	lay meets the ergonomic requirements of ISO 9241-307 for visual display technology	gies.	\boxtimes		
P12.2*	The phys	sical input device meets the requirements of ISO 9995 and ISO 9241-410.		\boxtimes		
P13	Packagi	ng and documentation				
P13.1*	Product Product	packaging material type(s): <i>Corrugated Carton</i> weight (kg): <i>0.378</i> packaging material type(s): <i>Polyethylene Cushions</i> weight (kg): <i>0.058</i> packaging material type(s): <i>Others</i> weight (kg): <i>0.230</i>				
P13.2*		plastic packaging is free from PVC.		\boxtimes		
P13.3*	Specify Electron	nedia for user and product documentation (tick box):				
P13.4*		er user and product documentation, please specify contained percentage of post-co % (Japan only 70%)	nsumer recycled			
P14		al information (See Note B4)				
	informati knowledg provided informati		nt is provided bas ate such informat account Represe	sed on sup ion. The in	plier's forma	
P7.17		does not contain free TBBPA in printed circuit boards(without components):	>25g.			
P9	See Ene http://do	rgy Star Qualified Notebooks & Tablet Computers for the latest information: pwnloads.energystar.gov/bi/qplist/laptops_prod_list.xls				

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19