

Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	IdeaPad	Logo
Company name *	Lenovo	
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5J3 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environmen	t.html
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.			
Type of product *	Notebook PC		
Commercial name *	deapad Z465,Z565		
Model number *	20065;4309,20066;4311		
Issue date *	2010-4-8		
Intended market *	🛛 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 🗌 Other		
Additional information	ENERGY STAR® Qualified; EPEAT GOLD Rating; GREENGUARD Certified		

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality Control			Requirement met		
Item		Yes	No		
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes			
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀			

Model number *	Ideapad Z465,Z565 MT:20065;4309,20066;43	311
Issue date *	2010-4-8	Logo

lenovo

Product	roduct environmental attributes - Legal requirements			
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	\square		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\square		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-			
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\square		
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\square		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS) Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference).			
	Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			\square
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference).			\boxtimes
	Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5	\boxtimes		
	microgram/cm ² /week (see legal reference).			
D4 40*	Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/ThinkGreen_products.html#environment	\boxtimes		
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains	\square		
	more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be			
	marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)			
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medic or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\square		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complie with legally required standards for radio and telecommunication devices (see legal reference).	S 🔀		
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\boxtimes		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\boxtimes
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium ar hexavalent chromium by weight of these together.	d 🔀		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\square		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montre Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	al 🔀		
	comment. Legar reference has no maximum concentration values.			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model nu	^{lodel number *} Ideapad Z465,Z565 MT:20065;4309,20066;4311					
Issue date * 2010-4-8			lenovo			
	Ict environmental attributes - Market requirements - Environmental conscious design Requirement met *=mandatory to fill in. Additional information regarding each item may be found under P14. Yes No n.a.					
Item P6		nt information	Yes	No	n.a.	
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).					
P7	Design					
		mbly, recycling				
P7.1*		at have to be treated separately are easily separable	\square			
P7.2*		naterials in covers/housing have no surface coating.		\square		
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.					
P7.4*		arts >25g have material codes according to ISO 11469 referring ISO 1043.	\square			
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes			
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes			
	Product					
P7.7*		ng can be done e.g. with processor, memory, cards or drives	\square			
P7.8*	Upgradir	ng can be done using commonly available tools	\square			
P7.9.	Spare pa	arts are available after end of production for: 5 years				
P7.10	Service i	s available after end of production for: 5 years	_			
		and substance requirements				
P7.11*		cover/housing material type:				
P7.12		type: PC+ABS Material type: Material type: I cable insulation materials of power cables are PVC free.				
		•	<u> </u>			
P7.13		I cable insulation materials of signal cables are PVC free			_닏_	
P7.14		/housing plastic parts >25g are free from chlorine and bromine.		Ц_	<u> </u>	
P7.15	All printe Note B2	ed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See	3			
P7.16	Flame re Marking:	starded plastic parts >25g in covers / housings are marked according ISO 1043-4: FR(40)	\boxtimes			
P7.17	Alt. 1					
		I specifications of flame retardants in printed circuit boards >25g (without components):				
	TBBPA (additive) 🔲, TBBPA (reactive) 🔀, Other; chemical name: , CAS #:				
	Alt. 2					
		I specifications of flame retardants in printed circuit boards (without components) >25g according				
		3-4: Brominated Epoxy Resin See P14				
P7.18	Alt. 1	standard alexi's marks OF a same in the following flows and adapt substances (see and in the				
		etarded plastic parts >25g contain the following flame retardant substances/preparations ir ations above 0.1%:	ו 🗌			
		it: No legal limits exist, this is a market requirement.				
		a list of all used flame retardants including MSDS for each flame retardant. The list must contain	า			
		e chemical name, CAS number and supplier.				
		ical name: , CAS #: , Supplier:				
		ical name: , CAS #: , Supplier:				
	Alt. 2	ical name: , CAS #: , Supplier:	\bowtie			
		I specifications of flame retardants in plastic parts >25g according ISO 1043-4:				
	FR (40)					
P7.19		arts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, 6, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)	\boxtimes			
P7.20		plastic parts' weight >25g, recycled material content is 0%.				
P7.21		plastic parts' weight >25g, biobased material content is 0%.				
P7.22	Light sou	Irces are free from mercury	\square			
P8	Batterie					
P8.1*		chemical composition: Lithium Ion/Lithium Manganese Dioxide			<u> </u>	
P8.2	Batteries	meet the requirements of the following voluntary program/s: US RBRC				

Annex B of ECMA-370 4th edition, June 2009

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number	^{number *} Ideapad Z465,Z565 MT:20065;4309,20066;4311					
Issue date *	2010-4-8					
Product environmental attributes - Market requirements (continued) Requirement met						
Item						
P9 Ene	ergy consump	tion				
9.1 For	the product the	e following power lev oped w/ WOL Enable		mptions are reporte	d: See P14	
Energy mode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standar and test method *	rd for energy modes
Peak (On-max)		65 W	65 W	65 W	Full load	
Category A						
Idle State - WO	L Enabled	10.96 W	11.3 W	11.3 W	Use for Energy Star	V5 registration(P _{idle})
Sleep (S3) - WO	OL Enabled	0.79 W	0.79 W	0.82 W	Use for Energy Star	V5 registration(P _{sleep})
Sleep (S3) - WO	OL Disabled	0.81 W	0.81 W	0.84 W	Reference	
Off (S5) - WOL	Enabled	0.78 W	0.79 W	0.84 W	Use for Energy Star	V5 registration(Poff)
Off (S5) - WOL	Disabled	0.56 W	0.56 W	0.59 W	Use for EuP	
EPS No-load		0.2 W	0.2 W	0.23 W		
(External power charger plugged outlet but discor the product.)	d in the wall					
TEC Typical Energy Consumption		kWh/week	kWh/week	kWh/week		
ETEC * Annual Energy Consumption		32.45 kWh/year	32.66 kWh/year	33.53 kWh/year	$E_{TEC} = (8760/1000) \times 0.1 + P_{idle} \times 0.3)$	$(P_{off} \times 0.6 + P_{sleep} \times \square)$
		Poff: Off Mode(S5) - V	VOL Enabled; P _{sleep} : S	leep Mode(S3) - WOL	Enabled; P _{idle} : Idle State	e - WOL Enabled
Display resolution	on : M	egapixels				
Print Speed	:	Images per minu	te			
Default time to e	enter energy sa	ave mode: 25 minute				
P9.2* Info	rmation about	the energy save fund	tion is provided with	the product.		
ENE		s the energy requiren version: <i>Version 5.0</i>			/s:	
	issions					
Nois		- Declared according	to ISO 9296			
P10.1 Moc	de l	Mode description		Declared A-weighted sound power	Declared A sound pressure le	evel $L_{p Am}$ (dB)
				level L_{WAd} (B)	Operator position 🔀	Bystander positions
					Desktop 🔀 or Desk side 🗌	(only if product is not operator attended)
Idle		* HDD: Idle		* 2.7	23	· · · · · ·
		* HDD: Operating		* 2.9	24	.5
Oth	er mode					
Mea	asured accordi	~ = -	ECMA-74			
	and the state of the	Other		,	n L _{pAm} measurement di	
P10.2 The	The product meets the acoustic noise requirements of the following voluntary program/s:					

Model number * Ideapad Z465,Z565 MT:20065;4309,20066;4311						
Issue date *		2010-4-8 Logo				
Product	environr	nental attributes - Market requirements (continued)	R	quire	mont	mot
Item	CITVITOIN	nental attributes - Market requirements (continued)	1.6	Yes	No	n.a.
nom	Chamia	al emissions from printing products		103	110	n.a.
P10.3*						
		formed according to ECMA-328 (ISO/IEC 28360) standard , other specify:				\square
P10.4	Typical e	emission rate (print phase) is (mg/h):				\bowtie
		Dust Ozone Styrene Benzene TVOC				
P10.5	Chemica	al emission requirements of the following voluntary program/sare met for :				\boxtimes
	[Dust Ozone Styrene Benzene TVOC				
		nagnetic emissions				
P10.6	Compute program	er display meets the requirement for low frequency electromagnetic fields of the following volu /s:	ntary	\boxtimes		
P11		nable materials for printing products				
P11.1*		Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see F	·4.3).			\boxtimes
P11.2*		ontaining post-consumer recycled fibers can be used, provided that it meets the requirem				\square
P11.3*	-					
-		(duplex) printing/copying is an integrated product function.				\square
P12		mics for computing products				
P12.1*		play meets the ergonomic requirements of ISO 9241-307 for visual display technologies.		\square		
P12.2*		sical input device meets the requirements of ISO 9995 and ISO 9241-410.		\square		
P13		ing and documentation				
P13.1*		packaging material type(s): weight (kg):				
		packaging material type(s): weight (kg):				
		packaging material type(s): weight (kg):				
P13.2*		plastic packaging is free from PVC.		\square		
P13.3*		media for user and product documentation (tick box):				
		ic 🔀, Paper 🔀, Other 📃				
P13.4*	For pape	er user and product documentation, please specify contained percentage of post-consumer re	cycled			
		% (Japan only 70%)				
P14		nal information (See Note B4)				
		Supplier makes no representations, guarantees, assurances or warranties whether express o				
		ion contained in this document. All information provided by supplier in this document is provid				
		ge available at the time of completion, and supplier shall have no obligation to update such in				tion
		I here is approximate and provided for informational purposes only. See a Lenovo Account Re	presentat	ve tor	more	
P7.17	informat Broduce					
		t does not contain free TBBPA in printed circuit boards(without components)>25g.				
P9		ERGY STAR Qualified Notebooks & Tablet Computers for the latest information:				
	nttp://a	ownloads.energystar.gov/bi/qplist/laptops_prod_list.xls				

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19