

## Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo
Company name *	Lenovo	
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5J3 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environmen	t.html
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.			
Type of product *	Notebook PC		
Commercial name *	Lenovo IdeaPad Z585		
Model number *	20152, 2617		
Issue date *	2012-2-20		
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other		
Additional information	dditional information ENERGY STAR® Qualified; EPEAT GOLD Rating*; GREENGUARD Certified		

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality Control			Requirement met		
Item		Yes	No		
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	$\boxtimes$			
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).	l 🔀			

Model number *	Lenovo IdeaPad Z585		
Issue date *	2012-2-20	Logo	lenovo

Product	Require			
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	$\square$		
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	$\square$		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			$\boxtimes$
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm <sup>2</sup> /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/ThinkGreen_products.html#environment	$\square$		
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	$\boxtimes$		
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medica or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).			
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).	3		
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	$\square$		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			$\boxtimes$
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium an hexavalent chromium by weight of these together.	d 🔀		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	$\boxtimes$		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	al 🔀		

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model n	umber *	Lenovo IdeaPad Z585			
lssue da	ate *	2012-2-20 Logo	len	ov	D
Produc	t environ	mental attributes - Market requirements - Environmental conscious design	Requi	remen	t met
Item		atory to fill in. Additional information regarding each item may be found under P14.	Yes		
P6		nt information			
P6.1*	Informat	on for recyclers/treatment facilities is available (see legal reference).		1	
P7	Design	mbly, recycling	+		
P7.1*		t have to be treated separately are easily separable			
P7.2*	Plastic materials in covers/housing have no surface coating.				
P7.3*		arts >100g consist of one material or of easily separable materials.			- H
P7.4*		arts >25g have material codes according to ISO 11469 referring ISO 1043.			- +
P7.5	-				<u> </u>
		arts are free from metal inlays or have inlays that can be removed with commonly available tool			_님
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).			
D7 7*	Product				
P7.7*		ig can be done e.g. with processor, memory, cards or drives			<u> </u>
P7.8*		g can be done using commonly available tools			<u> </u>
P7.9.	Spare pa	rts are available after end of production for: 5 years			
P7.10		s available after end of production for: 5 years			
		and substance requirements			
P7.11*		cover/housing material type:			
D7 10		type: PC+ABS-FR(40) Material type: Material type:			
P7.12		I cable insulation materials of power cables are PVC free.			<u> </u>
P7.13		I cable insulation materials of signal cables are PVC free			
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.				
P7.15	All printe Note B2	d circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (	See 🗌	$\square$	
P7.16	Flame re Marking:	tarded plastic parts >25g in covers / housings are marked according ISO 1043-4: FR(40)	$\boxtimes$		
P7.17		I specifications of flame retardants in printed circuit boards >25g (without components): additive) , TBBPA (reactive) , Other; chemical name: , CAS #:			
		I specifications of flame retardants in printed circuit boards (without components) >25g accordir 3-4: <b>Brominated Epoxy Resin See P14</b>	ig 🗌		
P7.18		etarded plastic parts >25g contain the following flame retardant substances/preparations ations above 0.1%:	s in 🗌		
	Provide complete 1. Chem 2. Chem 3. Chem	nt: No legal limits exist, this is a market requirement. a list of all used flame retardants including MSDS for each flame retardant. The list must con a chemical name, CAS number and supplier. ical name: , CAS #: , Supplier: ical name: , CAS #: , Supplier: ical name: , CAS #: , Supplier: ical name: , CAS #: , Supplier:			
	FR(40)	I specifications of flame retardants in plastic parts >25g according ISO 1043-4:			
P7.19	R40, R4	arts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45. 5, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)			
P7.20		plastic parts' weight >25g, recycled material content is 7.3%.			
P7.21		plastic parts' weight >25g, biobased material content is 0%.	<b></b>		
P7.22		Irces are free from mercury			
P8	Batterie				
P8.1*		hemical composition: Lithium Ion/Lithium Manganese Dioxide			
P8.2	Batteries	meet the requirements of the following voluntary program/s: US RBRC			

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	<sup>nber*</sup> Lenovo IdeaPad Z585							
Issue date *	2012-2-2	20 Logo lenovo						
	Product environmental attributes - Market requirements (continued) Requirement met							
	Item Yes No n.a. P9 Energy consumption							
		e following power lev	els or energy consu	motions are reporte	d: See P14			
		oped w/ WOL Enable				$\boxtimes$		
Energy mode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Stand and test method *	ard for energy modes		
Peak (On-max)		90W	90 W	<i>90</i> W	Full load			
Category B						L		
Idle State - WOL	Enabled	9.6W	9.6W	<b>9.6</b> W	Use for Energy Sta	ar V5 registration(P <sub>idle</sub> )		
Sleep (S3) - WOL	Enabled	0.77 W	0.77 W	0.82W	Use for Energy Sta	ar V5 registration(P <sub>sleep</sub> )		
Sleep (S3) - WOL	Disabled	<b>0.76</b> W	0.76 W	<b>0.82</b> W	Reference			
Off (S5) - WOL E	nabled	0.28 W	0.29 W	0.32 W	Use for Energy Sta	ar V5 registration(P <sub>off</sub> )		
Off (S5) - WOL D	isabled	<b>0.27</b> W	0.27 W	0.31 W	Use for EuP			
EPS No-load		0.145 W	0.148 W	0.186 W				
(External power s charger plugged in outlet but disconn the product.)	the wall							
TEC		kWh/week	kWh/week	kWh/week			$\boxtimes$	
Typical Energy Co	onsumption							
ETEC * Annual Energy Co	Insumption	27.375 kWh/year	27.428 kWh/year	27.629 kWh/year	$E_{TEC} = (8760/1000)$ 0.1 + $P_{idle} \times 0.3$ )	$x (P_{off} x 0.6 + P_{sleep} x)$		
		Poff: Off Mode(S5) - 1	NOL Enabled; P <sub>sleep</sub> : S	Sleep Mode(S3) - WOL	Enabled; P <sub>idle</sub> : Idle Sta	ate - WOL Enabled		
Display resolution	: 1280*80	0 Megapixels						
Print Speed	:	Images per minu	te				$\boxtimes$	
Default time to en	ter energy sa	ave mode: 25 minute						
		the energy save fund		the product.				
		s the energy requiren			/s:			
ENEF	GY STAR®	version: Version 5.0	) dated July 1, 200	Product category:	В			
		nergy Star for Exter	nal Power Supplies	Eligibility Criteria	Version 2			
P10 Emiss Noise		- Declared according	to ISO 9296					
P10.1 Mode		Mode description		Declared A-weighted sound power		A-weighted e level $L_{pAm}$ (dB) Bystander positions		
				level $L_{WAd}$ (B)	Desktop or Desk side	(only if product is not operator attended)		
Idle				* 2.9		24.6		
Opera		* HDD: Operating		* 3.0	2	25.8		
	mode		50144 51				ı.	
Meas	ured accordi	ng to: 🔀 ISO7779	ECMA-74	ed by ECMA_74 with	n L <sub>pAm</sub> measurement	distance m)	1	
P10.2 The p	roduct meets	s the acoustic noise i				distance m)	$\square$	

	Imber* Lenovo IdeaPad Z585		_		
Issue dat	le * 2012-2-20	Logo	leno	VO	
	environmental attributes - Market requirements (continued)		Require		met
Item			Yes	No	n.a.
	Chemical emissions from printing products				
P10.3*	Test performed according to ECMA-328 (ISO/IEC 28360) standard, other specify:				$\boxtimes$
P10.4	Typical emission rate (print phase) is (mg/h):				$\boxtimes$
	Dust Ozone Styrene Benzene TVOC				
P10.5	Chemical emission requirements of the following voluntary program/s are met f	or:			$\boxtimes$
	Dust Ozone Styrene Benzene	TVOC			
	Electromagnetic emissions				
P10.6	Computer display meets the requirement for low frequency electromagnetic fields of th program/s: MPR-II	e following volun	tary 🔀		
P11	Consumable materials for printing products				
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally	required (see P	4.3).		
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it mee			H	
	EN12281.				
P11.3*	2-sided (duplex) printing/copying is an integrated product function.				$\square$
P12	Ergonomics for computing products				
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display tech	nologies.	$\boxtimes$		
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.				一一
P13	Packaging and documentation				
P13.1*	Product packaging material type(s): <i>Corrugated Carton</i> weight (kg): 0.378				
	Product packaging material type(s): Polyethylene Cushions weight (kg): 0.058				
	Product packaging material type(s): Others weight (kg):0.230				
P13.2*	Product plastic packaging is free from PVC.				
P13.3*	Specify media for user and product documentation (tick box):				
	Electronic 🔀, Paper 🔀, Other 🗌				
P13.4*	For paper user and product documentation, please specify contained percentage of po fiber: <b>0%</b> (Japan only 70%)	st-consumer rec	ycled		
P14	Additional information (See Note B4)				
	NOTE: Supplier makes no representations, guarantees, assurances or warranties wh	ether express or	implied, regard	ling the	Э
	information contained in this document. All information provided by supplier in this doc	ument is provide	d based on sup	plier's	
	knowledge available at the time of completion, and supplier shall have no obligation to provided here is approximate and provided for informational purposes only. See a Lend				tion
	provided here is approximate and provided for informational purposes only. See a Lend information.	wo Account Rep	resentative for	more	
P7.17	Product does not contain free TBBPA in printed circuit boards(without compone	nts)>25a.			
P9	See ENERGY STAR Qualified Notebooks & Tablet Computers for the latest inform				
	http://downloads.energystar.gov/bi/qplist/laptops_prod_list.xls				

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19