

Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo	
Company name *	Lenovo		
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5J3 Morrisville, North Carolina 27560 alcarter@lenovo.com	ina 27560	
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environmen	t.html	
Additional information			

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.		
Type of product *	Tablet PC		
Commercial name *	IdeaTab S6000-F		
Model number *	60031,Z0A4		
Issue date *	2013-5-1		
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 🗌 Other		
Additional information			

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality Control			Requirement met	
Item		Yes	No	
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes		
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀		

Model number *	IdeaTab S6000-F	
Issue date *	2013-5-1	Logo

lenovo

Product	environmental attributes - Legal requirements	Require	ment	met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	\square		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
P1.4*	concentration values. Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).			
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\square		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS) Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.	,		
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm ² /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/ThinkGreen_products.html#environment			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	\square		
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on th design of the product). Exception: Batteries that are permanently installed for safety, performance, medic or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\square		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).	\square		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complie with legally required standards for radio and telecommunication devices (see legal reference).	s 🔀		
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\square		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			\boxtimes
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\boxtimes
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium ar hexavalent chromium by weight of these together.	nd 🔀		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\square		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montre Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	al 🔀		

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model n	umber *	IdeaTab S6000-F				
Issue date * 20		2013-5-1	Logo	lene	ovo	
Produc	t environ	mental attributes - Market requirements - Environmental co	nscious design	Require	ement	met
Item		atory to fill in. Additional information regarding each item may be found u		Yes	No	n.a.
P6		nt information				
P6.1*		on for recyclers/treatment facilities is available (see legal reference).		\bowtie		
P7	Design Disasse	mbly, recycling				
P7.1*		t have to be treated separately are easily separable		\square		
P7.2*	Plastic n	naterials in covers/housing have no surface coating.				
P7.3*	Plastic p	arts >100g consist of one material or of easily separable materials.				
P7.4*	Plastic p	arts >25g have material codes according to ISO 11469 referring ISO 10	43.			Π
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with o	commonly available t	ools. 🔀		Π
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulator	ry labels).		Ē	Π
	Product	lifetime				
P7.7*	Upgradir	g can be done e.g. with processor, memory, cards or drives		\boxtimes		
P7.8*	Upgradir	g can be done using commonly available tools		\boxtimes		
P7.9.	Spare pa	rts are available after end of production for: 5 years				
P7.10		s available after end of production for: 5 years				
	Material	and substance requirements				
P7.11*		cover/housing material type:				
D7 40		type: TPU Material type: PC+ABS	Material type: PA	A+50%GF		
P7.12		I cable insulation materials of power cables are PVC free.		<u> </u>		<u> </u>
P7.13		I cable insulation materials of signal cables are PVC free				
P7.14		/housing plastic parts >25g are free from chlorine and bromine.				<u>Ц</u>
P7.15	Note B2			1. (See		
P7.16	Marking:	tarded plastic parts >25g in covers / housings are marked according IS	O 1043-4:			
P7.17	TBBPA (l specifications of flame retardants in printed circuit boards >25g (withou additive) _, TBBPA (reactive) ⊠, Other; chemical name: , CA				
	ISO 104	I specifications of flame retardants in printed circuit boards (without com 3-4: Brominated Epoxy Resin See P14	nponents) >25g acco	rding		
P7.18		etarded plastic parts >25g contain the following flame retardant ations above 0.1%:	substances/preparat	ions in	\boxtimes	
	Provide complete 1. Chem	 ht: No legal limits exist, this is a market requirement. a list of all used flame retardants including MSDS for each flame retare chemical name, CAS number and supplier. ical name: , CAS #: , Supplier: ical name: , CAS #: , Supplier: 	rdant. The list must	contain		
	Alt. 2	ical name: , CAS #: , Supplier: I specifications of flame retardants in plastic parts >25g according ISO	1043-4:			
P7.19		arts >25g are free from flame retardant substances/ preparations above 6, R48, R50, R51, R53, R60, R61 and any combination of these (See No		845, 🛛 🔀		
P7.20		lastic parts' weight >25g, recycled material content is 0%.				
P7.21		plastic parts' weight >25g, biobased material content is 0%.				
P7.22	0	Irces are free from mercury				
P8	Batterie					
P8.1*		hemical composition: Lithium Ion				<u> </u>
P8.2	Batteries	meet the requirements of the following voluntary program/s: US RBRC				

Annex B of ECMA-370 4th edition, June 2009

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	IndeaTab S6000-F						
Issue date *	2013-5-1	Logo lenovo .					
Item	Product environmental attributes - Market requirements (continued) Requirement met tem Yes No n.a.						n.a.
	consump	tion				165 110	n.a.
•			els or energy consu	motions are reporte	d: See P14		
The pro	The product is shipped w/ WOL Enabled.						
Energy mode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	at Reference / Standard for energy moc and test method *		
Peak (On-max)		N/AW	N/A W	N/A W	N/A		\square
Category B							
Idle State - WOL E	Enabled	N/AW	N/AW	N/A W	Use for Energy St	ar V5 registration(P _{idle})	\square
Sleep (S3) - WOL	Enabled	N/A W	N/A W	N/AW	Use for Energy St	ar V5 registration(P _{sleep})	
Sleep (S3) - WOL	Disabled	N/A W	N/A W	N/A W	Reference		
Off (S5) - WOL En	abled	N/A W	N/A W	N/A W	Use for Energy St	ar V5 registration(Poff)	
Off (S5) - WOL Dis	sabled	N/AW	N/A W	N/A W	Use for EuP		\square
EPS No-load		N/A W	0.069 W	0.09 W			
(External power su							
charger plugged in outlet but disconne							
the product.)							
TEC		kWh/week	kWh/week	kWh/week			\square
Typical Energy Co	nsumption						_
Etec *		N/A kWh/year	N/A kWh/year	N/A kWh/year $E_{TEC} = (8760/1000) \times (P_{off} \times 0.1000)$		$(P_{off} \times 0.6 + P_{sleep} \times 0.6)$	
Annual Energy Cor	nsumption	,	,	,	0.1 + P _{idle} x 0.3)		
		Poff: Off Mode(S5) - V	VOL Enabled; P _{sleep} : S	Sleep Mode(S3) - WOL	Enabled; P _{idle} : Idle St	tate - WOL Enabled	
Display resolution	: 1280x80	0 Megapixels					
Print Speed	:	Images per minu	te				
Default time to ente	er energy sa	ave mode: 0.5 minute	es				
P9.2* Informa	ation about	the energy save fund	tion is provided with	the product.			\square
		the energy requiren	nents of the following	g voluntary program	/s:		
	GY STAR®	version: Proc	duct category:				\square
	specify:						
P10 Emiss Noise		Declared according	to ISO 9296				
P10.1 Mode		Mode description		Declared	Declared	d A-weighted	
				A-weighted		e level L_{pAm} (dB)	
				sound power	Operator position	Bystander positions	-
				level L_{WAd} (B)	Desktop	ή -)·······	
					or Desk side	(only if product is not	
Idle	*			*		operator attended)	
Operat	ion *	n * *		*			\boxtimes
Other r				+ +			
	red accordir	ng to: 🚺 ISO7779	ECMA-74	<u> </u>			1
		Other		ed by ECMA-74 with	LpAm measurement	distance m)	
P10.2 The pr	oduct meets	the acoustic noise i					\square

Model nu	Imber *	IdeaTab S6000-F			
Issue dat	te *	2013-5-1 Logo	leno	vo	
Product	environr	nental attributes - Market requirements (continued)	Require	ement	met
Item			Yes	No	n.a.
	Chemic	al emissions from printing products			
P10.3*	Test per	formed according to ECMA-328 (ISO/IEC 28360) standard 📃, other specify:			\square
P10.4	• •	emission rate (print phase) is (mg/h): Dust Ozone Styrene Benzene TVOC			\square
P10.5		al emission requirements of the following voluntary program/s are met for :			\square
	Electror	nagnetic emissions			
P10.6		er display meets the requirement for low frequency electromagnetic fields of the following voluntary			\boxtimes
P11		hable materials for printing products			
P11.1*	A Safety	Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).			\boxtimes
P11.2*	EN1228		of 🗌		\square
P11.3*	2-sided	duplex) printing/copying is an integrated product function.			\boxtimes
P12		nics for computing products			
P12.1*		lay meets the ergonomic requirements of ISO 9241-307 for visual display technologies.	\square		
P12.2*	The phy	sical input device meets the requirements of ISO 9995 and ISO 9241-410.	\boxtimes		
P13		ng and documentation			
P13.1*	Product	packaging material type(s): <i>paper</i> weight (kg): <i>0.8kg</i> packaging material type(s): <i>plastic</i> weight (kg): <i>0.03kg</i> packaging material type(s): weight (kg):			
P13.2*	Product	plastic packaging is free from PVC.	\square		
P13.3*		nedia for user and product documentation (tick box): ic ⊠, Paper ⊠, Other □			
P13.4*		er user and product documentation, please specify contained percentage of post-consumer recycle % (Japan only 70%)	d		
P14		nal information (See Note B4)			
	informat knowled provided informat		ased on su ation. The i	pplier's nforma	
P7.17		does not contain free TBBPA in printed circuit boards(without components)>25g.			
P9		ergy Star Qualified (insert appropriate Product type; i.e. Desktop, Notebook, etc.) for the late ownloads.energystar.gov/bi/qplist/laptops_prod_list.xls (insert appropriate web url)	st informa	tion:	

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19