

ECMA/TC38-TG3/2015/026 (Rev. 1 - 15 April 2015)

Annex B2 - Product environmental attributes **Desktop/All-in-One Computers**

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo			
Company name *	Lenovo				
Contact information *	Lenovo Global Environmental Affairs		Lenovo		
e-mail address	Alvin L Carter				
	alcarter@lenovo.com				
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html			
Additional information	The latest version of this document can be found at:				
	http://www.lenovo.com/ecodeclaration				

The company declares (The company declares (based on product specification or test results based obtained from sample testing), that the product				
conforms to the statement	conforms to the statements given in this declaration.				
Type of product *	All in One				
Commercial name *	ideacentre AIO 720-24IKB				
Model number *	FOCM				
Issue date *	2016-12-9				
Intended market *	🔀 Global 📃 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other				
Additional information	Energy Star;Greenguard				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template: P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products P11.1 - P11.3 Consumable materials for printing products.

Model n	umber *	F0C3	Logo						
Issue da	ite *	2016/12/6		Lend	Lenovo				
Produc	t environ	mental attributes - Legal requirements		Require	ment	t met			
ltem				Yes	No	n.a.			
P1		ous substances and preparations							
P1.1*	Products	do comply with current European RoHS Directive. (See legal reference and NOTE	E B1)	\square					
P1.2*	Comme	o do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.		\boxtimes					
P1.3*	hydrobro trichloro	e do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), profluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no m ration values.							
P1.4*		do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych I (PCT) in preparations (see legal reference).	llorinated	\boxtimes					
P1.5*		o do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 car ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	bon atoms in	the 🔀					
P1.6*	(see lega	h direct and prolonged skin contact do not release nickel in concentrations above (al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.),5 μg/cm²/we	ek 🔀					
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail w.lenovo.com/social_responsibility/us/en/environment.html	contact):	\boxtimes					
P2	Batterie	S							
P2.1*		duct contains a battery or an accumulator, the battery/accumulator is labeled with Information on proper disposal is provided in user manual. (See legal reference)	the disposal		\square				
P2.2*	Batteries referenc	or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadn	nium. (See le	gal 🔀					
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		\boxtimes					
P3	Conform	nity verification & Eco design (ErP)			_				
P3.1*	The proc	luct is CE-marked to show conformance with applicable legal requirements (see leg laration of Conformity can be requested at (add link or e-mail address):	gal reference).					
P3.2*	The proc	luct complies with the Eco design requirements for energy-related products, al reference).		\boxtimes					
		l information is; given in item P15 or added to this document,		\square					
P5	Droduct	available at (add URL):							
P5.1*		packaging ng and packaging components do not contain more than 0,01% lead, mercur	v cadmium	and 🔀					
1 3.1	hexavale	ent chromium by weight of these together.	-						
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature e legal reference).							
P5.3*	(see lega	luct packaging material is free from ozone depleting substances as specified in the N al reference).	Montreal Prote	ocol 🔀					
DC		nt: Legal reference has no maximum concentration values.							
P6.1*		nt information							
F0.1	mormati	on for recyclers/treatment facilities is available (see legal reference).		\square					

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *		FOCM	Logo			
Issue da	ite *	2016/12/6		Len	ovc	
Product		mental attributes - Market requirements (See General NOTE GN		_		
		onmental conscious design		Require		
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7	Design	mbly, recycling				
P7.1*	Parts tha	t have to be treated separately are easily separable				
P7.2*		naterials in covers/housing have no surface coating.				- #-
P7.3*		arts > 100 g consist of one material or of easily separable materials.				
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			╞	
P7.5	•	arts are free from metal inlays or have inlays that can be removed with commonly a	available tools		╞	
P7.6*	-	re easily separable. (This requirement does not apply to safety/regulatory labels).			╞	<u> </u>
F7.0						
P7.7*	Product	ing can be done e.g. with processor, memory, cards or drives				
P7.8*		ig can be done using commonly available tools			╞	
P7.9		arts are available after end of production for: 5 years				<u> </u>
						<u> </u>
P7.10		s available after end of production for: 5 years				
P7.11*		and substance requirements cover/housing material type (e.g. plastics, metal, aluminum):				
F7.11			al type:			
P7.12		n materials of external electrical cables are PVC free.	ar type.		\square	
P7.13		n materials of internal electrical cables are PVC free.				H
P7.14		plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b	romine and 0.1%			┢
	weight (´ polyvinyl	1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine i in 25% post-consumer recycled content.	e retardants, and	d		
P7.15	Printed c	ircuit boards, PCBs (without components) are low halogen: all PCBs > 25 g ed in IEC 61249-2-21. (See 1NOTE B2)	are low haloger	ו 🗌	\square	
P7.16		tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:		\square		
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without c PA (additive), TBBPA (reactive) (See NOTE B3), Other: <i>chemical name</i> , CA		\boxtimes		
	Alt. 2: Ch	nemical specifications of flame retardants in printed circuit boards (without compon	ents) > 25 a			
		g ISO 1043-4:		\boxtimes		
P7.18	Alt. 1: Fl	ame retarded plastic parts > 25 g contain the following flame retardant substance	es/preparations ir	1		
	concentr	ations above 0,1%:				\boxtimes
		ical name: , CAS #: (See NOTE B4)				
		ical name: , CAS #: " ical name: , CAS #: "				
			• •	_	_	
		nemical specifications of flame retardants in plastic parts > 25 g according ISO 104		<u> </u>	<u>Ц</u>	
P7.19	•	parts > 25 g, flame retardant substances/preparations above 0,1% are used which	n have been			\bowtie
	Ũ	I the following Risk phrases; and Hazard statements:				
P7.20*			See note B5)			
F1.20	FUSICONS	sumer recycled plastic material content is used in the product (See Note B6):		\boxtimes		
	a) Oft ape or	t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material conter ercentage of total plastic by weight) is %.	t (calculated as			
	b) The	e weight of recycled material is 435.5 g.				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	FOCM	Logo	Lenovo
Issue date *	2016/12/6		
Product environm	mental attributes - Market requirements (continued)		Requirement met

Requirement met

	Material and sul	stance requirements	(continued)		
P7.21*		material content is used		OTE B7):	
	If VES: at least o	ne of the two alternative	e below shall be answ	ered:	
	,			'	ated as a percentage of
		by weight) is %.			
	or b) The weight	of the biobased plastic r	naterial is g.		
P7.22*	.,	free from mercury, i.e.	v		
		specify: Number of lan		um mercury content pe	er lamp: mg
P8	Batteries				
P8.1*	,	composition: Lithium b	attery		
P9 P9.1		ption (See NOTE B8) ne following power level		ana ara ranartadi	
Energy mo		Power level at	Power level at	Power level at	Reference/Standard for energy
Energy mo		100 V AC	115 V AC	230 V AC	modes and test method *
Peak (On-I	max)	W	W	W	Full load
CategoryD	<u>2</u>				
Short Idle S	tate - WOL Enabled	W	64.1 W	63.4 W	Use for ENERGY STAR V6
					registration (P _{idle})
Long Idle St	tate - WOL Enabled	W	30.6 W	30.4 W	Use for ENERGY STAR V6
					registration (P _{idle})
Sleep (S3) -	WOL Enabled	W	1.4 W	1.3 W	Use for ENERGY STAR V6 registration(P _{sleep})
Sleep (S3) -	WOL Disabled	W	W	W	Reference
Off (S5) - W		W	0.8 W	0.9 W	Use for ENERGY STAR V6
Οπ (55) - ₩	OL Enabled	vv	0.8 W	0.9 W	registration(P _{off})
Off (S5) - W	OL Disabled	W	W	W	Use for ErP
		W	W	W	Reference
EPS No-loa		W	W	W	
(External power s	supply / charger plugged in the connected from the product.)	•			
ETEC *	/	W	W	W	
	ergy Consumption				
ETEC *	ergy Consumption	kWh/year	240.4 kWh/year	238.4 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.45)$
	ower Supply				+ $P_{sleep} \times 0.05$ + $P_{long_{ldle}} \times 0.15$ + $P_{short_{ldle}} \times 0.35$)
Efficiency L	evel (International		5) - WOL Enabled; P _{slee}	p: Sleep Mode(S3) - WOL	Enabled; Pidle: Idle State - WOL Enabled
Efficiency N	Marking Protocol) *				
Displav res	olution * : 8.29 me	gapixels			
. ,		ave mode: 25 minutes			
P9.2*					
P9.3	Information about	t the energy save function	on is provided with the	product	
P10		class (monitors only):		p. 54460.	
1-10	Emissions				
P10.1		- Declared according to	ISO 9296 (See NOTE	E B9)	· · · · · · · · · · · · · · · · · · ·
		Mode description			it A-weighted sound power level, L _{WA,c} (B)
	Idle	* HDD:Idle		* 2.9	
	Operation	* HDD: Operating		* 3	
		Declared A-weighted soun			on desktop – idle)
		Declared A-weighted soun			on desktop – operating)
	 		phi		
L	1				

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Item

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nu	Imber *	FOCM					Logo			
Issue dat	te *	2016/12/6						Lenc	OVO	тм
Product	environm	ental attributes	- Market require	ments (con	tinued)			Require	ment	me
ltem								Yes	No	n.a
		agnetic emissior								
P10.4	program(s): CE FCC VCCI		frequency el	ectromagnetic fields	s of the follo	wing volunta	ry 🔀		
P12		ics for computin								
P12.1*	The displ	ay meets the ergo	nomic requirements o	of ISO 9241-3	307 for visual displa	y technologi	es.			\geq
P12.2*	The phys	ical input device m	eets the requirement	ts of ISO 999	5 and ISO 9241-41	0.			\boxtimes	
P13	Packagir	ig and document	ation							
P13.1*	Product p	ackaging material ackaging material ackaging material	type(s): <i>LDPE</i>	weight (kg weight (kg weight (kg): 0.045					
P13.2*	Product p	lastic primary pac	kaging is free from P	VC.				\square		
P13.3*		uct primary corrug	ated fiberboard pac ontent: 3 %	kaging, spec	ify the contained p	ercentage o	of minimum	post-		
P13.4*		nedia for user and onic, XPaper,	product documentation	on (tick box):						
P13.5	User and		tem if paper docume tation on paper media					\boxtimes		
	Elementa	lorine-free l chlorine-free d chlorine-free								
P14	Voluntar	y programs								
P14.1			irements of the follow	ving voluntary	y program(s):					
	ENERGY Eco-label	STAR® : Greenguard	Criteria version: 6. Criteria version:	.7\	Date: 2016/11/29 Date:	Product ca Product ca	ategory: D2 ategory:			
	Eco-label		Criteria version:		Date:	Product ca	ategory:			
P15	Addition	al information (Se	ee NOTE B10)							
P9	Energy c	onsumption of s	pecific configuration	n may vary;	description of the	tested proc	luct configu	ration:		
	information knowledg	on contained in this e available at the here is approxima	epresentations, guar s document. All inform time of completion, a te and provided for in	nation providend nd supplier sl	ed by supplier in thi hall have no obligat	s document ion to updat	is provided b e such inform	based on sup nation. The in	plier's format	ion
P9	See Ener http://www	gy Star Qualified N w.energystar.gov/i	Notebooks & Tablet C ndex.cfm?fuseaction	Computers for =find_a_prod	the latest informati uct.showProductGr	on: oup&pgw_c	ode=CO			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Ideacentre AIO 720-24IKB	Logo	
Model Number	F0C3		
Issue Date	2016/12/6	Lenovo	
Additional information	Energy Star 6.1;Greenguard	· · · · · · · · · · · · · · · · · · ·	

P7.1.1	Product environmental attributes					
(d)	year of manufacture:				2016	
(e)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display.					
(f)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are enable					
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)	
	Memory over base [GB]				12	
ents ting	Additional internal storage	(Yes / No)	(Yes / No)	(Yes / No)	Yes (Yes / No)	
capability adjustments applied during testing	Discrete television tuner	(Yes / No)	(Yes / No)	(Yes / No)	No (Yes / No)	
ability a	Discrete Audio Card	(Yes / No)	(Yes / No)	(Yes / No)	No (Yes / No)	
cap app	Discrete graphics Card(s) [number / #]	# <i>:</i> (Yes / No)	#: (Yes / No)	#: (Yes / No)	Yes #: 1 (Yes / No)	
	Category of discrete graphics Card(s)				G4	
Test results	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)				N/A	
Test r	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled				117.68	
(g)	Idle state power demand (Watts);		1		32.07	
(h)	Sleep mode power demand (Watts);				1.04	
(i)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		1.01	
(j)	Off mode power demand (Watts); 0.76					
(k)	Off mode with WOL enabled power demand (Watts) (where enabled); 0.70					
(I)	Internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable):					
	250W 10% 85.65% 20% 90.46% 50% 92.80% 100% 90.24% Average 91.16%					
(m)	External power supply efficiency (if appli	cable)*:				
	Average active efficiency: N/A					
(-)	*internal note: show values for all available external po					
(0)	Minimum number of loading cycles that t	me datteries can withs	tand (applies only to h	iotebook computers):	N/A	
(p-1)	Measurement methodology used to dete Generalized Test Protocol for Calcu		iciency of Internal A			
(p-2)	Measurement methodology used to dete	rmine information mer	ntioned in points (m) –	external PSU efficience	cy:	

(p-3)	Measurement metho	dology used to determine information mentioned in p N/A	points (o) – loading cycles batteries:	
(p-4)	power as defined in l	dology used to determine information mentioned in r Point P9.1 in the Product IT Eco Declaration: ition 1.0 2012-10 - Desktop and notebook comput		
		consumption/ IEC EN50564:2011 measurement		
(q)		or achieving a stable condition with respect to power ased on user manual/Power on->Wait 5 minutes-:		
(r)		eep and/or off mode was selected or programmed: ed on user manual/Begin menu -> Power -> Select	ct sleep or off mode	
(s)	off mode:	required to reach the mode where the equipment au anual/Control Panel->Power Options-> Change So		
	Dased on user me	for this plan	eungs-+ Restore delaurt seungs	
(t)	condition which does	te condition before the computer automatically re- not exceed the applicable power demand requirement	ents for sleep mode (in minutes):	25
(u)		• a period of user inactivity in which the compute ver power demand requirement than sleep mode (in		
(v)	Length of time befo	re the display sleep mode is set to activate after	user inactivity (in minutes):	10
(w)	Information on the er	nergy-saving potential of power management functio Based on user manual	nality:	
(x)	User information on	now to enable the power management functionality: Based on user manual		
(z)			strumentation, set-up and circuits	
		230V, 50Hz, Total Harmonic Distortion	<2 %	
Additio	on Notebook Battery			
		Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a
		The battery[ies] in this product cannot be easily replaced by users themselves. ¹⁾		
Internal	/built-in Battery			
Externa	al/detachable Battery			
Bios Ba	ackup Battery			
Other:				
Addition	nal information			
кумулаторн	ната[ите] батерия[и] в този п	t be easily replaced by users themselves. родукт не може да се замени[ят] лесно от самите потребител	пи.	
ýměnu bate	erie/baterií v tomto výrobku by	er sustituidas fácilmente por los propios usuarios. neměli provádět sami uživatelé.		
		teriet/batterierne i dette produkt. ‹önnen nicht ohne weiteres vom Benutzer selbst ausgetauscht w	verden.	
	saa selle toote akut/akusid ise ες] στο προϊόν αυτό δεν μπορ	hõlpsasti asendada. ούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες		
	e(s présente(s) dans ce produ nože lako zamijeniti Bateriju sa	it ne peuvent être facilement remplacée(s) par les utilisateurs eu	ıx-mêmes.	
	IUZE IAKU Zamijemili Dalenju So			
orisnik ne m a batteria/le	batterie in questo prodotto no	n può/possono essere facilmente sostituita/e dall'utente.		
orisnik ne m a batteria/le etotāji paši io gaminio t	batterie in questo prodotto no nevar nomainīt šā ražojuma a paterijos [baterijų] pats vartoto	n può/possono essere facilmente sostituita/e dall'utente. kumulatoru(-us). as negali lengvai pakeisti.		
orisnik ne m a batteria/le etotāji paši io gaminio t termék akk batterija/ba	batterie in questo prodotto no nevar nomainīt šā ražojuma a paterijos [baterijų] pats vartoto tumulátorát/akkumulátorait a fe tteriji f'dan il-prodott ma tistax.	n può/possono essere facilmente sostituita/e dall'utente. kumulatoru(-us). as negali lengvai pakeisti. Jihasználó nem tudja egyedül egyszerűen kicserélni. jistgħux tiġi/jiġu sostitwita/i mill-utenti stess.		
orisnik ne m a batteria/le etotāji paši io gaminio t termék akk batterija/ba atteriet [ene e batterij(er	batterie in questo prodotto no nevar nomainīt šā ražojuma a paterijos [bateriju] pats vartoto sumulátorát/akkumulátorait a fe ttteriji fdan il-prodott ma tistax, a] i dette produktet kan ikke let n) in dit product is (zijn) door d	n può/possono essere facilmente sostituita/e dall'utente. kumulatoru(-us). as negali lengvai pakeisti. Ilhasználó nem tudja egyedül egyszerűen kicserélni. jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. t erstattes av brukerne selv. e gebruiker niet gemakkelijk vervangbaar.		
orisnik ne m a batteria/le ietotāji paši io gaminio t termék akk batterija/ba atteriet [ene e batterij(er żytkownik n ou as bater	batterie in questo prodotto no nevar nomainīt šā ražojuma a baterijos [bateriju] pats vartoto uumulátorāt/akkumulátorait a fi ttteriji f'dan il-prodott ma tistax, b] i dette produktet kan ikke let n) in dit product is (zijn) door d nie može sam w łatwy sposób- rias deste produto não podem	n può/possono essere facilmente sostituita/e dall'utente. kumulatoru(-us). as negali lengvai pakeisti. Ihasználó nem tudja egyedül egyszerűen kicserélni. Jistgňux tigi/jigu sostitwita/i mill-utenti stess. t erstattes av brukerne selv.		

Baterii/(-ie) v tomto vyrosku nemoze vymienat pouzivatei. Baterii/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati. Tämän tuotteen akku [akut] el[vät] ole helposti käyttäjän vaihdettavissa. Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.