

Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	Ideapad	Logo
Company name *	Lenovo	
Contact information *	Contact information * Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5J3 Morrisville, North Carolina 27560 alcarter@lenovo.com	
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	t.html
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Notebook PC			
Commercial name *	Ideapad U460,U460s			
Model number *	20056, 20057, 0877, 0885			
Issue date *	2010-04-26			
Intended market *	Global Europe Asia, Pacific & Japan Americas Other			
Additional information	ENERGY STAR® Qualified; EPEAT GOLD Rating*; GREENGUARD Certified			

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality Control			Requirement met		
Item		Yes	No		
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes			
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).	I 🛛			

Model number *	Ideapad U460,U460s MT:20056,20057,0877,	0885
Issue date *	2010-04-26	Logo

Logo lenovo

Product	oduct environmental attributes - Legal requirements				
Item		Yes	No	n.a.	
P1	Hazardous substances and preparations				
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)				
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	\boxtimes			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.				
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\square			
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\boxtimes			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS) Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.	,		\boxtimes	
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			\boxtimes	
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.				
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm ² /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.				
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/ThinkGreen_products.html#environment				
P2	Batteries				
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)				
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	\boxtimes			
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on th design of the product). Exception: Batteries that are permanently installed for safety, performance, medic or data integrity reasons do not have to be "easily removable". (See legal reference)	e 🔀			
P3	Safety, EMC connection to the telephone network and labeling				
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\boxtimes			
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).				
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complie with legally required standards for radio and telecommunication devices (see legal reference).	s 🔀			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\square			
P4	Consumable materials				
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			\boxtimes	
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\square	
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).				
P5	Product packaging				
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium ar hexavalent chromium by weight of these together.	id 🔀			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\square			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montre Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.				

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Issue da					
	lic	2010-04-26 Logo	eno	vo)
Produc	tonviron	mental attributes - Market requirements - Environmental conscious design R	equirer	mont	mot
Item		atory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a
P6		nt information			
P6.1*	Informat	on for recyclers/treatment facilities is available (see legal reference).	\square		
P7	Design Disasse	mbly, recycling			
P7.1*	Parts that	t have to be treated separately are easily separable	\square		
P7.2*	Plastic m	naterials in covers/housing have no surface coating.			
P7.3*	Plastic p	arts >100g consist of one material or of easily separable materials.			
P7.4*	Plastic p	arts >25g have material codes according to ISO 11469 referring ISO 1043.			
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.				
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).		Ē	F
	Product	lifetime			
P7.7*	Upgradir	g can be done e.g. with processor, memory, cards or drives	\square		
P7.8*	Upgradir	g can be done using commonly available tools			
P7.9.	Spare pa	rts are available after end of production for: 5 years			
P7.10		s available after end of production for: 5 years			
		and substance requirements			
P7.11*	Product	cover/housing material type:			
		type: PC+ABS Material type: Material type:			
P7.12		I cable insulation materials of power cables are PVC free.		\square	
P7.13		I cable insulation materials of signal cables are PVC free		\square	
P7.14		/housing plastic parts >25g are free from chlorine and bromine.	\square		
P7.15	All printe Note B2)	d circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See		\square	
P7.16	Flame re Marking:	tarded plastic parts >25g in covers / housings are marked according ISO 1043-4: FR(40)	\square		
P7.17	TBBPA (Alt. 2 Chemica	Il specifications of flame retardants in printed circuit boards >25g (without components): additive) , TBBPA (reactive) , Other; chemical name: , CAS #:			
P7.18	Alt. 1 Flame r	3-4: <i>Brominated Epoxy Resin See P14</i> etarded plastic parts >25g contain the following flame retardant substances/preparations in			
	Commer Provide complete 1. Chem 2. Chem 3. Chem Alt. 2	ations above 0.1%: It: No legal limits exist, this is a market requirement. a list of all used flame retardants including MSDS for each flame retardant. The list must contain b chemical name, CAS number and supplier. ical name: , CAS #: , Supplier: ical name: , CAS #: , Supplier: I specifications of flame retardants in plastic parts >25g according ISO 1043-4:			
P7.19	FR (40) Plastic p	arts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45,			
		6, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)			
P7.20		plastic parts' weight >25g, recycled material content is 0%.			
P7.21		plastic parts' weight >25g, biobased material content is 0%.			_
P7.22	<u> </u>	irces are free from mercury			
	Batterie				
P8 P8.1*		hemical composition: Lithium Ion/Lithium Manganese Dioxide			

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number * Ide	apad U460,U	1460s MT:2	0056,20057	7,0877,0885		
Issue date * 2010-				Logo	lenovo	
Product environmental	attributes - Market	requirements (c	ontinued)		Requirement m	iei
Item						1.a.
P9 Energy consur	nption					
	the following power lev shipped w/ WOL Enable		mptions are reporte	ed: <i>See P14</i>		
Energy mode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard and test method *	for energy modes	
Peak (On-max)	65 W	65 W	65 W	Full load	[
Category A (U460)						
Idle State - WOL Enabled	11.25 W	11.28 W	11.45 W	Use for Energy Star V	/5 registration(P _{idle})	
Sleep (S3) - WOL Enabled	1 0.96 W	0.96 W	0.99 W	Use for Energy Star V	/5 registration(P _{sleep})	┓
Sleep (S3) - WOL Disable	d 0.89 W	0.89 W	0.96 W	Reference		┓
Off (S5) - WOL Enabled	0.51 W	0.51 W	0.54 W	Use for Energy Star V	/5 registration(P _{off})	ᆕ
Off (S5) - WOL Disabled	0.51 W	0.51 W	0.54 W	Use for EuP	<u>Г</u>	ᆕ
Category B(U460)						_
Idle State - WOL Enabled	11.38 W	11.40 W	11.43 W	Use for Energy Star V	/5 registration(P _{idle})	Τ
Sleep (S3) - WOL Enabled	1.06 W	1.06 W	1.09 W	Use for Energy Star V	/5 registration(P _{sleep})	ᆕ
Sleep (S3) - WOL Disable	d 0.98 W	0.98 W	1.01 W	Reference		ᆕ
Off (S5) - WOL Enabled	0.53 W	0.53 W	0.56 W	Use for Energy Star V	/5 registration(P _{off})	ᆕ
Off (S5) - WOL Disabled	0.53 W	0.53 W	0.56 W	Use for EuP		ᆕ
Category B(U460s)						_
Idle State - WOL Enabled	10.61	10.66	10.91	Use for Energy Star V	/5 registration(P _{idle})	-
Sleep (S3) - WOL Enabled	0.96	0.96	1.05	Use for Energy Star V		╡
Sleep (S3) - WOL Disable		0.88	0.97	Reference		ᆕ
Off (S5) - WOL Enabled	0.44	0.45	0.52	Use for Energy Star V	/5 registration(Port)	ᆕ
Off (S5) - WOL Disabled	0.44	0.45	0.52	Use for EuP		듹
EPS No-load	W	W	W			╡
(External power supply / charger plugged in the wall outlet but disconnected from the product.)					L	
TEC Typical Energy Consumptio	n kWh/week	kWh/week	kWh/week			\boxtimes
ETEC * Annual Energy Consumptio	33.54 kWh/year n	33.57 kWh/year	33.85 kWh/year	$E_{TEC} = (8760/1000) x 0.1 + P_{idle} x 0.3)$	$(P_{off} \times 0.6 + P_{sleep} \times [$	
	Poff: Off Mode(S5) -	WOL Enabled; P _{sleep} : S	Sleep Mode(S3) - WOL	Enabled; P _{idle} : Idle State	- WOL Enabled	
Display resolution :	Megapixels				1	٦
Print Speed :	Images per minu	te				\boxtimes
Default time to enter energy						
	ut the energy save fund		the product.			╡
P9.3* The product me	ets the energy requirer R® version: <i>Version 5.</i>	nents of the followin	g voluntary program			_ _

P10	Emissions							
	Noise emissio	n – Declared according to ISO 9296						
P10.1	Mode	Mode description	Declared A-weighted sound power		A-weighted level $L_{p{\sf Am}}$ (dB)			
			level L_{WAd} (B)	Operator position Desktop or Desk side	Bystander positions (only if product is not operator attended)			
	Idle	* HDD: Idle	* 2.8	2	1.4			
	Operation	* HDD: Operating	* 2.8	2	1.8			
	Other mode							
	Measured acco	rding to: ISO7779 ECMA-74 Other (only if not cover	ed by ECMA-74 w	ith L _{pAm} measurement d	listance m)			
P10.2	The product meets the acoustic noise requirements of the following voluntary program/s:							

Model number * Ideapad U460, U460s MT:20056, 20057, 0877, 0885						
Issue dat	:e *	2010-04-26 Logo		200	vo	
Product	environr	nental attributes - Market requirements (continued)	B	equire	ment	met
Item				Yes	No	n.a.
	Chemic	al emissions from printing products				
P10.3*		formed according to ECMA-328 (ISO/IEC 28360) standard , other specify:				\square
P10.4		emission rate (print phase) is (mg/h):				
	,,	Dust Ozone Styrene Benzene TVOC				
P10.5		al emission requirements of the following voluntary program/s are met for :				\square
		Dust Ozone Styrene Benzene TVOC	; 🗖			
	Electror	nagnetic emissions				
P10.6	Compute program	er display meets the requirement for low frequency electromagnetic fields of the following /s:	voluntary	\boxtimes		
P11	Consum	nable materials for printing products				
P11.1*	A Safety	Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (s	see P4.3).			\boxtimes
P11.2*	Paper c EN1228	ontaining post-consumer recycled fibers can be used, provided that it meets the required.	uirements of			\square
P11.3*	2-sided	(duplex) printing/copying is an integrated product function.				\boxtimes
P12	Ergono	mics for computing products				
P12.1*	The disp	lay meets the ergonomic requirements of ISO 9241-307 for visual display technologies.		\boxtimes		
P12.2*	The phy	sical input device meets the requirements of ISO 9995 and ISO 9241-410.		\boxtimes		
P13	Packagi	ng and documentation				
P13.1*	Product Product	packaging material type(s): <i>Corrugated Carton</i> weight (kg): <i>0.385</i> packaging material type(s): <i>Polyethylene Cushions</i> weight (kg): <i>0.122</i> packaging material type(s): weight (kg):				
P13.2*	Product	plastic packaging is free from PVC.		\boxtimes		
P13.3*		media for user and product documentation (tick box):				
		ic 🔀, Paper 🔀, Other 🗌				
P13.4*		er user and product documentation, please specify contained percentage of post-consum % (Japan only 70%)	er recycled			
P14		nal information (See Note B4)				
	informat knowled provided informat		rovided based ch information	l on sup n. The in	plier's forma	
P7.17		t does not contain free TBBPA in printed circuit boards(without components)>25g.				
P9		ERGY STAR Qualified Notebooks & Tablet Computers for the latest information: ownloads.energystar.gov/bi/qplist/laptops_prod_list.xls				

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19