



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

## Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo	
Company name *	Lenovo		
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com		Lenovo
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html	
Additional information	The latest version of this document can be found at:	•	
	http://www.lenovo.com/ecodeclaration		

	The company declares (based on product specification or test results based obtained from sample testing), that the product					
conforms to the statemen	conforms to the statements given in this declaration.					
Type of product *	NB					
Commercial name *	Lenovo Ideapad C340-15/FLEX-15					
Model number *	81N5, 81SR					
Issue date *	2018/11/27					
Intended market *	Global Europe Asia, Pacific & Japan Americas Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

#### About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model nu	mber *	81N5, 81SR	Logo	Long		
Issue dat	e *	2018/11/27		Lend	JVC	<b>)</b> <sub>TM</sub>
Product	environ	mental attributes - Legal requirements		Require	ment	met
Item				Yes	No	n.a.
P1	Hazardo	us substances and preparations				
P1.1*	Products	do comply with current European RoHS Directive. (See legal reference and NOTE	B1)			
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.				
P1.3*	hydrobro trichloroe	do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no mation values.				
P1.4*	Products	do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych (PCT) in preparations (see legal reference).	orinated	$\boxtimes$		
P1.5*		do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carb ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in the			
P1.6*	(see lega	h direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	,5 μg/cm²/week			
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail ov.lenovo.com/social_responsibility/us/en/environment.html	contact):			
P2	Batterie					
P2.1*		duct contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference)	he disposal			
P2.2*	Batteries	or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadme	ium. (See legal	$\boxtimes$		
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		$\boxtimes$		
P3	Conforn	nity verification & Eco design (ErP)				
P3.1*	The prod The Dec	luct is CE-marked to show conformance with applicable legal requirements (see legal laration of Conformity can be requested at (add link or e-mail address):  ww.lenovo.com/social_responsibility/us/en/ec_doc_notebooks/	jal reference).			
P3.2*		fluct complies with the Eco design requirements for energy-related products,		$\boxtimes$		
	` •	al reference).			_	_
	Required	d information is; given in item P15 or added to this document,		$\boxtimes$		
		available at (add URL):				
		ww.lenovo.com/social_responsibility/us/en/datasheets_notebooks/				
P5		packaging			_	
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercury ent chromium by weight of these together.	, caumum an	d 🔀	Ш	
P5.2*	The pack	kaging materials are marked with abbreviations and numbers indicating the nature of elegal reference).	of the material(s	s) <u></u>		
P5.3*		e regarrerere). luct packaging material is free from ozone depleting substances as specified in the N	Montreal Protoco	ol 🔀		
	(see lega	al reference).		🔼		
P6		nt: Legal reference has no maximum concentration values.				
P6.1*		on for recyclers/treatment facilities is available (see legal reference).				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	81N5, 81SR	Logo	Lanova
Issue date *	2018/11/27		LEI IOVO"

Product	environmental attributes - Market requirements (See General NOTE GN below)			
	· · · · · · · · · · · · · · · · · · ·	Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design, Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable			Щ
P7.2*	Plastic materials in covers/housing have no surface coating.		$\boxtimes$	
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.			
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	$\boxtimes$		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	$\boxtimes$		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	$\boxtimes$		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives			
P7.8*	Upgrading can be done using commonly available tools	$\boxtimes$		
P7.9	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
P7.12	Material type: <i>FR3002</i> Material type: <i>FR3001</i> Material type: <i>FR3002</i> Insulation materials of external electrical cables are PVC free.			
P7.12	Insulation materials of internal electrical cables are PVC free.			<del>  </del>
				<u> </u>
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, an polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containin more than 25% post-consumer recycled content.	d		
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low haloge as defined in IEC 61249-2-21. (See 1NOTE B2)	n 🔲	$\boxtimes$	
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):  TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: <b>Brominated epoxy resin</b> , CAS #: 26265-08-7			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4: FR(16)			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations is concentrations above 0,1%:  1. Chemical name: Confidential, CAS #: Confidential (See NOTE B4)  2. Chemical name: Confidential, CAS #: Confidential "  3. Chemical name: Confidential, CAS #: Confidential "  4. Chemical name: Confidential (See NOTE B4)	n 🔲		
	3. Chemical name: <b>Confidential</b> , CAS #: <b>Confidential</b> <u>Alt. 2:</u> Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been			
	assigned the following Risk phrases; and Hazard statements:	_		_
	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):	$\boxtimes$		
	If YES; at least one of the two alternatives below shall be answered;  a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 0.4%.  or  b) The weight of recycled material is 2.6 g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	81N5, 81SR	Logo	Lonovo
Issue date *	2018/11/27		LEI IOVO,

Product environmental attributes - Market requirements (continued)	Requirement		
Item	Yes	No	n.a.

		stance requirements				
P7.21*	Biobased plastic i	material content is used	d in the product (See NO	OTE B7):		
	If YES; at least or	ne of the two alternative	es below shall be answe	ered;		
			the biobased plastic m	aterial content (calcula	ated as a percentage of	
	total plastic l	by weight) is %.				
	or	Contraction of the Con-				
D7 00*		of the biobased plastic				_
P7.22*		tree trom mercury, i.e. I specify: Number of lar	less than 0,1 mg/lamp.	um mercury content pe	er lamp: mg	Ш
P8	Batteries	r specify. Number of lar	inps. and maximi	un mercury content p	er ramp. mg	
P8.1*		composition: Li-polyr	ner			
P9		otion (See NOTE B8)				
P9.1			ls or energy consumption	ons are reported:		
Energy mo		Power level at	Power level at	Power level at	Reference/Standard for energy	
		100 V AC	115 V AC	230 V AC	modes and test method *	
Peak (On-	max)	65 W	65 W	65 W	Full load	
Categor	y NB1					
		<b>5</b> 00 14/	0.44104			
	State - WOL	5.69 W	<b>6.14</b> W	5.87 W	Use for ENERGY STAR V6	
Enabled					registration (P <sub>idle</sub> )	
	State - WOL	3.06 W	3.12 W	3.6 W	Use for ENERGY STAR V6	
Enabled					registration (P <sub>idle</sub> )	
- (2.2)			0.4014			
	- WOL Disabled	0.46 W	<b>0.46</b> W	0.55 W	Reference	
Off (S5) - V	WOL Disabled	0.22 W	<b>0.22</b> W	0.3 W	Use for ErP	
EPS No-loa	ad	<b>0.051</b> W	0.058 W	<b>0.145</b> W		
(External powers	supply / charger plugged in the connected from the product.)	1				
PTEC *	connected from the product.)	W	W	W		$\boxtimes$
Typical En	ergy Consumption					
ETEC *		19.53 kWh/year	20.76 kWh/year	20.92 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25)$	
Annual Ene	ergy Consumption				+ P <sub>sleep</sub> x 0.35 + P <sub>long_Idle</sub> x 0.10+	
		P =: Off Modo(S5) - W	Ol Enabled: B. : Sleen	Modo(\$2) WOL Enabl	P <sub>short_Idle</sub> x 0.30) ed; P <sub>idle</sub> : Idle State - WOL Enabled	
External Do	ower Supply Efficie		I Efficiency Marking Pro		ed, Fidle. Idle State - WOL Ellabled	$\overline{}$
	solution * : 1920*10		- Lindicitoy Marking Fit	. •1		+
						Щ.
		ave mode: 10 minutes				Щ.
P9.2*			ion is provided with the	product.		
P9.3	Energy efficiency	class (monitors only):				$\boxtimes$
P10	Emissions					
			o ISO 9296 (See NOTE			
P10.1		Mode description			it A-weighted sound power level, $L_{WA,c}$	(B)
		* Idle		* 2.7		
		* CPU Operating		* 3.8		
	Other mode	Declared A-weighted soun	ad pressure level (dB) $L_{p m Am}$	17.6 (operat	or position desktop – idle)	
	Other mode	Declared A-weighted soun	ad pressure level (dB) $L_{p{\sf Am}}$	27.5 (operat	or position desktop – operating)	
	Measured accord	ing to: 🔀 ISO 7779 🛭	ECMA-74			
		Other	only if not covered by	ECMA-74)		
			<u> </u>	,		

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Model number *		81N5, 81SR					Logo	Lono	V/0	
Issue date	*	2018/11/27						Leno	VO,	*
Product of	environn	nental attributes	- Market requirem	ents (con	tinued)			Require	ment	met
Item								Yes	No	n.a.
		nagnetic emissions								
P10.4	Compute program	. ,	requirement for low fi	requency ele	ectromagnetic	fields of the foll	owing voluntary			
P12		nics for computing								
P12.1*	The disp	lay meets the ergono	omic requirements of	ISO 9241-3	307 for visual d	isplay technolog	gies.		$\boxtimes$	
P12.2*	The phys	sical input device me	ets the requirements	of ISO 999	5 and ISO 924	1-410.			$\boxtimes$	
P13		ng and documentat								
P13.1*		packaging material ty		weight (kg						
		packaging material ty		weight (kg						
D42.0*		packaging material ty		weight (kg	): 0.3107				_	
P13.2*			aging is free from PV							Щ
P13.3*		luct primary corruga er recovered fiber coi	ited fiberboard packa ntent: <b>80</b> %	aging, spec	ify the contain	ed percentage	of minimum po	st-		
P13.4*			roduct documentation	n (tick box):						
	Electi	ronic, 🔀 Paper, 🔲 🤇	Other							
P13.5	Ùser and	l product documenta	em if paper documen tion on paper media							
	•	ease specify:								
	•	hlorine-free								
	Elementa	al chlorine-free								
	Processe	ed chlorine-free								
P14		ry programs								
P14.1	The proc	luct meets the requir	ements of the followi	ng voluntary	program(s):					
	ENERG'	/ STAR®	Criteria version: 7.1		Date: 1/21	Product of	category: 1			
	Eco-labe	el:	Criteria version:		Date:	Product of				
	Eco-labe		Criteria version:		Date:	Product of	category:			
P15		al information (See								
P9			ecific configuration							
			presentations, guara							
			document. All information of completion, and							on
		here is approximate	and provided for info							OII
P9			otebooks & Tablet Co dex.cfm?fuseaction=				code=CO			
	•									

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) *  * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

# **Lenovo ErP Lot3 Information Sheet** - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

### **Products scope of this sheet:**

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo IdeaPad C340-15/FLEX-15	Logo	
Model Number	81N5, 81SR		Lonovo
Issue Date	2018/11/27		Lenovo.
Additional information			

d)	Year of manufacture:				2018
e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with	n switchable graphics	mode with UMA driving	the display.	, ,
f)	Etec value (kWh) per ErP Lot 3 Catego enable	ry and capability adjus	stments applied when a	III discrete graphics (	cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]	20	20		
ents	Additional internal storage	Yes (Yes / No)	Yes (Yes / No)	(Yes / No)	(Yes / No)
capability adjustments applied during testing	Discrete television tuner	No (Yes / No)	No (Yes / No)	(Yes / No)	(Yes / No)
ability a	Discrete Audio Card	No (Yes / No)	No (Yes / No)	(Yes / No)	(Yes / No)
cap	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	Yes #: 1 (Yes / No)	#: (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)		G3		
sults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	10.29			
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled		10.29		
g)	Idle state power demand (Watts);				A: 3.17 B:3.18
h)	Sleep mode power demand (Watts);				A:0.41 B:0.54
i)	Sleep mode with WOL enabled power d	emand (Watts) (where	e enabled);		A:0.41 B:0.54
j)	Off mode power demand (Watts);				A: 0.31 B:0.25
k)	Off mode with WOL enabled power dem	nand (Watts) (where e	nabled);		A:0.31 B:0.25
1)	Internal power supply efficiency at 10 %	, 20 %, 50 % and 100	% of rated output pow	er (if applicable):	
	10% 20% 50%	100% Ave	rage		
m)	External power supply efficiency (if appl	icable)*:			
	Average active efficiency: 89.242% , 89.242%	9.03%,88.93%,89.	04%,89.92%,89.189	%	
0)	*internal note: show values for all available external p Minimum number of loading cycles that				

(p-1)	Measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency:  NA			
(p-2)	Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency:  ENERGY STAR® Program Requirements for Single Voltage External Ac-Dc and Ac-Ac Power Supplies  Eligibility Criteria (Version 2.0)			
(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: ≥70% of Cmin			
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:  IEC 62623			
(q)	Sequence of steps for achieving a stable condition with respect to power demand:  *Power on -> Wait 5 minutes -> Stable condition*			
(r)	Description of how sleep and/or off mode was selected or programmed:  **Begin menu -> Power -> Select sleep or off mode**  **Begin menu -> Select sleep or off			
(s)	Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:  NA			
(t)	Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):			30min
(u)				
(v)	Length of time before the display sleep mode is set to activate after user inactivity (in minutes): 10min			
(w)	Information on the energy-saving potential of power management functionality:  **Refer to User Guide**			
(x)	User information on how to enable the power management functionality:  *Refer to User Guide*			
(z)	Test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing:  230V50HZ-2%-Edition 2.0, 2011-01, Section 4, IEC62301			
Addition	nal Notebook Batter	y Information:		
		Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)		
Internal/built-in Battery				
External/detachable Battery				
Bios Backup Battery				
Addition	al information			•
<del></del>				

The battery[ies] in this product cannot be easily replaced by users themselves.

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterías de este producto no pueden ser sustituídas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé. Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada. Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες

La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente.

Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us).

Eletütaj pási nevar horitanin sa razojunta akumulaturutysi. Šio gaminio baterijos [bateriju] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni.

II-batterija/batteriji f'dan iI-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv. De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w latwy sposób wymienić baterii w tym produkcie.
A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.
Bateria (bateriile) din acest produs nu poate (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși.

Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.