



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Desktop/All-in-One Computers

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo			
Company name *	Lenovo				
Contact information *	Lenovo Global Environmental Affairs		Lenovo		
e-mail address	Alvin L Carter				
	alcarter@lenovo.com				
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html				
Additional information	The latest version of this document can be found at:				
	http://www.lenovo.com/ecodeclaration				

The company declares (based on product specification or test results based obtained from sample testing), that the product					
conforms to the statemen	nts given in this declaration.				
Type of product *	Desktop				
Commercial name *	Lenovo Legion Y520T-25IKL				
Model number *	90H7, 90H8				
Issue date *	2017/4/13				
Intended market *	☑ Global ☐ ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information	Energy Star 6.1; Greenguard; 90H7 is the ES MT, 90H8 is the NES MT				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model number *	90H7, 90H8	Logo	Lenovo
Issue date *	2017/4/13		Leliovo

Product	Product environmental attributes - Legal requirements						
Item		Yes	No	n.a.			
P1	Hazardous substances and preparations						
P1.1*	Products do comply with current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes					
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.						
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\square					
1 1.0	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-		Ш				
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum						
	concentration values.						
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated	\boxtimes					
	terphenyl (PCT) in preparations (see legal reference).						
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the	e 🔀					
	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).						
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week						
	(see legal reference).						
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.						
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	\boxtimes					
	http://www.lenovo.com/social_responsibility/us/en/environment.html						
P2	Batteries						
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal	\boxtimes					
D0.0*	symbol. Information on proper disposal is provided in user manual. (See legal reference)		_	_			
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)		Ш	Ш			
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	\boxtimes					
P3	Conformity verification & Eco design (ErP)						
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).	\boxtimes					
	The Declaration of Conformity can be requested at (add link or e-mail address):						
P3.2*	The product complies with the Eco design requirements for energy-related products,	\boxtimes					
	(see legal reference).		_				
	Required information is; given in item P15 or added to this document,	\boxtimes					
	available at (add URL):						
P5	Product packaging						
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium an	d 🔀					
	hexavalent chromium by weight of these together.						
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s	s) 🔀					
	used (see legal reference).						
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea	al 🔀					
	Protocol (see legal reference).						
De	Comment: Legal reference has no maximum concentration values. Treatment information						
P6 P6.1*	Information for recyclers/treatment facilities is available (see legal reference).						
1-0.1	miormation for recycles/treatment facilities is available (see legal reference).			Ш			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	90H7, 90H8	Logo	Lenovo
Issue date *	2017/4/13		Leliovo

Product environmental attributes - Market requirements (See General NOTE GN below)								
	- Environmental conscious design	Require	ment	met				
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.				
P7	Design							
	Disassembly, recycling							
P7.1*	Parts that have to be treated separately are easily separable		<u>Ш</u>	<u>Ц</u>				
P7.2*	Plastic materials in covers/housing have no surface coating.							
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	\boxtimes						
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes						
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes						
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes						
	Product lifetime							
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes						
P7.8*	Upgrading can be done using commonly available tools	\boxtimes						
P7.9	Spare parts are available after end of production for: 5 years							
P7.10	Service is available after end of production for: 5 years							
	Material and substance requirements							
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):							
	Material type: ABS PCR65%+ABS Material type: Material type:							
D7.40	pure material+PC+POM Metal*3(SGCC+SUS301+SPCC)							
P7.12	Insulation materials of external electrical cables are PVC free.	<u> </u>		<u> </u>				
P7.13	Insulation materials of internal electrical cables are PVC free.		\boxtimes					
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%	2						
	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and							
	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.							
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low		\square	\Box				
	halogen as defined in IEC 61249-2-21. (See 1NOTE B2)							
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:			\boxtimes				
	Marking:							
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):							
	TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: Brominated Epoxy Resin , CAS #:	\bowtie	Ш					
	26265-08-7							
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g	\boxtimes						
	according ISO 1043-4:							
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in							
	concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4)	Ш	Ш	\boxtimes				
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:							
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been		$\overline{\Box}$	\boxtimes				
	assigned the following Risk phrases; and Hazard statements:							
	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)							
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):							
	If YES; at least one of the two alternatives below shall be answered;							
	a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as							
	a percentage of total plastic by weight) is 11%.							

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	90H7, 90H8	Logo	Lenovo
Issue date *	2017/4/13		Leilovo

Product	roduct environmental attributes - Market requirements (continued) Requirement me						
Item					Yes No n.a.		
	Material and subs	tance requirements	(continued)				
P7.21*	Biobased plastic m	aterial content is used	I in the product (See N	OTE B7):			
	If YES; at least one	e of the two alternative	s below shall be answ	ered;			
	•			material content (calcu	lated as a percentage		
	of total plastic	by weight) is 0%.					
	or						
		the biobased plastic r	•				
P7.22*	-	ree from mercury, i.e. specify: Number of lan	less than 0,1 mg/lamp				
P8	Batteries	specify. Number of lan	nps. and maxim	um mercury content pe	r lamp: mg		
P8.1*		omposition: Lithium n	nanganese dioxide co	oin hattery			
P9	<u> </u>	tion (See NOTE B8)	Turigurioco uroxiuo oc				
P9.1			s or energy consumpti	ons are reported:			
Energy mo		Power level at	Power level at	Power level at	Reference/Standard for energy		
Liloigy illo	,40	100 V AC	115 V AC	230 V AC	modes and test method *		
Peak (On-	max)	W	W	W	Full load		
Categor	yI3						
Ob and Inlia	04-4- 14/01	27.024\\\	27.024\\\	20 520 \\/	Han for ENEDOV STAD VS		
Enabled	State - WOL	27.024 W	27.924 W	28.536 W	Use for ENERGY STAR V6 registration (P _{idle})		
Long Idle	State - WOL	26.292 W	27.072 W	27.924 W	Use for ENERGY STAR V6		
Enabled					registration (P _{idle})		
Sleep (S3)	- WOL Enabled	1.224 W	1.248 W	1.500 W	Use for ENERGY STAR V6 registration(P _{sleep})		
Sleen (S3)	- WOL Disabled	W	W	W	Reference		
		**		**	Reference		
Off (S5) - I	WOL Enabled	0.636 W	0.708 W	0.924 W	Use for ENERGY STAR V6 registration(P _{off})		
Off (S5) - I	WOL Disabled	W	W	W	Use for ErP		
		W	W	W	Reference		
Categor	yD1						
Short Idle Enabled	State - WOL	33.516 W	34.068 W	35.088 W	Reference		
Long Idle Enabled	State - WOL	32.796 W	33.216 W	34.212 W	Reference		
Sleep (S3)	- WOL Enabled	1.212 W	1.272 W	1.512 W	Reference		
Sleep (S3)	- WOL Disabled	W	W	W	Reference		
Off (S5) - I	WOL Enabled	0.636 W	0.696 W	0.912 W	Reference		
Off (S5) - I	WOL Disabled	W	W	W	Reference		
		W	W	W	Reference		

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

						7
Catego	ryD2					_
Short Idle Enabled	e State - WOL	35.952 W	36.612 W	37.416 W	Reference	
Long Idle Enabled	e State - WOL	35.172 W	35.892 W	36.576 W	Reference	
Sleep (S	3) - WOL Enabled	1.236 W	1.248 W	1.308 W	Reference	1
Sleep (S	3) - WOL Disabled	W	W	W	Reference	
Off (S5) -	WOL Enabled	0.648 W	0.708 W	0.924 W	Reference	
Off (S5) -	WOL Disabled	W	W	W	Reference	
		W	W	W	Reference	
EPS No-l	oad	W	W	W		
(External power	er supply / charger plugged in the disconnected from the product.)		VV	•		
PTEC *	nergy Consumption	W	W	W		
ETEC * Annual E	nergy Consumption	13:120.45 kWh/year D1:148.89 kWh/year D2:159.54 kWh/yea		D1:108.85 K.W.B.ky\Altin/	earrad 3:12366810000) /year _{off} xi3 1382834[M/M year s04:x50060 t Wibi/year x year <u>0 151511560780kM</u> year <u>0 202626780kMM</u>	Vlynéyzer
Fortament I	Davis Coral (F#:-:-				Enabled; P _{idle} : Idle State - WOL Enabled	
		ncy Level (International	Eπiciency Marking Pro	otocoi) * :		-
		negapixels ave mode: 25 minutes				
P9.2*		the energy save function	on is provided with the	product		
P9.3		class (monitors only):	on is provided with the	product.		-
P10	Emissions	,				
	Noise emission -	- Declared according to	ISO 9296 (See NOTE	B9)		
P10.1		Mode description	,	-	t A-weighted sound power level, L _{WA,c} (B)	
	Idle '	* HDD:Idle		* 4.2		
Operation * HDD: Operating		* 4.2		1		
	Other mode					1
	Other mode Declared A-weighted sound pressure level (dB) L_{pAm} 25 (operator position desktop – operating)					
	Measured accordi	ing to: ISO 7779 Other	ECMA-74 (only if not covered	by FCMA-74)		
	Comy in not develou by Edwirt 14)					

Model number *		90H7, 90H8					Logo	Long	V	
Issue date	*	2017/4/13						Leno	VO.	м
Product	environn	nental attributes	s - Market requirem	nents (cont	inued)			Require	ment	met
Item								Yes	No	n.a.
		nagnetic emissior								
P10.4	Compute program		e requirement for low f	requency ele	ctromagnetic fie	elds of the foll	owing voluntary			
P12		nics for computin	<u> </u>							
P12.1*	The disp	lay meets the ergo	nomic requirements of	ISO 9241-30	07 for visual disp	play technolo	gies.			\boxtimes
P12.2*	The phys	sical input device m	neets the requirements	of ISO 9995	and ISO 9241-	410.				\boxtimes
P13										
P13.1*	Product	packaging material packaging material packaging material	type(s): PE	weight (kg): weight (kg): weight (kg):): 0.697					
P13.2*	Product	plastic primary pac	kaging is free from PV	C.						
P13.3*	consume	er recovered fiber c			y the contained	d percentage	of minimum po	st-		
P13.4*			product documentation	n (tick box):						
	⊠Electronic, ⊠Paper, □Other									
P13.5	Ùser and	•	item if paper documen tation on paper media	,	ee:					
	Totally c	hlorine-free						\boxtimes		
	Element	al chlorine-free						\boxtimes		
	Process	ed chlorine-free								
P14	Volunta	ry programs								
P14.1	The prod	luct meets the requ	irements of the followi	ing voluntary	program(s):					
		Y STAR® el: Greenguard	Criteria version: 6.1 Criteria version:		Date: Date:		category: <i>I3;D1;L</i> category:	02		
	Eco-labe	ıl:	Criteria version:		Date:	Product of	category:			
P15		nal information (Se								
P9			pecific configuration				_			
	informati knowledge provided informati	on contained in this ge available at the here is approxima on.	representations, guara s document. All informatime of completion, and te and provided for info	ation provide d supplier sh ormational pu	d by supplier in all have no obliç urposes only. Se	this documer gation to upda ee a Lenovo <i>F</i>	nt is provided bas ate such informat	ed on suppion. The inf	olier's format	ion
P9			Notebooks & Tablet Condex.cfm?fuseaction=				code=CO			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet

- PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo Legion Y520T-25IKL	Logo
Model Number	90H7, 90H8	Lenovo.
Issue Date	2017/4/13	Leriovo.
Additional information	Energy Star 6.1;Greenguard	

(d)	year of manufacture:					
(e)	Etec value (kWh) per ErP Lot 3 Categor disabled and if the system is tested with Etec value (kWh) per ErP Lot 3 Categor enable	switchable graphics n	node with UMA driving	g the display.	, ,	
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)	
ents ing	Memory over base [GB]		30		28	
	Additional internal storage	(Yes / No)	Yes (Yes / No)	(Yes / No)	Yes (Yes / No)	
djustme ing tes	Discrete television tuner	(Yes / No)	No (Yes / No)	(Yes / No)	No (Yes / No)	
capability adjustments applied during testing	Discrete Audio Card	(Yes / No)	No (Yes / No)	(Yes / No)	No (Yes / No)	
	Discrete graphics Card(s) [number / #]	#: (Yes / No)	Yes #: 1 (Yes / No)	#: (Yes / No)	Yes #: 1 (Yes / No)	
	Category of discrete graphics Card(s)	(Tes / NO)		(Tes / No)		
Test results	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)				85.65	
	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled		119.91		124.42	
(g)	Idle state power demand (Watts);				34.28	
(h)	Sleep mode power demand (Watts);					
(i)	Sleep mode with WOL enabled power demand (Watts) (where enabled);					
(j)	Off mode power demand (Watts);					
(k)	Off mode with WOL enabled power demand (Watts) (where enabled);					
(I)	Internal power supply efficiency at 10 %, 10% 78.95% 20% 84.60% 50% 8	, 20 %, 50 % and 100 ° 86.66% 100% 83.44	•	, ,,		

(m)	External power supply efficiency (if applicable)*:							
	Average active efficie	ency: N/A						
	*internal note: show values	for all available external power supplies						
(0)		ber of loading cycles that the batteries can withstand (applies only to notebook computers):						
(p-1)	Measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency: Generalized Test Protocol for Calculating the Energy Efficiency of Internal Ac-Dc and Dc-Dc Power Supplies Revision 6.6							
(p-2)	Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency: N/A							
(p-3)	Measurement method	nodology used to determine information mentioned in points (o) – loading cycles batteries: N/A						
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:							
	IEC 62623 Edition 1.0 2012-10 - Desktop and notebook computers - Measurement of energy consumption/ IEC EN50564:2011 measurement methodology							
(q)	Sequence of steps for	r achieving a stable condition with respect to power	demand::					
	Based on user manual/Power on->Wait 5 minutes->Stable condition							
(r)	Description of how sl	eep and/or off mode was selected or programmed:						
	Base	ed on user manual/Begin menu -> Power -> Selec	et sleep or off mode					
(s)	Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:							
	Based on user ma	nual/Control Panel->Power Options-> Change Se for this plan	ettings-> Restore default settings					
(t)	Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):							
(u)	-	a period of user inactivity in which the computer rer power demand requirement than sleep mode (in	-					
(v)		re the display sleep mode is set to activate after t	· · · · · · · · · · · · · · · · · · ·	10				
(w)		ergy-saving potential of power management function						
		Based on user manual						
(x)	User information on how to enable the power management functionality:							
		Based on user manual						
(z)	Test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing:							
		230V, 50Hz, Total Harmonic Distortion	<2 %					
Addition	Notebook Battery							
		Battery[ies] <u>not</u> user replaceable	Battery[ies] user replaceable	n/a				
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)						
Internal/built-in Battery								
External/detachable Battery								
Bios Backup Battery								

Other:								
Additional information								

1)

The battery[ies] in this product cannot be easily replaced by users themselves.

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios.

Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

. Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες

La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes.

Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente.

Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us).

Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti.

A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni.

II-batterija/batteriji f'dan iI-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess.

Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie.

A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși.

Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ.

Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa. Det är inte enkelt för kunden att själv byta ut batteriet/batterierna.

Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.