



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

## Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo
Company name *	Lenovo	_
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com	Lenovo.
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html
Additional information	The latest version of this document can be found at:	
	http://www.lenovo.com/ecodeclaration	

	based on product specification or test results based obtained from sample testing), that the product nts given in this declaration.
Type of product *	Notebook
Commercial name *	Lenovo Legion Y920
Model number *	80YW
Issue date *	2017-4-11
Intended market *	Global Europe Asia, Pacific & Japan Americas Other
Additional information	

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

#### About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model nu		80YW	Logo	Lend	W	
Issue dat	e *	2017-4-11		Len	<b>)</b> (	ТМ
Product	environ	mental attributes - Legal requirements		Require	ment	met
Item				Yes	No	n.a.
P1	Hazardo	us substances and preparations				
P1.1*	Products	do comply with current European RoHS Directive. (See legal reference and NOTE	EB1)	$\boxtimes$		
P1.2*		do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.				
P1.3*		do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),		$\square$		
	hydrobro trichloroe	emofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachethane, methyl bromide (see legal reference). Comment: Legal reference has no mation values.				
P1.4*		do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych (PCT) in preparations (see legal reference).	lorinated			
P1.5*		do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carl ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	bon atoms in th	e 🔀		
P1.6*	Parts wit	h direct and prolonged skin contact do not release nickel in concentrations above ( al reference). ht: Max limit in legal reference when tested according to EN1811:2011-5.	),5 μg/cm²/weel	k 🔀		
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail w.lenovo.com/social_responsibility/us/en/environment.html	contact):			
P2	Batterie	S				
P2.1*		duct contains a battery or an accumulator, the battery/accumulator is labeled with Information on proper disposal is provided in user manual. (See legal reference)	the disposal			
P2.2*		or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadm	nium. (See lega	ıl 🔀		
P2.3*		and accumulators are readily removable. (See legal reference)		$\boxtimes$		
P3	Conforn	nity verification & Eco design (ErP)				
P3.1*	The D	luct is CE-marked to show conformance with applicable legal requirements (see legelaration of Conformity can be requested at (add link or e-ww.lenovo.com/social_responsibility/us/en/ec_doc_notebooks/	gal reference). ·mail address	s):		
P3.2*		luct complies with the Eco design requirements for energy-related products, al reference).				
	Required	d information is; given in item P15 or added to this document, available at (add URL):				
		www.lenovo.com/social_responsibility/us/en/datasheets_notebooks/				
P5		packaging			_	
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercurent chromium by weight of these together.	y, cadmium ar	nd 🔀	Ш	
P5.2*	The pack used (se	kaging materials are marked with abbreviations and numbers indicating the nature e legal reference).	,	, ,		
P5.3*	Protocol	duct packaging material is free from ozone depleting substances as specified (see legal reference).  ht: Legal reference has no maximum concentration values.	in the Montre	al 🔀		
P6		nt information				
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).		$\boxtimes$		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	80YW	Logo	Longvo
Issue date *	2017-4-11		Lei Iovo.

Product	tenvironmental attributes - Market requirements (See General NOTE GN below)			
		Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
<b>P7</b> P7.1*	Design, Disassembly, recycling		_	
	Parts that have to be treated separately are easily separable			
P7.2*	Plastic materials in covers/housing have no surface coating.			
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.		<u>Ц</u>	
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		Ц.	
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	$\boxtimes$	Щ	
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	$\boxtimes$		
D7 74	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives		<u>Ц</u>	
P7.8*	Upgrading can be done using commonly available tools	$\boxtimes$		
P7.9	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
D7 44*	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
P7.12	Material type: >PC+ABS-FR(40)< Material type: >PC+ABS-TD15FR(40)< Material type: Insulation materials of external electrical cables are PVC free.		$\square$	
P7.13	Insulation materials of internal electrical cables are PVC free.	-	$\boxtimes$	-
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%		$-\frac{\square}{\square}$	
F1.14	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and		Ш	ш
	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts	3		
	containing more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low	/	$\boxtimes$	
P7.16	halogen as defined in IEC 61249-2-21. (See 1NOTE B2)  Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:			
P7.10	Marking: FR(40)		Ш	
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):			]
	TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: <b>Brominated Epoxy Resin</b> , CAS #:	$\boxtimes$	Ш	
	26265—08—7		_	
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g	$\bowtie$		Ш
D7 40	according ISO 1043-4: <i>FR(16)</i>			
P7.18	Alt. 1  Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in	n 🔀		
	concentrations above 0.1%:	' 🔼	ш	ш
	Comment: No legal limits exist, this is a market requirement.			
	1. Chemical name: <i>LG GN5151RFL</i> , CAS #: <i>confidential</i>			
	2. Chemical name: <b>Bayer FR3021</b> , CAS #: <b>confidential</b>			
	Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:			
	FR(40)			
	• •	$\boxtimes$		
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been	$\boxtimes$		
	assigned the following Risk phrases; and Hazard statements:			
	The source(s) for these classifications is/are found at (add URL(s)): European Council Directive			
P7.20*	67/548/EEC , (See note B5)  Postconsumer recycled plastic material content is used in the product (See Note B6):			
1 7.20	Tooloonoumor rooyolou piastic material content is used in the product (oee Note Do).	$\boxtimes$	Ш	Ш
	If YES; at least one of the two alternatives below shall be answered;			
	a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as			
	a percentage of total plastic by weight) is <b>0%</b> . or			
	b) The weight of recycled material is g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	80YW	Logo	Langua
Issue date *	2017-4-11		LEI IOVO"

Product	environmental at	tributes - Market re	equirements (conti	nued)	Requirement met
Item					Yes No n.a.
	Material and subs	stance requirements	(continued)		
P7.21*	Biobased plastic m	naterial content is used	I in the product (See N	OTE B7):	
	If YES; at least one	e of the two alternative	s below shall be answe	ered;	
				material content (calcu	lated as a percentage
	•	by weight) is 0	%.		
	or b) The weight of	the biobased plastic r	naterial is g.		
P7.22*	Light sources are f	ree from mercury, i.e.	less than 0,1 mg/lamp.		$\square$
		specify: Number of lan	nps: and maxim	um mercury content pe	r lamp: mg
P8.1*	Batteries  Batteries	omposition: LI-ION			
	Battery chemical c	•			
<b>P9</b>		tion (See NOTE B8)	s or energy consumption	one are reported:	
Energy mo		Power level at	Power level at	Power level at	Reference/Standard for energy
Literay	do	100 V AC	115 V AC	230 V AC	modes and test method *
Peak (On-	max)	230 W	230 W	230 W	Full load
Categor	<u>y 11</u>				
Short Idle	State - WOL	27.31 W	27.35 W	27.57 W	Use for ENERGY STAR V6
Enabled	0.0.0	27707 11	27700 11	27107 11	registration (P <sub>idle</sub> )
I amaz Idla	04-4- 14/04	22 22 14/	22 42 14/	22.5410/	Han for ENERGY STAR VC
Long Idle	State - WOL	22.32 W	22.43 W	22.54 W	Use for ENERGY STAR V6 registration (P <sub>idle</sub> )
Lilabieu					registration (Flate)
Sleep (S3)	- WOL Enabled	NA W	NA W	NA W	Use for ENERGY STAR V6
,					registration(P <sub>sleep</sub> )
Sleep (S3)	- WOL Disabled	1.63 W	1.68 W	1.72 W	Reference
Off (S5) - 1	NOL Enabled	NA W	NA W	NA W	Use for ENERGY STAR V6
0 (00)	TOL LINGUIOU				registration(P <sub>off</sub> )
Off (S5) - I	WOL Disabled	0.46 W	0.48 W	<b>0.51</b> W	Use for ErP
		W	W	W	Reference
0-1	10				
Categor	<u>y 12</u>				
Short Idle	State - WOL	W	W	W	Reference
Enabled					
Long Idle	State - WOL	W	W	W	Reference
Enabled					
	- WOL Enabled	W	W	W	Reference
Sleep (S3)	- WOL Disabled	W	W	W	Reference
Off (S5) - I	NOL Enabled	W	W	W	Reference
Off (S5) - 1	WOL Disabled	W	W	W	Reference
		W	W	W	Reference
Categor	<u>y</u>				
Short Idle	State - WOL	W	W	W	Reference
Enabled					3.1.3.3

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Long Idle Enabled	e State - WOL	W	W	W	Reference
Sleep (S3	B) - WOL Enabled	W	W	W	Reference
Sleep (S3	B) - WOL Disabled	W	W	W	Reference
Off (S5) -	WOL Enabled	W	W	W	Reference
Off (S5) -	WOL Disabled	W	W	W	Reference
		W	W	W	Reference
EPS No-Id	Dad	0.153 W	0.163 W	0.186 W	
	disconnected from the product.)	W	W	W	
	nergy Consumption		**	**	
ETEC *	nergy Consumption	97.32 kWh/year	97.73 kWh/year	98.57 kWh/year	E <sub>TEC</sub> = (8760/1000) x (P <sub>off</sub> x 0.25 + P <sub>sleep</sub> x 0.35 + P <sub>long_ldle</sub> x 0.10+ P <sub>short ldle</sub> x 0.30)
		Poff: Off Mode(S5) - V	VOL Enabled: P <sub>sleep</sub> : Sle	ep Mode(S3) - WOL Enal	bled; P <sub>idle</sub> : Idle State - WOL Enabled
External F	Power Supply Efficie		al Efficiency Marking F		
Display re	esolution * : 1920*10	80 megapixels		·	
Default tin	ne to enter energy s	ave mode: 30 minutes	S		
P9.2*	Information about	the energy save fund	tion is provided with th	e product.	
P9.3	Energy efficiency	class (monitors only)			
P10	Emissions				
			to ISO 9296 (See NOT		
P10.1		Mode description			mit A-weighted sound power level, L <sub>WA,c</sub> (B)
	Idle	* HDD:Idle		* 3.2	
	Operation	HDD: Operating		* 3.2	
	Other mode	Declared A-weighted sou	and pressure level (dB) $L_{ ho}$	23.1 (operator po	sition desktop – idle)
	Other mode	Declared A-weighted sou	ind pressure level (dB) $L_{p_{oldsymbol{l}}}$	23.1 (operator po	sition desktop – operating)
	Measured accordi	ing to: ISO 7779 Other	ECMA-74 (only if not covered by	by ECMA-74)	

Model nu	mber *	80YW			Logo	Lenc	W/0	
Issue date	) *	2017-4-11				Lenc		тм
Product	environn	nental attribut	es - Market requirements	(continued)		Require	ment	me
Item			-			Yes	No	n.a
		nagnetic emissi						
P10.4	program	(s):	the requirement for low frequer	ncy electromagnetic fiel	ds of the following volunta	ary 🔀		
P12		nics for comput						
P12.1*	The disp	ay meets the er	gonomic requirements of ISO 9	241-307 for visual disp	lay technologies.	$\boxtimes$		
P12.2*	The phys	ical input device	meets the requirements of ISC	O 9995 and ISO 9241-4	10.			
P13	Packagi	ng and docume	entation					
P13.1*	Product	packaging mater	ial type(s): CUSHION weig	ht (kg): <b>1.09</b> ht (kg): <b>0.174</b>				
P13.2*	Product	olastic primary pa	ackaging is free from PVC.					
P13.3*			rugated fiberboard packaging, r content: <b>100</b> %	specify the contained	percentage of minimum	post-		
P13.4*		nedia for user ar c ⊠, Paper ⊠	nd product documentation (tick	box):				
P13.5	Ùser and		is item if paper documentation entation on paper media is chlo					
	•	hlorine-free						
		al chlorine-free ed chlorine-free						
P14	Voluntai	y programs						
P14.1	The prod	uct meets the re	quirements of the following vol	untary program(s):				
	ENERG\	/ STAR®	Criteria version: 6.1	Date:	Product category: 11			
		l: <b>EPEAT</b>	Criteria version: 1680.1-2		Product category: Silv	ver er		
	Eco-labe	A:	Criteria version:	Date:	Product category:			
P15	Addition	al information (	(See NOTE B10)					
P9	Energy	consumption of	f specific configuration may v	vary; description of th	e tested product config	uration:		
	informati knowledg	on contained in t ge available at th here is approxin	o representations, guarantees, this document. All information p the time of completion, and supp mate and provided for information	provided by supplier in to blier shall have no obliga	his document is provided ation to update such infor	based on sup mation. The in	plier's format	tion
P9			d Notebooks & Tablet Computerv/index.cfm?fuseaction=find_a		ation:			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

# Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

### **Products scope of this sheet:**

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo Legion Y920	Logo	
Model number *	80YW		Lenovo
Issue date *	2017-4-11		reliovo"
Additional information			

	Product environmental attributes				
d)	Year of manufacture:				2017
e)	<b>Etec value</b> (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are
F)	Etec value (kWh) per ErP Lot 3 Categor enable	y and capability adjust	ments applied when a	all discrete graphics	cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]			24	
ents ting	Additional internal storage	(Yes / No)	(Yes / No)	Yes (Yes / No)	(Yes / No)
capability adjustments applied during testing	Discrete television tuner	(Yes / No)	(Yes / No)	No (Yes / No)	(Yes / No)
ability a	Discrete Audio Card	(Yes / No)	(Yes / No)	No (Yes / No)	(Yes / No)
cap	Discrete graphics Card(s) [number / #]	#: (Yes / No)	#: (Yes / No)	Yes #: 1 (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)			G1	
esults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)				
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled			63.37	
g)	Idle state power demand (Watts);	1	<u>I</u>	1	C:22.54
h)	Sleep mode power demand (Watts);				C:1.72
i)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		NA
)	Off mode power demand (Watts);				C:0.50
k)	Off mode with WOL enabled power dema	and (Watts) (where en	abled);		NA
l)	Internal power supply efficiency at 10 %,	20 %, 50 % and 100 °	% of rated output pow	er (if applicable):	
	10% 20% 50%	100% Avera	ige		
m)	External power supply efficiency (if applie	cable)*:			
	Average active efficiency: 30W: 91.93%	5,92.58%			
0)	*internal note: show values for all available external po Minimum number of loading cycles that t		tand (applies only to r	notebook computers):	300CYCLES
p-1)	Measurement methodology used to dete	rmine information mer	ntioned in points (I) - i	nternal PSU efficiency	:

(p-2)	Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency:  EPA "Test Method for calculating the Energy Efficiency of Single-Voltage External AC-DC and AC-  AC Power Suppler" dated August 11,2014			
(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries:  **IEC61916 measurement methodology**			
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:  IEC62321/IEC EN50564:2011 measurement methodology			
(q)	Sequence of steps for achieving a stable condition with respect to power demand::  IEC62321/IEC EN50564:2011 measurement methodology			
(r)	Description of how sleep and/or off mode was selected or programmed:  refer to power management, sleep mode: ACPI system level G1/S3 (suspend to RAM) state; off mode:  ACPI system level G2/S5 ('soft off') state			
(s)	Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:  *refer to power management, 30mins automatically reaches sleep mode*			
(t)	Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):			
(u)	Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):			NA
(v) (w)	Length of time before the display sleep mode is set to activate after user inactivity (in minutes):  Information on the energy-saving potential of power management functionality:  refer to user manual			10
(x)	User information on how to enable the power management functionality:  *refer to user manual*			
(z)		measurements: — test voltage in V and frequency in system, — information and documentation on the in sting:  230V50HZ-2%-Edition 2.0, 2011-01, Section 4	strumentation, set-up and circuits	
Additio	nal Notebook Batter	y Information:		
		Battery[ies] <u>not</u> user replaceable  The battery[ies] in this product cannot be easily replaced by users themselves. 1)	Battery[ies] user replaceable	n/a
Internal	l/built-in Battery			
External/detachable Battery				
Bios Backup Battery				
Other:				
Addition	nal information			
1)				
The battery[ Akywynarop Akywynarop Las baterías Výměnu bat Brugeren ka Der Akku/di Kasutajad e H μπαταρία La/les batte Korisnik ne La batteria/I Lietotāji paš Šio gaminio A termék ak	рната[ите] батерия[и] в този s de este producto no pueden terie/baterií v tomto výrobku by an ikke uden videre udskifte ba tie Akkus dieses Produkts kanr ei saa selle toote akut/akusid is (-[ες] στο προϊόν αυτό δεν μπο srie(s présente(s) dans ce proc može lako zamijeniti Bateriju si le batterie in questo prodotto r ši nevar nomainīt šā ražojuma b baterijos [bateriju] pats vartot kkumulátorát/akkumulátorait a	ρούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες luit ne peuvent être facilement remplacée(s) par les utilisateurs e sam u ovom proizvodu. ιοη può/possono essere facilmente sostituita/e dall'utente. akumulatoru(-us).	werden.	

Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Užytkownik nie može sam w latwy sposób wymienić baterii w tym produkcie.

A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înşişi.

Batériu(-ie) v tomto výrobku nemôže vymieñať používateľ.

Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna.

Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.