



Ecma/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

# Annex B2 - Product environmental attributes Computers and computer monitors

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo	
Company name *	Lenovo		
Contact information *	Lenovo Global Environmental Affairs		Lenovo
e-mail address	Alvin L Carter		
	alcarter@lenovo.com		
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html	
Additional information	The latest version of this document can be found at:		
	http://www.lenovo.com/ecodeclaration		

The company declares (	The company declares (based on product specification or test results based obtained from sample testing), that the product						
conforms to the statemen	nts given in this declaration.						
Type of product *	Personal Desktop Computer						
Commercial name *	Lenovo Legion C530 Cube						
Model number *	90JX						
Issue date *	2018/04/20						
Intended market *	Global						
Additional information							

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

#### About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model number *	90JX	Logo	Lanova
Issue date *	2018/04/20		Leliovo

Product	environmental attributes - Legal requirements	Require	men	t met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with current European RoHS Directive. (See legal reference and NOTE B1)	$\boxtimes$		
P1.2*	Products do not contain Asbestos (see legal reference).  Comment: Legal reference has no maximum concentration value.	$\boxtimes$		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),			
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-		ш	
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
	concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated			
	terphenyl (PCT) in preparations (see legal reference).			
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the	• 🖂		
	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week	$\boxtimes$		
	(see legal reference).			
D4 7*	Comment: Max limit in legal reference when tested according to EN1811:2011-5.	<u> </u>		
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	$\boxtimes$	Ш	Ш
	http://www.lenovo.com/social_responsibility/us/en/environment.html			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal	$\boxtimes$		Ш
D0.0*	symbol. Information on proper disposal is provided in user manual. (See legal reference)	<u> </u>	_	
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)		Ш	Ш
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	$\boxtimes$		
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).	$\boxtimes$		
	The Declaration of Conformity can be requested at (add link or e-mail address):			
P3.2*	The product complies with the Eco design requirements for energy-related products,	$\boxtimes$		
	(see legal reference).	_	_	_
	Required information is;  given in item P15 or added to this document,	$\boxtimes$		
	available at (add URL):			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and	d 🔀		
	hexavalent chromium by weight of these together.			
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s	)		
	used (see legal reference).			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea	ıl 🔀		
	Protocol (see legal reference).			
Do	Comment: Legal reference has no maximum concentration values.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	90 <i>JX</i>	Logo	Lanova
Issue date *	2018/04/20		Leliovo

Produc	t environmental attributes - Market requirements (See General NOTE GN below)			
	- Environmental conscious design	Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design			
D7.4*	Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable		<u> </u>	<u> </u>
P7.2*	Plastic materials in covers/housing have no surface coating.			
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	$\boxtimes$		
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	$\boxtimes$		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	$\boxtimes$		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	$\boxtimes$		
P7.8*	Upgrading can be done using commonly available tools	$\boxtimes$		
P7.9	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: ABS PCR65%+ABS Material type: Material type:			
D7.40	pure material+PC+POM Metal*3(SGCC+SUS301+SPCC)			
P7.12	Insulation materials of external electrical cables are PVC free.	_ <u>_</u> _		<u> </u>
P7.13	Insulation materials of internal electrical cables are PVC free.			
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%	2		
	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts			
	containing more than 25% post-consumer recycled content.	,		
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low	,	$\square$	
	halogen as defined in IEC 61249-2-21. (See 1NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:	$\boxtimes$		
	Marking: FR(17), FR(40)			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):		_	
	TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: Brominated Epoxy Resin, CAS #:	$\boxtimes$		
	26265-08-7  Alt 2: Chemical appointant of flame retardants in printed circuit boards (without components) > 25 g			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4: FR(17), FR(40)	$\boxtimes$		
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in		$\square$	
	concentrations above 0,1%:			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			Ш
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been	$\boxtimes$		
	assigned the following Risk phrases; R45,R40, R46 and Hazard statements:			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):	$\boxtimes$		
	If YES; at least one of the two alternatives below shall be answered;  a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as			
	a percentage of total plastic by weight) is 7.4%.			
	or			
	b) The weight of recycled material is g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Issue date * 2018/04/20	Model number *	90JX	Logo	Lenovo
	Issue date *	2018/04/20		Lei IOVO,

Product	Product environmental attributes - Market requirements (continued) Requirement met							
Item					Yes No n.a.			
	Material and subs	tance requirements	(continued)					
P7.21*	Biobased plastic m	aterial content is used	in the product (See NO	OTE B7):				
	If YES: at least one	e of the two alternative	s below shall be answe	ered:				
	•			material content (calcul	ated as a percentage			
	of total plastic	by weight) is 0%.						
	or							
D= 00t	, ,	the biobased plastic n						
P7.22*	-	ree from mercury, i.e. specify: Number of lan	less than 0,1 mg/lamp.	um maraum cantant na				
P8	Batteries	specify. Number of lan	ips. and maximi	um mercury content per	r lamp: mg			
P8.1*		omposition: Lithium M	langanese Dioxide					
P9								
P9.1			s or energy consumption	ons are reported:				
	P9.1 For the product the following power levels or energy consumptions are reported:  Energy mode * Power level at Power level at Power level at Reference/Standard for energy							
		100 V AC	115 V AC	<b>230</b> V AC	modes and test method *			
Peak (On-	max)	166.5 W	168.2 W	169.7 W	Full load			
Cotogor	w D2							
Categor	<u>y D2</u>							
Short Idle	State - WOL	41.28 W	41.112 W	41.004 W	Use for ENERGY STAR V6			
Enabled					registration (P <sub>idle</sub> )			
Long Idle	State - WOL	39.780 W	40.404 W	40.248 W	Use for ENERGY STAR V6			
Enabled					registration (P <sub>idle</sub> )			
Sleep (S3)	- WOL Enabled	0.912 W	<b>0.912</b> W	1.104 W	Use for ENERGY STAR V6			
					registration(P <sub>sleep</sub> )			
Sleep (S3)	- WOL Disabled	0.872 W	<b>0.872</b> W	1.076 W	Reference			
Off (S5) - I	WOL Enabled	0.492 W	0.492 W	0.672 W	Use for ENERGY STAR V6	_		
, ,					registration(P <sub>off</sub> )			
Off (S5) - 1	WOL Disabled	0.4 W	0.4 W	0.44 W	Use for ErP			
o (oo)				0.77	000.00.20.			
EPS No-lo	ad	W	W	W				
	supply / charger plugged in the							
PTEC *	sconnected from the product.)	<b>20.681</b> W	<b>20.717</b> W	20.747 W				
-	ergy Consumption							
ETEC *		<b>D2:181.17</b> kWh/year	<b>D2:181.48</b> kWh/year	<b>D2:181.74</b> kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.45)$	_		
Annual En	ergy Consumption				+ P <sub>sleep</sub> x 0.05 + P <sub>long_ldle</sub> x 0.15+			
					P <sub>short_Idle</sub> x 0.35)			
		D 0514 1 (6	NE) 14/01 E 11 1 B	01 14 1 (00) 14(01	5 11 1 5 11 21 1 11 21 1			
External D	ower Supply Efficien		Efficiency Marking Pro		Enabled; Pidle: Idle State - WOL Enabled			
	,		Emoleticy Walking FTC					
. ,	solution * : megapix							
		ve mode: 25 minutes						
P9.2*			on is provided with the	product.				
P9.3		lass (monitors only):						
P10	Emissions							

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

	Noise e	missior	n – Declared according to ISO 9296 (See NOTE	B9)			
P10.1	Mode		Mode description	Statistical upper limit A-v	veighted sound	power level,	LwA,c (B)
	ldle		* HDD:Idle	* 4.1			
	Operation	n	* HDD: Operating	* 4.2			
	Other m	ode	Declared A-weighted sound pressure level (dB) $L_{p{\rm Am}}$		sktop – idle)		
	Other m	ode	Declared A-weighted sound pressure level (dB) $L_{p  m An}$	32 (operator position des	sktop – operating	1)	
	Measure	ed accor	rding to: 🔀 ISO 7779 🔀 ECMA-74	-			
			Other (only if not covered by	ECMA-74)			
	•						
Model nu	mber *	90JX.	90JL,90JU, 90K1,90K2		Logo	_	
Issue date		2018/0			9-	Lenc	VO.
	environr	nental	attributes - Market requirements (contin	nued)			ement met
Item	Flectron	nagnet	ic emissions			Yes	No n.a.
P10.4			ay meets the requirement for low frequency elec	tromagnetic fields of the fol	lowing voluntary	/ 🛛	
	program		, , ,				
P12			r computing products				
P12.1*		-	ets the ergonomic requirements of ISO 9241-30		gies.		
P12.2*	The phy	sical inp	out device meets the requirements of ISO 9995	and ISO 9241-410.			
P13			documentation (PIC:Packaging)				
P13.1*			ing material type(s): <b>Paper</b> weight (kg): ing material type(s): <b>PE</b> weight (kg): 0				
		-	ing material type(s): <b>Wood</b> weight (kg):				
P13.2*			primary packaging is free from PVC.				
P13.3*			mary corrugated fiberboard packaging, specify ered fiber content: <b>70</b> %	the contained percentage	of minimum p	ost-	
P13.4*			or user and product documentation (tick box):  Paper, Other				
P13.5	(Please	only co	mplete this item if paper documentation used)				
	User and If Yes, p		ct documentation on paper media is chlorine-fre pecify:	e:			
	Totally c	hlorine-	free				
	Element	al chlori	ne-free				
	Process	ed chlo	ine-free				
P14	Volunta						
P14.1	The prod	duct me	ets the requirements of the following voluntary p	orogram(s):			
	ENERG'	V STAR	® Criteria version: 6.1	ate: Product	category: D2		
	Eco-labe				category: <b>D2</b>		
	Eco-labe	el:	Criteria version: D		category:		
P15	Addition	nal info	rmation (See NOTE B10)				
P9			nption of specific configuration may vary; de				
	informat knowled	ion cont ge avail here is	makes no representations, guarantees, assurar ained in this document. All information provided able at the time of completion, and supplier sha approximate and provided for informational pur	by supplier in this docume	nt is provided ba ate such informa	ased on suppation. The inf	plier's formation
P9			r Qualified Notebooks & Tablet Computers for th gystar.gov/index.cfm?fuseaction=find_a_produc		_code=CO		
	•			1 70 -			
1							

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) *  * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

## **Lenovo ErP Lot3 Information Sheet**

## - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

#### **Products scope of this sheet:**

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo Legion C530 Cube	Logo
Model Number	90JX	Lenovo
Issue Date	2018/04/20	Lei IOVO.
Additional information	Energy Star 6.1;Greenguard;EPEAT in China	

P7.1.1	Product environmental attributes				
d)	year of manufacture:				2018
e) f)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with  Etec value (kWh) per ErP Lot 3 Categor enable	switchable graphics n	node with UMA driving	the display.	, ,
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]				28
ents ting	Additional internal storage	(Yes / No)	(Yes / No)	(Yes / No)	Yes (Yes / No)
capability adjustments applied during testing	Discrete television tuner	(Yes / No)	(Yes / No)	(Yes / No)	No (Yes / No)
pability	Discrete Audio Card	(Yes / No)	(Yes / No)	(Yes / No)	No (Yes / No)
<u>a</u> 8	Discrete graphics Card(s) [number / #]	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)	Yes #: 1 (Yes / No)
	Category of discrete graphics Card(s)				G7
Test results	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)				70.30
Test	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled				
g)	Idle state power demand (Watts);	•	•	•	50.39
1)	Sleep mode power demand (Watts);				1.48
)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		1.35
)	Off mode power demand (Watts);				0.64
<b>(</b> )	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		0.64
)	Internal power supply efficiency at 10 %, 450W: 10% 79.94% 20% 84.48% 50	20 %, 50 % and 100 °0 °0 °0 °0 °0 °0 °0 °0 °0 °0 °0 °0 °		, ,,	
m)	external power supply efficiency (if applic	cable)*:			
	Average active efficiency: N/A				
	*internal note: show values for all available external po	ower supplies			

(o)	Minimum number of loading cycles that the batteries can withstand (applies only to notebook computers):			N/A	
(p-1)	Measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency:  Generalized Test Protocol for Calculating the Energy Efficiency of Internal Ac-Dc and Dc-Dc Power  Supplies Revision 6.6				
(p-2)	p-2) Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency:  N/A				
(p-3)	p-3) Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries:  N/A				
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:				
	IEC 62623 Ed	ition 1.0 2012-10 - Desktop and notebook comput consumption/ IEC EN50564:2011 measurement			
(q)	Sequence of steps for	Sequence of steps for achieving a stable condition with respect to power demand::			
	Based on user manual/Power on->Wait 5 minutes->Stable condition				
(r)	Description of how s	leep and/or off mode was selected or programmed:			
	Based on user manual/Begin menu -> Power -> Select sleep or off mode				
(s)	Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:				
	Based on user ma	anual/Control Panel->Power Options-> Change So for this plan	ettings-> Restore default settings		
(t)	condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):				
(u)	-	r a period of user inactivity in which the compute wer power demand requirement than sleep mode (in			
(v) Length of time before the display sleep mode is set to activate after user inactivity (in minutes):				10	
(w)	Information on the e	nergy-saving potential of power management function	nality:		
		Based on user manual			
(x) user information on how to enable the power management functionality:					
		Based on user manual			
(z)	·	neasurements: — test voltage in V and frequency in tem, — information and documentation on the instru			
		230V, 50Hz, Total Harmonic Distortion	<2 %		
Additio	on Notebook Battery	Information:			
		Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a	
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)			
Internal/built-in Battery					
External/detachable Battery					
Bios Backup Battery					
Other:					
Addition	nal information	1			

1

The battery[ies] in this product cannot be easily replaced by users themselves.

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios.

Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες

La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes.

Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente.

Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us).

Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti.

A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni.

II-batterija/batteriji f'dan iI-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess.

Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie.

A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși.

Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ.

Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna.

Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.