

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Computer Monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo			
Company name *	Lenovo			
Contact information *	on * Lenovo Global Environmental Affairs			
e-mail address	Alvin L Carter		Lenovo,	
	alcarter@lenovo.com			
Internet site *	http://www.lenovo.com/social responsibility/us/en/environment.html			
Additional information				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Monitor				
Commercial name *	Legion Y27gq-20				
Model number *	65ED				
Issue date *	2019/04/12				
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model n	umber *	65ED Logo				
Issue date *		2019/04/12	Ler	Lenovo		
	t environ	mental attributes - Legal requirements	Requi			
Item			Yes	i No	n.a	
P1		ous substances and preparations				
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE B1)	\mathbf{X}			
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.	\boxtimes			
P1.3*	hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), pmofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, ethane, methyl bromide (see legal reference). Comment: Legal reference has no maximun ration values.				
P1.4*	terpheny	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinate /l (PCT) in preparations (see legal reference).				
P1.5*	Products	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon ato ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	ms in the 🛛 🔀			
P1.6*	Parts wi (see leg	th direct and prolonged skin contact do not release nickel in concentrations above 0,5 $\mu g/c_l$ al reference).	n²/week 🔀			
P1.7*	Comment: Max limit in legal reference when tested according to EN1811:2011-5. REACH Article 33 information about substances in articles is available at (add URL or mail contact): https://www.lenovo.com/medias/Lenovo-REACH-SVHC-Disclosure.pdf					
P2	Batterie	S				
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal is provided in user manual. (See legal reference)					
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal 🦳 🗌 🔀 reference)					
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)			\square	
P3	Conforr	nity verification & Eco design (ErP)				
P3.1*	The proo	duct is CE-marked to show conformance with applicable legal requirements (see legal refer daration of Conformity can be requested at (add link or e-mail address): www.lenco.com/us/en/compliance/eco-declaration	ence). 🔀			
P3.2*	The pro	duct complies with the Eco design requirements for energy-related products, al reference).	\boxtimes			
	. 0	d information is; given in item P15 or added to this document,	\boxtimes			
D7	D. I	available at (add URL): <i>lenovo.com/us/en/compliance/eu-doc</i>				
P5		packaging				
P5.1*	hexaval	ng and packaging components do not contain more than 0,01% lead, mercury, cadment chromium by weight of these together.				
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature of the meeting legal reference).				
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol X					
P6		nt information				
P6.1*		on for recyclers/treatment facilities is available (see legal reference).				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	umber *	65ED	Logo			
Issue date * 2019/04/12		2019/04/12		Len		Оти
Product	t environ	mental attributes - Market requirements (See General NOTE GN	below)			
		onmental conscious design		Require	ment	met
Item	*=manda	tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7	Design Disasse	mbly, recycling				
P7.1*	Parts that	at have to be treated separately are easily separable		\boxtimes		
P7.2*	Plastic m	naterials in covers/housing have no surface coating.				
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.					
P7.4*	Plastic p	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			Ħ	Ħ
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly a	available tools.		Ħ	Ħ
P7.6*	-	re easily separable. (This requirement does not apply to safety/regulatory labels).			H	-#-
	Product					
P7.7*		ng can be done e.g. with processor, memory, cards or drives		\square		
P7.8*		ng can be done using commonly available tools			H	∺
P7.9		arts are available after end of production for: 5 years				╞
P7.10		s available after end of production for: 5 years				╞
17.10		and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):				
			al type:			
P7.12	Insulatio	n materials of external electrical cables are PVC free.	- 21		\boxtimes	
P7.13	Insulatio	n materials of internal electrical cables are PVC free.				
P7.14	weight (' polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine i in 25% post-consumer recycled content.	e retardants, ar	nd 🗖		
P7.15	Printed of	circuit boards, PCBs (without components) are low halogen: all 🔀 PCBs > 25 g 🧾 ad in IEC 61249-2-21. (See 1NOTE B2)	are low haloge	n	\boxtimes	
P7.16	Flame re Marking:	tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:				\boxtimes
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without c PA (additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #:	omponents):	\boxtimes		
		nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4:	ents) > 25 g		\boxtimes	
P7.18	concentr 1. Chem 2. Chem	ame retarded plastic parts > 25 g contain the following flame retardant substance ations above 0,1%: ical name: , CAS #: (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: "	es/preparations	in		
		nemical specifications of flame retardants in plastic parts > 25 g according ISO 104	3-4:		\boxtimes	
P7.19		parts > 25 g, flame retardant substances/preparations above 0,1% are used which the following Risk phrases; and Hazard statements:	h have been		\square	
			See note B5)			
P7.20*	Postcons	sumer recycled plastic material content is used in the product (See Note B6):			\boxtimes	
	a) Oft ape or	at least one of the two alternatives below shall be answered; total plastic parts' weight > 25 g, the postconsumer recycled plastic material conten ercentage of total plastic by weight) is 47% . <i>(EPEAT calculation) / 85% (TCO calc</i> e weight of recycled material is 806 g.				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	65ED	Logo			
Issue date *	2019/04/12		Lenovo.		
Product environm	nental attributes - Market requirements (continued)		Requirement met		

Item

Requirement met Yes No n.a.

	Material and substance requirements (continued)						
P7.21*	Biobased plastic material content is used in the product (See NOTE B7):						
	 If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is 0%. or 						
D7 00*	b) The weight of the biobased plastic material is 0g.						
P7.22*	Light sources are free from mercury, i.e. less than 0,1 mg/lamp.						
P8	Batteries	opeony. Number of fun		in mereday content per	nump. mg		
P8.1*	Battery chemical composition:						
P9	Energy consump	otion (See NOTE B8)					
P9.1		e following power level	s or energy consumptio	ns are reported:			
Energy mo	de *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *		
ENERGY S (System Id	STAR® On Mode* le)	N/A	N/A	N/A			
ENERGY S	STAR® Low Power e*	N/A	N/A	N/A			
ENERGY STAR® Off / Apparent Off Mode*		N/A	N/A	N/A			
					-		
PTEC * Typical Energy Consumption		W	W	W		\boxtimes	
ETEC * kWh/year kWh/year Annual Energy Consumption		kWh/year	kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.6 + P_{sleep} \times 0.1 + P_{idle} \times 0.3)$	X		
External Po	ower Supply Efficie	ncy Level (International	Efficiency Marking Prot	ocol) * :		X	
Display res	olution* : 2560*14	40 megapixels			ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.0		
Default time	e to enter energy s	ave mode: 15 seconds			ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.0		
P9.2*	Information about	the energy save function	on is provided with the p	product.			
P9.3*	ENERGY STAR®	version: Product cate	nts of the following volu gory: Display . EPA is not required for t				
P10	Emissions						
	Noise emission – Declared according to ISO 9296 (See NOTE B9)						
P10.1		Mode description		Statistical upper limit	A-weighted sound power level, L _{WA,c} (B	_	
		* HDD: Idle		*		\mathbf{X}	
	Operation * HDD: Operating *			\boxtimes			
	Other mode	Declared A-weighted sound	d pressure level (dB) $L_{p { m Am}}$	(operator pos	ition desktop – idle)		
	Other mode	Declared A-weighted sound	d pressure level (dB) $L_{p{ m Am}}$	(operator pos	ition desktop – operating)		
	Measured accord	ing to: 🔀 ISO 7779 🗌 Other	ECMA-74 (only if not covered by I	ECMA-74)			

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>

NOTE B9 A Guidance document on Acoustic Noise is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nu	Imber *	65ED			Lo	go			
Issue dat	te *	2019/04/12					Leno	VO,	н
Product	environ	nental attribu	ites - Market requirem	nents (continued)			Require		met
Item							Yes	No	n.a
		nagnetic emiss							
P10.4	program	(s):	•	frequency electromagnetic	fields of the followir	ig voluntary			
P12	Ergono	mics for compu	uting products						
P12.1*				f ISO 9241-307 for visual o		-			
P12.2*	The phy	sical input devic	e meets the requirements	s of ISO 9995 and ISO 924	11-410.				\boxtimes
P13	Packag	ing and docum	entation						
P13.1*	Product Product	packaging mate	erial type(s): Carton Box erial type(s): Cusion erial type(s): Bag erial type(s):	weight (kg): <i>1.33</i> weight (kg): <i>0.62</i> weight (kg): <i>0.43</i> weight (kg):					
P13.2*	Product	plastic primary	packaging is free from PV	/C.			\boxtimes		
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post- consumer recovered fiber content: 80%								
P13.4*	Specify media for user and product documentation (tick box):								
P13.5	(Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free:								
	Element	hlorine-free al chlorine-free ed chlorine-free							
P14	Volunta	ry programs							
P14.1			equirements of the follow	ing voluntary program(s): I	No application for T	CO&EPA for	Y27gq-25		
	Eco-labe Eco-labe	el:	Criteria version: Criteria version: Criteria version:	Date: Date: Date:	Product cates Product cates Product cates	gory:			
P15			(See NOTE B10)						
P9				may vary; description o					
	informat knowled	ion contained in ge available at t I here is approxi	this document. All inform he time of completion, an	antees, assurances or warn action provided by supplier ad supplier shall have no o formational purposes only.	in this document is bligation to update s	provided bas such informat	sed on supp tion. The inf	olier's formati	ion
P9	See Ene	ergy Star Qualifie	ed Monitors & Displays fo gov/products/office_equip						

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1