



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

## Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo
Company name *	Lenovo	Manual Control of the Control
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com	Lenovo.
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html
Additional information	The latest version of this document can be found at: http://www.lenovo.com/ecodeclaration	

The company declares (	The company declares (based on product specification or test results based obtained from sample testing), that the product				
conforms to the statemen	nts given in this declaration.				
Type of product *	Notebook				
Commercial name *	Lenovo Legion Y740-15/Y9000P				
Model number *	81HE, 81SV				
Issue date *	2018/11/28				
Intended market *	Global Europe Asia, Pacific & Japan Americas Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

#### About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model nu	mber *	81HE, 81SV	Logo	Lon	21/6	1
Issue dat	e *	2018/11/28		Lend		<b>)</b> 110
Product	environ	mental attributes - Legal requirements		Require	ment	met
Item				Yes	No	n.a.
P1	Hazardo	ous substances and preparations				
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE	B1)	$\boxtimes$		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.		$\boxtimes$		
P1.3*	hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no mation values.				
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych d (PCT) in preparations (see legal reference).	lorinated	$\boxtimes$		
P1.5*	Products	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 cart ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	on atoms in th	e 🔀		
P1.6*	Parts wit	th direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	,5 μg/cm²/weel	k 🔀		
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail w.lenovo.com/social_responsibility/us/en/environment.html	contact):			
P2	Batterie	s				
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference)	he disposal			
P2.2*	Batteries	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadme)	ium. (See lega	ıl 🔀		
P2.3*	Batteries	s and accumulators are readily removable. (See legal reference)		$\boxtimes$		
P3	Conform	nity verification & Eco design (ErP)				
P3.1*	The prod	duct is CE-marked to show conformance with applicable legal requirements (see legal requirements) (see legal requirements):  "www.lenovo.com/social responsibility/us/en/ec doc notebooks/"	jal reference).			
P3.2*	The prod	duct complies with the Eco design requirements for energy-related products,		$\boxtimes$		
		al reference). d information is;				
		available at (add URL):				
_	•	ww.lenovo.com/social_responsibility/us/en/datasheets_notebooks/				
P5		packaging	<u> </u>			
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercury ent chromium by weight of these together.	/, cadmium an	nd 🔀		
P5.2*	The pac	kaging materials are marked with abbreviations and numbers indicating the nature of the legal reference).	of the material(	s) 🔀		
P5.3*	,	te regar reference). Buct packaging material is free from ozone depleting substances as specified in the N	Montreal Protoc	ol 🔀		
. 5.5	(see lega	al reference). nt: Legal reference has no maximum concentration values.		·. 🖂		
P6		nt information				
P6.1*		on for recyclers/treatment facilities is available (see legal reference).				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	81HE, 81SV	Logo	1	opovo
Issue date *	2018/11/28		4).	LEI IOVO.

Product	environmental attributes - Market requirements (See General NOTE GN below)			
	- Environmental conscious design	Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design, Disassembly, recycling	<u> </u>		
P7.1*	Parts that have to be treated separately are easily separable		Ц_	
P7.2*	Plastic materials in covers/housing have no surface coating.			
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.			
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.			$\boxtimes$
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	$\boxtimes$		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives			
P7.8*	Upgrading can be done using commonly available tools			
P7.9	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
D7.40	Material type: <i>plastics</i> Material type: <i>metal</i> Material type: <i>aluminur</i>	<u>n</u>		
P7.12	Insulation materials of external electrical cables are PVC free.			
P7.13	Insulation materials of internal electrical cables are PVC free.			
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and			
	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing			
	more than 25% post-consumer recycled content.	,		
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all ☐ PCBs > 25 g ☒ are low haloger as defined in IEC 61249-2-21. (See 1NOTE B2)	n 🔀		
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:  Marking: >PC+ABS-TD15FR(40)>PC+ABS-FR(40)<			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):			
	☐TBBPA (additive), ☐TBBPA (reactive) (See NOTE B3), ☐Other: <i>DOPO</i> , CAS #: 35948-25-5	$\boxtimes$		
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g			
	according ISO 1043-4: FR(40) for DPOP	$\boxtimes$		
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in	1		
	concentrations above 0,1%:	$\boxtimes$		
	1. Chemical name: confidential,, CAS #: (See NOTE B4)			
	2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: "			
	•			
D7.40	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:		<u> </u>	Щ.
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been	$\boxtimes$		
	assigned the following Risk phrases; and Hazard statements:			
P7.20*	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)			
P7.20	Postconsumer recycled plastic material content is used in the product (See Note B6):		$\boxtimes$	
	If YES; at least one of the two alternatives below shall be answered;			
	a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as			
	a percentage of total plastic by weight) is <b>0%</b> .			
	b) The weight of recycled material is <b>0</b> g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	81HE, 81SV	Logo	Lonovo
Issue date *	2018/11/28		Lei IOVO.

Product environmental attributes - Market requirements (continued)	Requi	remer	nt met
Item	Yes	No	n.a.

Material and sub	stance requirements	(continued)			
P7.21* Biobased plastic n	naterial content is used	d in the product (See N	OTE B7):		
If YES: at least on	e of the two alternative	es below shall be answ	ered:		
				ited as a percentage of	
total plastic b	y weight) is %.				
or	f 4l  -:-  - 4:				
	f the biobased plastic	material is g. less than 0,1 mg/lamp			
	specify: Number of lar		ium mercury content pe	er lamp: mg	$\boxtimes$
P8 Batteries		po.	iaiii iii oo aa y oo iii o ii o o	g	
	composition: Li-polym	er			
P9 Energy consump	tion (See NOTE B8)				
P9.1 For the product th		ls or energy consumpti	ons are reported:		
Energy mode *	Power level at	Power level at	Power level at	Reference/Standard for energy	
	100 V AC	115 V AC	230 V AC	modes and test method *	
Peak (On-max)	<b>230</b> W	<b>230</b> W	<b>230</b> W	Full load	
Category NBI2					
Short Idle State - WOL	13.690 W	14.430 W	15.610 W	Use for ENERGY STAR V6	
Enabled				registration (P <sub>idle</sub> )	
Long Idle State - WOL	10.680 W	11.000 W	11.270 W	Use for ENERGY STAR V6	
Enabled				registration (Pidle)	
		0.44=104	0.474104		
Off (S5) - WOL Enabled	<b>0.412</b> W	<b>0.417</b> W	<b>0.451</b> W	Use for ENERGY STAR V6 registration(P <sub>off</sub> )	
				registration(Poff)	
Off (S5) - WOL Disabled	<b>0.411</b> W	<b>0.416</b> W	<b>0.449</b> W	Use for ErP	
EPS No-load	0.055 W	0.058 W	0.150 W		
(External power supply / charger plugged in the wall outlet but disconnected from the product.)					
PTEC *	W	W	W		
Typical Energy Consumption					
ETEC *	50.047 kWh/year	<b>52.288</b> kWh/year	55.520 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25)$	
Annual Energy Consumption				+ P <sub>sleep</sub> x 0.35 + P <sub>long_Idle</sub> x 0.10+	
	Pau: Off Mode(\$5) a W	Ol Enabled: Paisse: Sleer	   Mode(\$3) - WOL Enable	P <sub>short_Idle</sub> x 0.30) ed; P <sub>idle</sub> : Idle State - WOL Enabled	
External Power Supply Efficier				ed, 1 lale. Idle State - WOL Enabled	
	egapixels	o.o.o.o, warking i			+
	<u> </u>	ıta a			+
Default time to enter energy sa					<u> </u>
		ion is provided with the	product.		
- ,	class (monitors only):				$\boxtimes$
P10 Emissions					
		o ISO 9296 (See NOTE			(5)
	Mode description			it A-weighted sound power level, <i>L<sub>WA,c</sub></i>	(B)
	Idle		* 3.0		<del>  </del>
Operation *	CPU Operating		* 5.0		
Other mode	Declared A-weighted sour	ad pressure level (dB) $L_{p m AI}$	21.0 (operator pos	ition desktop – idle)	
Other mode L	Declared A-weighted sour	nd pressure level (dB) $L_{p{\sf A}{\sf I}}$	41.7 (operator posi	tion desktop – operating)	
Measured accordi	ng to: 🔀 ISO 7779	ECMA-74			
	Other	only if not covered by	/ ECMA-74)		

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Model nun	nber *	81HE, 81SV				Logo	Lono	V/0	
Issue date	*	2018/11/28					Leno	VO.	,
Product of	environn	nental attributes - I	Market requireme	ents (continued)			Requirer	nent	met
Item							Yes	No	n.a.
		nagnetic emissions							
P10.4	program(	(s):	•	equency electromagnetic field	ls of the follo	owing voluntary			
P12	Ergonor	nics for computing p	roducts						
P12.1*	The disp	lay meets the ergonon	nic requirements of	ISO 9241-307 for visual displa	ay technolog	gies.		$\boxtimes$	
P12.2*	The phys	sical input device meet	ts the requirements	of ISO 9995 and ISO 9241-41	10.			$\boxtimes$	
P13		ng and documentation							
P13.1*	Product	packaging material typ packaging material typ packaging material typ	pe(s): pp	weight (kg): 1.0817 weight (kg): 0.016 weight (kg): 0.327					
P13.2*	Product	olastic primary packag	ing is free from PVC	<b>.</b>			$\boxtimes$		
P13.3*		uct primary corrugater recovered fiber cont		ging, specify the contained	percentage	of minimum po	st-		
P13.4*		nedia for user and pro onic, ⊠Paper, ☐Ot		(tick box):					
P13.5	Ùser and	only complete this item I product documentation ease specify:							
	•	nlorine-free al chlorine-free							
	Processe	ed chlorine-free							
P14	Voluntai	y programs							
P14.1	The prod	uct meets the requirer	ments of the following	ng voluntary program(s):					
	Eco-labe Eco-labe	l: (	Criteria version: Criteria version: Criteria version:	Date: Date: Date:	Product of	ategory:			
P15		al information (See I							
P9				may vary; description of the	•				
	informati knowledg provided informati	on contained in this do ge available at the time here is approximate a on.	ocument. All informa e of completion, and and provided for info	itees, assurances or warrantic tion provided by supplier in the supplier shall have no obliga rmational purposes only. See	nis documen tion to upda a Lenovo A	t is provided bas te such informat	sed on supp ion. The info	lier's ormati	on
P9				mputers for the latest informa nd_a_product.showProductG		code=CO			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) *  * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

# **Lenovo ErP Lot3 Information Sheet** - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

### **Products scope of this sheet:**

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo Legion Y740-15/Y9000P	Logo
Model Number	81HE, 81SV	Longvo
Issue Date	2018/11/28	Lenovo
Additional information		

d)	Year of manufacture:				
e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are
f)	Etec value (kWh) per ErP Lot 3 Categor enable	y and capability adjust	ments applied when a	III discrete graphics (	cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]			32	
nents sting	Additional internal storage	(Yes / No)	(Yes / No)	Y (Yes / No)	(Yes / No)
capability adjustments applied during testing	Discrete television tuner	(Yes / No)	(Yes / No)	N (Yes / No)	(Yes / No)
ability a	Discrete Audio Card	(Yes / No)	(Yes / No)	// (Yes / No)	(Yes / No)
cap	Discrete graphics Card(s) [number / #]	#: (Yes / No)	#: (Yes / No)	N #: (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)				
saults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)			38.97	
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled				
3)	Idle state power demand (Watts);	1	1	1	13.66
ר)	Sleep mode power demand (Watts);				0.932
)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		0.932
)	Off mode power demand (Watts);				0.43
۲)	Off mode with WOL enabled power dema	and (Watts) (where en	abled);		0.43
)	Internal power supply efficiency at 10 %,	20 %, 50 % and 100 9	% of rated output pow	er (if applicable):	
	10% 20% 50%	100% Avera	ige		
n)	External power supply efficiency (if applied	cable)*:			
	Average active efficiency: 91.21%,91.93	3%,92.49%,92.58%			
p)	*internal note: show values for all available external po Minimum number of loading cycles that t	ower supplies he batteries can withst	tand (applies only to n	otebook computers):	300
o-1)	Measurement methodology used to dete	rmine information men	tioned in points (I) – ir	nternal PSU efficiency:	:

(p-2)	Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency:  ENERGY STAR® Program Requirements for Single Voltage External Ac-Dc and Ac-Ac Power Supplies  Eligibility Criteria (Version 2.0)			
(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: ≥70% of Cmin			
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:  IEC 62623			
(q)	Sequence of steps for achieving a stable condition with respect to power demand::  *Power on -> Wait 5 minutes -> Stable condition*			
(r)	Description of how s	eep and/or off mode was selected or programmed:  Begin menu -> Power -> Select sleep or of	off mode	
(s)	Sequence of events off mode:	required to reach the mode where the equipment au	tomatically changes to sleep and/or	
(t)	Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):			
(u)	Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):			NA
(v)	Length of time before the display sleep mode is set to activate after user inactivity (in minutes):			10min
(w)	Information on the e	nergy-saving potential of power management functio Refer to User Guide	nality:	
(x)	User information on	how to enable the power management functionality:  *Refer to User Guide*		
(z)	Test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing:			
		230V50HZ-2%-Edition 2.0, 2011-01, Section 4	1, IEC62301	
Additio	nal Notebook Batter	y Information:		
		Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)		
Internal/built-in Battery				
External/detachable Battery				
Bios Backup Battery				
Other:				
Addition	nal information			1
)				

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители. Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios.

Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.
Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes.

Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente. Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti.

A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni. Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar. Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie.

A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși. Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ.

Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuottéen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissá. Det är inte enkelt för kunden att själv byta ut batteriet/batterierna.

Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.

The battery[ies] in this product cannot be easily replaced by users themselves.