

## Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo				
Company name *	Lenovo					
Contact information *	Lenovo Global Environmental Affairs					
	Alvin L Carter	<b>—</b>				
	1009 Think Place	lenovo				
	Building 2 / 5F1					
	Morrisville, North Carolina 27560					
	alcarter@lenovo.com					
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html					
Additional information	The latest version of this document can be found at					
	http://www.lenovo.com/social_responsibility/us/en/datasheets_r	notebooks.html				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Notebook PC				
Commercial name *	Lenovo B50-70				
Model number *	20384; 80EU				
Issue date *	2015-01-16				
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Control	Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	$\boxtimes$	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model number *	20384; 80EU		
Issue date *	2015-01-16	Logo	lenovo

Product	environmental attributes - Legal requirements	Require	ment	met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	$\boxtimes$		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	$\square$		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	$\boxtimes$		
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	$\boxtimes$		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			$\square$
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as			X
	pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5	$\boxtimes$		
	microgram/cm <sup>2</sup> /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	$\square$		
	http://www.lenovo.com/social_responsibility/us/en/materials.html			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	$\square$		
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	$\boxtimes$		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference)			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).	$\boxtimes$		
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	$\boxtimes$		
P4	Consumable materials	لالے		
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			$\square$
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	$\boxtimes$		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	I 🛛		

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model n	umber *	20384; 80EU			
Issue da	ite *	2015-01-16 Logo	lend	<b>DVO</b>	
Produc	t environ	mental attributes - Market requirements - Environmental conscious design	Require	ment	mot
Item		itory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P6		nt information			
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).	$\boxtimes$		
P7	Design				_
P7.1*		mbly, recycling t have to be treated separately are easily separable			
					⊢⊢
P7.2*		naterials in covers/housing have no surface coating.			<u> </u>
P7.3*		arts >100g consist of one material or of easily separable materials.			
P7.4*		arts >25g have material codes according to ISO 11469 referring ISO 1043.	$\square$		
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly available tool	s. 🔀		
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).	$\boxtimes$		
	Product	lifetime			
P7.7*	Upgradir	g can be done e.g. with processor, memory, cards or drives	$\boxtimes$		
P7.8*	Upgradir	g can be done using commonly available tools	$\boxtimes$		
P7.9.	Snare pa	ints are available after end of production for: 5 years			Ē
P7.10		s available after end of production for: 5 years			H
		and substance requirements			
P7.11*		cover/housing material type:			
		type: <b>PC+ABS-FR(40)</b> Material type: Material type:			
P7.12		I cable insulation materials of power cables are PVC free.		$\mathbf{X}$	
P7.13		cable insulation materials of signal cables are PVC free			Ħ
P7.14		/housing plastic parts >25g are free from chlorine and bromine.			⊢⊢
P7.15		d circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21.			
P7.16		tarded plastic parts >25g in covers / housings are marked according ISO 1043-4:			
P7.17	Alt. 1 Chemica	I specifications of flame retardants in printed circuit boards >25g (without components): additive) , TBBPA (reactive) , Other; chemical name: , CAS #:			
	ISO 104	I specifications of flame retardants in printed circuit boards (without components) >25g accordir 3-4: <b>Brominated Epoxy Resin See P14</b>	ig 🗌		
P7.18	concentr Comme 1. Chem 2. Chem	etarded plastic parts >25g contain the following flame retardant substances/preparation ations above 0.1%: ent: No legal limits exist, this is a market requirement. ical name: , CAS #: ical name: , CAS #: ical name: , CAS #:	s in 🗌		
P7.19	Alt. 2 Chemica <i>FR(40)</i> Plastic p	I specifications of flame retardants in plastic parts >25g according ISO 1043-4: arts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45			
D7 20		6, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)			
P7.20 P7.21		lastic parts' weight >25g, recycled material content is 5.28%. lastic parts' weight >25g, biobased material content is 0%.			
P7.22	Light sou	rices are free from mercury y is used specify: Number of lamps: and max. mercury content per lamp: mg	$\boxtimes$		
P8	Batterie				
P8.1*		hemical composition: Lithium Ion/Lithium Manganese Dioxide			
P8.2	Batteries	meet the requirements of the following voluntary program/s: US RBRC			Ē

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number	20384	4; 80EU				
Issue date *	2015-01-1				Logo lenovo	ı
Product enviro	nmental attri	butes - Market requ	uirements (cont	inued)	Requirement	met
Item			(00110		Yes	No n.a.
-	y consumptio					
9.1 For the	e product the fo	llowing power levels or	energy consumpt	ions are reporte	d: See P14	
Energy mode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard for energy modes and method *	test
Peak (On-max)		65 W	65 W	65 W	Full load	
Category I1		•	•			I
Short Idle State -	WOL Enabled	9.24 W	10.49 W	9.58 W	Use for ENERGY STAR V6 registration (P <sub>ic</sub>	die)
Long Idle State -	WOL Enabled	5.05 W	5.86 W	6.33 W	Use for ENERGY STAR V6 registration (P <sub>ic</sub>	11e)
Sleep (S3) - WOL	Enabled	0.56 W	0.57 W	0.63 W	Use for ENERGY STAR V6 registration(Psie	eep)
Sleep (S3) - WOL	Disabled	0.56 W	0.57 W	0.63 W	Reference	
Off (S5) - WOL Er	nabled	0.18 W	0.20 W	0.25 W	Use for ENERGY STAR V6 registration(Port	
Off (S5) - WOL Di	sabled	0.221 W	0.218 W	0.275 W	Use for EuP	
Category D 1/	2					
Short Idle State -		W	W	W	Use for ENERGY STAR V6 registration (Pi	(II)
Long Idle State -		W	W	W	Use for ENERGY STAR V6 registration ( $P_{ia}$	-
Sleep (S3) - WOL		W	W	W	Use for ENERGY STAR V6 registration (P <sub>s</sub>	
Sleep (S3) - WOL		W	W	W	Reference	
Off (S5) - WOL Er		W	W	W		
					Use for ENERGY STAR V6 registration(Port	
Off (S5) - WOL Di	sabled	W	W	W	Use for EuP	
EPS No-load (External power su	upply ( oborgor	0.073 W	0.080 W	0.152 W		
plugged in the wall disconnected from	l outlet but					
PTEC * Typical Energy Co	nsumption	W	W	W		
TEC *						
Typical Energy Co	nsumption	kWh/week	kWh/week	kWh/week		
ETEC *		30.84 kWh/year	34.90	33.20	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25 + P_{sleep} \times 0.25)$	.35
Annual Energy Co	nsumption		kWh/year	kWh/year	+ P <sub>short idle</sub> x 0.3+ P <sub>long idle</sub> x 0.1)	
		P: Off Mode(\$5) -	WOL Enabled: P	· Sleen Mode/S3	- WOL Enabled; P <sub>idle</sub> : Idle State - WOL Enabled	
Display resolution*	: 1920*1080		TOL LINDICU, T slee			
Print Speed *		ages per minute				
Default time to ent		<b>ö</b> 1				
		energy save function i	s provided with the	e product		ᆔ붬
		e energy requirements	•	•		
		rsion: Version 6.0 Tie		ict category: B	×.	
	s specify:					
P10 Emiss		alarad apparding to IS	0.0206			
P10.1 Mode		eclared according to IS de description	0 9290	Declared	Declared A-weighted	
				A-weighted	sound pressure level $L_{Am}$ (dB)	
				sound powe		tions
				level $L_{WAd}$	Desktop X	
					or Desk side (only if product is	
Idle	*	HDD:Idle		* 3.0	25.7	
Opera		HDD: Operating		* 3.1	26.2	—  H
Other	mode					
Measu	ired according	to: 🔀 ISO7779 🗌 EC	CMA-74			7
	and and the first				ith L <sub>pAm</sub> measurement distance m)	
P10.2 The pr	oauct meets th	e acoustic noise requir	ements of the follo	wing voluntary p	rogram/s:	

			; 80EU								_			
Issue da	te *	2015-01-1	D							Logo		leno	<b>VO</b> .	
	t environi	mental attr	<mark>ibutes - Mark</mark>	et require	ements (o	continu	ed)					Require		
Item	<u>.</u>											Yes	No	n.a.
P10.3*			s from printing				<b></b>							
			ording to ECMA-		=C 28360)	standard	l, oth	er specif	y:					
P10.4			e (print phase) i			_		-						$\bowtie$
		Dust	Ozone	,	rene	-	zene							
P10.5		Dust	equirements of Ozone		ene		n/s Benzene		met for :	туос 🗌	1			X
		magnetic er		Styr			Benzene				<u> </u>			
P10.6			eets the require	ment for lov	v frequenc	v electro	magnetic	fields of	the follo	wing vol	Intary			
1 10.0		n/s: MPR-II			i noquono	9 0100010	nagnotio	10100 01		ining von	arritar y			
P11	Consun	nable mater	ials for printing	g products										
P11.1*	A Safety	/ Data Sheet	: (SDS) is availa	ble for the i	ink/toner p	reparatio	n, even if	not lega	ally requi	red (see	P4.3).			$\boxtimes$
P11.2*	Paper c EN1228		ost-consumer re	ecycled fibe	ers can be	e used, p	provided	that it m	neets th	e require	ments o	f		$\boxtimes$
P11.3*	2-sided	(duplex) prin	iting/copying is	an integrate	ed product	function.								$\boxtimes$
P12			mputing produ											
P12.1*	The disp	play meets th	ne ergonomic re	quirements	of ISO 92	41-307 fo	or visual o	display te	echnolog	jies.		$\boxtimes$		
P12.2*	The phy	sical input d	evice meets the	requiremen	nts of ISO	9995 and	I ISO 924	11-410.				$\boxtimes$		
P13	Packag	ing and doc	umentation											
P13.1*	Product Product	packaging n packaging n	naterial type(s): naterial type(s): naterial type(s):	Polyethyle Others	ene Cushi			<mark>336</mark> ght (kg):	0.070					
P13.2*	Product	plastic pack	aging is free fro	m PVC.								$\boxtimes$		
P13.3*			er and product	documentat	tion (tick b	ox):								
P13.4*		er user and p	product docume	ntation, ple	ase specif	y contain	ed perce	ntage of	post-co	nsumer re	ecycled			
P14	Additio	nal informat	tion (See Note											
	informat knowled	ion containe Ige available d here is app	tes no represen d in this docum at the time of c roximate and pr	ent. All infor ompletion, a	rmation pro and suppli	ovided by er shall h	supplier ave no o	in this debigation	ocumen to upda	t is provic te such ir	led base formatio	d on sup n. The in	plier's format	ion
<b>P9</b>	See En	ergy Star Qu	ualified Notebo star.gov/index.							&paw c	ode=CO			

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19

## Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

## Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo B50-70	Logo
Model Number	20384, 80EU	_
Issue Date	2015-01-16	lenovo
Additional information		

P7.1.1	Product environmental attributes	
(d)	year of manufacture:	2014
(e)	<b>E TEC value</b> (kWh) per ErP Lot 3 Category and capability adjustments applied when <b>all discrete</b> <b>graphics cards (dGfx) are disabled</b> and if the system is tested with switchable graphics mode with UMA driving the display:	
	Category (according to ErP Lot 3): NA Etec: NA	
(f)	E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are enabled:	
	Category (according to ErP Lot 3): <i>B</i> Etec: 19.15	
(g)	idle state power demand (Watts);	6.24
(h)	sleep mode power demand (Watts);	0.67
(i)	sleep mode with WOL enabled power demand (Watts) (where enabled);	NA
(j)	off mode power demand (Watts);	0.41
(k)	off mode with WOL enabled power demand (Watts) (where enabled);	NA
(I)	internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable):	
	10% 20% 50% 100% Average	
(m)	external power supply efficiency (if applicable):	
	Average 45W: 87.58%,87.60%,88.32%; 65W:89.04%,89.92%,89.18%; *internal note: show values for all available external power supplies	
(0)	the minimum number of loading cycles that the batteries can withstand (applies only to notebook computers):	300 cycles
(p-1)	the measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency:	
	NA	
(p-2)	the measurement methodology used to determine information mentioned in points (m) – external PSU efficiency:	
	Energy-star requirement	
(p-3)	the measurement methodology used to determine information mentioned in points (o) – loadingcycles batteries:	
	IEC 61960 measurement methodology	

(p-4)					etermine information mentioned in maximum, idle, sleep, off mode Juct IT Eco Declaration:						
					Energy-star requirement						
(q)	seque	nce of s	teps for achieving a	stable of	condition with respect to power demand::						
	Based on user manual										
(r)	description of how sleep and/or off mode was selected or programmed:										
					Based on user manual						
(s)	seque off mo		events required to re-	ach the	mode where the equipment automatically changes to sleep and/or						
					Based on user manual						
(t)					the computer automatically reaches sleep mode, or another cable power demand requirements for sleep mode (in minutes):	25					
(u)					activity in which the computer automatically reaches a power mode						
(u)					ent than sleep mode (in minutes):	NA					
(V)					mode is set to activate after user inactivity (in minutes):	10					
(w)					l of power management functionality:						
					Based on user manual						
(x)	user in	ofrmati	on on how to enable	the pov	ver management functionality:						
					Based on user manual						
(Z)	electri		ply system, — inform		t voltage in V and frequency in Hz, — total harmonic distortion of the nd documentation on the instrumentation, set-up and circuits used						
				30V/50H	Iz, Total Harmonic Distortion <2 %						
Addition N	otebool	k Batte	ry Information:								
Yes			No	n/a	This notebook computer is operated by battery/ies that cannot replaced by a non-professional user.	be accessed and					
(Battery replaceable	not :)	user	(Battery user replaceable)		The battery[ies] in this product cannot be easily	replaced by					
					users themselves						
Additional	informa	ation	•								