

Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo		
Company name *	Lenovo			
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo.		
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html			
Additional information	The latest version of this document can be found at http://www.lenovo.com/social_responsibility/us/en/datasheets_notebooks.html			

The company declares (based on product specification or test results based obtained from sample testing), that the produc conforms to the statements given in this declaration.					
Type of product *	Notebook PC				
Commercial name *	Lenovo E10-30				
Model number *	20424;80G5				
Issue date *	2014-02-24				
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Control	equireme	ent met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	\square	

Model number *	Lenovo E10-30		
Issue date *	2014-02-24	Logo	lenovo

	environmental attributes - Legal requirements	Require		met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	\square		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\boxtimes		
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\boxtimes		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			\square
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			\square
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm ² /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/materials.html			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	\boxtimes		
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medica or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\square		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\square		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\boxtimes
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium an hexavalent chromium by weight of these together.	d 🖂		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\square		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea		Ē	Ē

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model n	umber *	Lenovo E10-30				
Issue da	ate *	2014-02-24 Logo		leno	vo	
Produc	t enviror	nmental attributes - Market requirements - Environmental conscious design	B	lequire	ment	met
Item		atory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P6	Treatme	ent information				
P6.1*	Information	tion for recyclers/treatment facilities is available (see legal reference).		\boxtimes		
P7	Design					
P7.1*		embly, recycling at have to be treated separately are easily separable				
P7.2*		naterials in covers/housing have no surface coating.				-++
						_님
P7.3*	-	parts >100g consist of one material or of easily separable materials.			<u> </u>	_님
P7.4*	-	parts >25g have material codes according to ISO 11469 referring ISO 1043.			<u> </u>	<u> </u>
P7.5		parts are free from metal inlays or have inlays that can be removed with commonly available	e tools.			
P7.6*	Labels a	are easily separable. (This requirement does not apply to safety/regulatory labels).		\square		
		tlifetime				
P7.7*		ng can be done e.g. with processor, memory, cards or drives				
P7.8*	Upgradi	ng can be done using commonly available tools				
P7.9.	Spare p	arts are available after end of production for: 5 years				
P7.10	Service	is available after end of production for: 5 years				
		I and substance requirements				
P7.11*		cover/housing material type:				
DT 10		type: PC+ABS-FR(40) Material type: Material type:				
P7.12		al cable insulation materials of power cables are PVC free.				
P7.13		al cable insulation materials of signal cables are PVC free			\square	
P7.14		r/housing plastic parts >25g are free from chlorine and bromine.		\square		
P7.15	All print Note B2	ed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2 ?)	-21. (See		\square	
P7.16		etarded plastic parts >25g in covers / housings are marked according ISO 1043-4: : FR(40)		\boxtimes		
P7.17		al specifications of flame retardants in printed circuit boards >25g (without components): (additive) , TBBPA (reactive) , Other; chemical name: , CAS #:				
	ISO 104	al specifications of flame retardants in printed circuit boards (without components) >25g ac I-3-4: Brominated Epoxy Resin See P14	cording			
P7.18	concent	retarded plastic parts >25g contain the following flame retardant substances/prepar rations above 0.1%: nent: No legal limits exist, this is a market requirement.	rations in			
	1. Chen 2. Chen	nical name: , CAS #: nical name: , CAS #: nical name: , CAS #:				
		al specifications of flame retardants in plastic parts >25g according ISO 1043-4:				
P7.19	R40, R4	parts >25g are free from flame retardant substances/ preparations above 0.1% classified a 6, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)	s R45,			
P7.20		plastic parts' weight >25g, recycled material content is 0.0%.				
P7.21 P7.22	Light so	plastic parts' weight >25g, biobased material content is 0% . urces are free from mercury				
		rry is used specify: Number of lamps: and max. mercury content per lamp: m	g	<u>ت</u>		
P8	Batterie					
P8.1*	,	chemical composition: Lithium Ion/Lithium Manganese Dioxide				
P8.2	Batterie	s meet the requirements of the following voluntary program/s: US RBRC				

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model num	nber * Leno	ovo E10-30				
Issue date	* 2014-02	2-24			Logo lenovo.	
Product e	environmental a	attributes - Market I	requirements (continued)	Requirement	met
ltem					Yes No	n.a.
P9	Energy consump		1		nartada Cara D11	
9.1	•	ne following power leve	6,	•		
Energy mo		Power level at 100 V AC	115 V AC	230 V AC	Reference / Standard for energy modes and test method *	
Peak (On-		45 W	45 W	45 W	Full load	
<u>Categor</u>						
Short Idle	State - WOL Enab	bled 6.4 W	6.2 W	6.3 W	Use for ENERGY STAR V6 registration (P _{idle})	
Long Idle	State - WOL Enab	oled 4.5 W	4.7 W	4.7 W	Use for ENERGY STAR V6 registration (P _{idle})	
Sleep (S3)	- WOL Enabled	0.6 W	0.6 W	0.6 W	Use for ENERGY STAR V6 registration(P _{sleep})	
Sleep (S3)	- WOL Disabled	0.6 W	0.6 W	0.6 W	Reference	
Off (S5) - I	NOL Enabled	0.2 W	0.2 W	0.2 W	Use for ENERGY STAR V6 registration(Poff)	
Off (S5) - 1	NOL Disabled	0.163 W	0.163 W	0.163 W	Use for EuP	
Categor	v D 1/2					-
	State - WOL Enab	bled W	W	W	Use for ENERGY STAR V6 registration(Pidle)	
Long Idle	State - WOL Enab	oled W	W	W	Use for ENERGY STAR V6 registration(P _{idle})	┟┤
	- WOL Enabled	W	W	W	Use for ENERGY STAR V6 registration (P _{sleep})	┢
	- WOL Disabled	W	W	W	Reference	
	NOL Enabled	W	W	w	Use for ENERGY STAR V6 registration(P _{off})	┝
	NOL Disabled	w	W	W	Use for EuP	
EPS No-loa		0.079 W	0.080 W	0.105 W		╞
plugged in disconnect	ower supply / chan the wall outlet but ed from the produc	•	W	w		
	ergy Consumption					
TEC * Typical End	ergy Consumption	kWh/week	kWh/week	kWh/week		
Etec * Annual Ene	ergy Consumption	22.9 kWh/year	22.5 kWh/year	22.8 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25 + P_{sleep} \times 0.35 + P_{long_idle} \times 0.10 + P_{short_idle} \times 0.30)$	
		Poff: Off Mode(S5	5) - WOL Enabled;	P _{sleep} : Sleep Mode(S3) - WOL Enabled; P _{idle} : Idle State - WOL Enabled	
Display res	olution* : 1366*76	68 Megapixels				
Print Speed	l' : t	mages per minute				\square
Default tim	e to enter energy s	ave mode: 25 minutes	3			
P9.2*	Information about	t the energy save funct	tion is provided w	th the product.		
P9.3*		ts the energy requirem version: <i>Version 6.0</i>			gram/s: Product category: B	
P10	Emissions					
P10.1		 Declared according t Mode description 	to ISO 9296	Declared	Declared A-weighted	T
F IU.I	Mode	woue description		A-weighted Sound powe level L _{WAd} (d sound pressure level L_{pAm} (dB) (B) Operator position \boxtimes Bystander positions Desktop \boxtimes (only if product is not	
	Idle	* HDD:Idle		* 3.0	21.0	
	Operation	* HDD: Operating		* 3.8	30.5	비님
	Other mode] _
	Measured accord	ing to: 🛛 ISO7779 🗌 Other		ered by ECMA-74	with L _{pAm} measurement distance m)	
P10.2	The product meet	ts the acoustic noise re				

Model nur	nber * Leno	vo E10-30				
Issue date	* 2014-02-2	24			Logo lenovo.	
Product e	environmental att	ributes - Market	requirements (continued)	Requirement	met
Item	-				Yes No	n.a.
P9 9.1	Energy consumpti For the product the		els or energy cons	umptions are re	ported: See P14	
Energy mo	•	Power level at 100 V AC			•	
Peak (On-	max)	45 W	45 W	45 W	Full load	
Categor	y 12	1	1	1		
Short Idle	State - WOL Enable	ed 6.4 W	6.2 W	6.3 W	Use for ENERGY STAR V6 registration (Pidle)	
Long Idle	State - WOL Enable	d 4.5 W	4.7 W	4.7 W	Use for ENERGY STAR V6 registration (P _{idle})	
Sleep (S3)	- WOL Enabled	0.6 W	0.6 W	0.6 W	Use for ENERGY STAR V6 registration(P _{sleep})	
Sleep (S3)	- WOL Disabled	0.6 W	0.6 W	0.6 W	Reference	
Off (S5) - I	WOL Enabled	0.2 W	0.2 W	0.2 W	Use for ENERGY STAR V6 registration(Poff)	
Off (S5) - I	WOL Disabled	<i>0.163</i> W	0.163 W	0.163 W	Use for EuP	
Categor	<u>y D 1/2</u>			•	•	
Short Idle	State - WOL Enable	ed W	W	W	Use for ENERGY STAR V6 registration(P _{idle})	
Long Idle	State - WOL Enable	d W	W	W	Use for ENERGY STAR V6 registration(P _{idle})	
Sleep (S3)	- WOL Enabled	W	W	W	Use for ENERGY STAR V6 registration (P _{sleep})	
Sleep (S3)	- WOL Disabled	W	W	W	Reference	
Off (S5) - I	WOL Enabled	W	W	W	Use for ENERGY STAR V6 registration(P _{off})	
Off (S5) - I	WOL Disabled	W	W	W	Use for EuP	
, plugged in	ad ower supply / charge the wall outlet but ed from the product.)		<i>0.080</i> W	<i>0.105</i> W		
PTEC * Typical End	ergy Consumption	w	W	W		
TEC * Typical Ene	ergy Consumption	kWh/week	kWh/week	kWh/week		
ETEC * Annual Ene	ergy Consumption	22.9 kWh/year	22.5 kWh/year	<mark>22.8</mark> kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25 + P_{sleep} \times 0.35 + P_{long_ldle} \times 0.10 + P_{short_ldle} \times 0.30)$	
		Poff: Off Mode(S	5) - WOL Enabled; I	P _{sleen} : Sleep Mode((S3) - WOL Enabled; P _{idle} : Idle State - WOL Enabled	
Display res	olution* : 1366*768					
Print Speed	d*: Ima	ages per minute				X
Default tim	e to enter energy sav	/e mode: 25 minutes	5			
P9.2*	Information about th	ne energy save func	tion is provided wi	th the product.		
P9.3*	The product meets ENERGY STAR® v Others specify:				gram/s: Product category: B	
P10	Emissions					
	Noise emission – I		to ISO 9296	Dec. 1		
P10.1	Mode M	ode description		Declared A-weighted sound power level L_{WAd} (E_{pAm} (db)	
	Idle *	HDD:Idle		* 3.0	21.0	
	Operation *	HDD: Operating		* 3.8	30.5	
	Other mode					
	Measured according	g to: 🔀 ISO7779 L Other		ered by ECMA-74	with L _{pAm} measurement distance m)	
P10.2	The product meets					

Model nur	nber * Leno	vo E10-30				
Issue date	* 2014-02-2	24			Logo lenovo .	
Product e	environmental att	ributes - Market	requirements (continued)	Requirement	met
Item	-				Yes No	n.a.
P9 9.1	Energy consumpti For the product the		els or energy cons	umptions are re	ported: See P14	
Energy mo	•	Power level at 100 V AC			•	
Peak (On-	max)	45 W	45 W	45 W	Full load	
Categor	y 1 <u>3</u>	1	1			
Short Idle	State - WOL Enable	ed 6.4 W	6.2 W	6.3 W	Use for ENERGY STAR V6 registration (Pidle)	
Long Idle	State - WOL Enable	d 4.5 W	4.7 W	4.7 W	Use for ENERGY STAR V6 registration (P _{idle})	
Sleep (S3)	- WOL Enabled	0.6 W	0.6 W	0.6 W	Use for ENERGY STAR V6 registration(P _{sleep})	
Sleep (S3)	- WOL Disabled	0.6 W	0.6 W	0.6 W	Reference	
Off (S5) - I	WOL Enabled	0.2 W	0.2 W	0.2 W	Use for ENERGY STAR V6 registration(Poff)	
Off (S5) - I	WOL Disabled	0.163 W	0.163 W	0.163 W	Use for EuP	
Categor	y D 1/2	I	1			
	State - WOL Enable	ed W	W	W	Use for ENERGY STAR V6 registration(P _{idle})	
Long Idle	State - WOL Enable	d W	W	W	Use for ENERGY STAR V6 registration(P _{idle})	
Sleep (S3)	- WOL Enabled	W	W	W	Use for ENERGY STAR V6 registration (P _{skeep})	
Sleep (S3)	- WOL Disabled	W	W	W	Reference	
Off (S5) - I	WOL Enabled	W	W	W	Use for ENERGY STAR V6 registration(P _{off})	
Off (S5) - I	WOL Disabled	W	W	W	Use for EuP	
, plugged in	ad ower supply / charge the wall outlet but ed from the product.)		<i>0.080</i> W	<i>0.105</i> W		
PTEC * Typical Ene	ergy Consumption	w	W	W		
TEC * Typical Ene	ergy Consumption	kWh/week	kWh/week	kWh/week		
Etec * Annual Ene	ergy Consumption	22.9 kWh/year	22.5 kWh/year	<mark>22.8</mark> kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25 + P_{sleep} \times 0.35 + P_{long_ldie} \times 0.10 + P_{short_ldie} \times 0.30)$	
		Poff: Off Mode(S	5) - WOL Enabled; 1	P _{sleen} : Sleep Mode((S3) - WOL Enabled; P _{idle} : Idle State - WOL Enabled	
Display res	olution* : 1366*768					
Print Spee	d*: Ima	ages per minute				\boxtimes
Default tim	e to enter energy sav	ve mode: 25 minutes	5			
P9.2*	Information about th	ne energy save func	tion is provided wi	ith the product.		
P9.3*	The product meets ENERGY STAR® v Others specify:				gram/s: Product category: B	
P10	Emissions					
D10.1	Noise emission –		to ISO 9296	D. J.		
P10.1	Mode M	ode description		Declared A-weighted sound power level L_{WAd} (E_{pAm} (db)	
	Idle *	HDD:Idle		* 3.0	21.0	
	Operation *	HDD: Operating		* 3.8	30.5	
	Other mode					
	Measured according	g to: 🔀 ISO7779 L Other		ered by ECMA-74	with LpAm measurement distance m)	
P10.2	The product meets					\mathbf{X}

Model nu		Lenovo E10-3										
Issue da	te *	2014-02-24						Logo		leno	VO.	
	t environ	nental attributes - Mai	ket require	ments (c	continued)					Require		
Item										Yes	No	n.a
		al emissions from printin	<u>.</u>			-						
P10.3*		ormed according to ECM		EC 28360)	standard	, other sp	ecify:					
P10.4	Typical	mission rate (print phase)	is (mg/h):									\boxtimes
		Dust Ozone	Styrene		enzene	TVOC						
P10.5		I emission requirements of	_ `	° <mark> </mark>			met for :		-			\bowtie
		ust Ozone	Styre	ene 🔄	Ber	zene		TVOC				
P10.6		nagnetic emissions	ana ant far law			wastia fiald		llouinguig	lunton			
P10.6		r display meets the requi s: MPR-II	rement for low	v frequenc	y electroma	gnetic field	s of the fo	llowing vo	luntary	\boxtimes		
P11	1 0	able materials for printi	ng products									
P11.1*		Data Sheet (SDS) is avai		nk/toner p	reparation, e	ven if not l	egally req	uired (see	P4.3).			\square
P11.2*	Paper o EN1228	ontaining post-consumer	recycled fiber	rs can be	used, prov	ided that i	t meets t	he require	ements o	f		\square
P11.3*	2-sided	duplex) printing/copying is	an integrated	d product	function.							\square
P12	Ergono	nics for computing prod	lucts									
P12.1*	The disp	ay meets the ergonomic	requirements	of ISO 92	41-307 for v	sual displa	y technol	ogies.		\square		
P12.2*	The phy	ical input device meets th	ne requiremen	nts of ISO	9995 and IS	O 9241-41	0.					
P13	Packag	ng and documentation										
P13.1*	Product	backaging material type(s backaging material type(s backaging material type(s): Polyethyle	ne Cushi	weight (k ons (kg): 0.123	g): 0.27 weight (kạ	g): 0.012					
P13.2*	Product	plastic packaging is free fi	rom PVC.							\times		
P13.3*		nedia for user and produc	t documentati	ion (tick be	ox):							
P13.4*	For pap fiber: 0	r user and product docum	entation, plea	ase specify	/ contained	percentage	e of post-c	onsumer	recycled			
P14	Additio	al information (See Note	e B4)									
	informat knowled provided informat		nent. All inforr completion, a provided for ir	mation pro and supplie nformation	ovided by su er shall have al purposes	pplier in th no obligat only. See	is docume ion to upo a Lenovo	ent is prov late such Account F	ided base information	ed on sup on. The ir	oplier's nforma	5
P 9		rgy Star Qualified Noteb vw.energystar.gov/indea							ode=CO	,		

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo E10-30	Logo
Model Number	20424, 80G5	
Issue Date	2014/1/30	lenovo
Additional information		

P7.1.1 F	Product environmental attributes					
(d)	year of manufacture:	2014				
(e)	E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics disabled and if the system is tested with switchable graphics mode with UMA driving the display:	s cards (dGfx) are				
	Category (according to ErP Lot 3): C Etec: 10.29					
(f)	E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics enabled:	cards (dGfx) are				
	Category (according to ErP Lot 3): NA Etec:					
(g)	idle state power demand (Watts);	3.39				
(h)	sleep mode power demand (Watts);	0.55				
(i)	sleep mode with WOL enabled power demand (Watts) (where enabled);	0.51				
(j)	off mode power demand (Watts);	0.17				
(k)	off mode with WOL enabled power demand (Watts) (where enabled);	0.16				
(I)	internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable):					
	10% 20% 50% 100% Average					
(m)	external power supply efficiency (if applicable):					
	10% 20% 50% 100% Average ;					
	or level:					
(o)	the minimum number of loading cycles that the batteries can withstand (applies only to notebook computers					
(p-1)	the measurement methodology used to determine information mentioned in points (I) - internal PS efficiency:	SU				
	NA					
(p-2)	the measurement methodology used to determine information mentioned in points (m) – external PS efficiency:	SU				
Energy-star requirement						
(p-3)	the measurement methodology used to determine information mentioned in points (o) - loadingcycl batteries:	es				
NA (ErP ot 3 test isn't contained Batteries)						

	(p-4) the measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:						
Energy-star requirement							
(q) sequence	sequence of steps for achieving a stable condition with respect to power demand::						
Based on user manual							
(r) description	description of how sleep and/or off mode was selected or programmed:						
Based on user manual							
(s) sequence off mode:	sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:						
Based on user manual							
	the duration of idle state condition before the computer automatically reaches sleep mode , or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes): 25						
u)the length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):1010							
(v) the length	the length of time before the display sleep mode is set to activate after user inactivity (in minutes): 10						
(w) information on the energy-saving potential of power management functionality:							
Based on user manual							
(x) user information on how to enable the power management functionality:							
Based on user manual							
(z) test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing:							
230V/50Hz							
Addition Notebook B	attery Information:						
Yes	No	n/a	This notebook computer is operated by battery/ies that cannot be accesse by a non-professional user.	d and replaced			
(Battery not user replaceable)	(Battery user replaceable)		The battery[ies] in this product cannot be easily replace themselves	ed by users			
Additional information							