

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo		
Company name *	Lenovo			
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5J3 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo.		
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	t.html		
Additional information	The latest version of this document can be found at http://www.lenovo.com/social_responsibility/us/en/datasheets_desktops.html			

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Traditional Desktop			
Commercial name *	Lenovo H530			
Model number *	90A8; 10129; 90AA; 10130			
Issue date *	2014-06-03			
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information	Energy Star Qualified (Model 90A8; 10129)			

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Control	Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).		

Model number *	Lenovo H530	MT:90A8; 10129; 90AA;	1013	0
Issue date *	2014-06-03	L	Logo	lenovo.

Product	Require	men	t met	
Item	V 1	Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),			
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\boxtimes		
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/ThinkGreen_products.html#environment			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	\boxtimes		
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\boxtimes		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\boxtimes		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\boxtimes
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			\boxtimes
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium an hexavalent chromium by weight of these together.	d 🔀		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	al 🔀		

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	Lenovo H530	MT:90A8; 10129; 90AA; 10130	
Issue date *	2014-06-03	Logo	lenovo.

Product environmental attributes - Market requirements - Environmental conscious design				met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes		
P7	Design Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable		$\overline{}$	$\overline{}$
P7.2*	Plastic materials in covers/housing have no surface coating.		X	\dashv
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.			H
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.			\dashv
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		-	∺
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).		-	╫
F7.0	Product lifetime		<u> </u>	Ш
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\square		$\overline{\Box}$
P7.8*	Upgrading can be done using commonly available tools	\overline{X}	$\overline{}$	\dashv
P7.9.		$\overline{\mathbb{X}}$		\dashv
P7.10	Spare parts are available after end of production for: 5 years	$\overline{\mathbb{X}}$		+
1 7.10	Service is available after end of production for: 5 years Material and substance requirements			
P7.11*	Product cover/housing material type:			
1 7.11	Material type: >PC+ABS-FR(40)< Material type: Material type:			
P7.12	Electrical cable insulation materials of power cables are PVC free.		X	П
P7.13	Electrical cable insulation materials of signal cables are PVC free	H	X	Н
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.	X		H
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See		X	Ħ
	Note B2)	ш		ш
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4:	\Box		
	Marking: >PC+ABS-FR(40)<			
P7.17	Alt. 1			
	Chemical specifications of flame retardants in printed circuit boards >25g (without components):	\boxtimes		
	TBBPA (additive) , TBBPA (reactive) , Other; chemical name:, CAS #: 26265-08-7			
	Alt. 2			
	Chemical specifications of flame retardants in printed circuit boards (without components) >25g according	\bowtie		
	ISO 1043-4: FR(16)			
P7.18	Alt. 1			
	Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%:	Ш	X	
	Comment: No legal limits exist, this is a market requirement.			
	Provide a list of all used flame retardants including MSDS for each flame retardant. The list must contain			
	complete chemical name, CAS number and supplier.			
	1. Chemical name: , CAS #: , Supplier:			
	2. Chemical name: , CAS #: , Supplier:			
	3. Chemical name: , CAS #: , Supplier:			
	Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:			
	one man openious of man of the death of man of the second man of t			
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45,	\boxtimes		
P7.20	R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)			
P7.20 P7.21	Of total plastic parts' weight >25g, recycled material content is \(\mathcal{P} \)%. Of total plastic parts' weight >25g, biobased material content is \(\mathcal{O} \)%.			
P7.21	Light sources are free from mercury	\square		$\overline{}$
P8	Batteries			
P8.1*	Battery chemical composition: Lithium manganese dioxide coin battery			
P8.2	Batteries meet the requirements of the following voluntary program/s:			\dashv
,	= and the second control of the following following programme.			

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	Lenovo H530	MT:90A8; 10129; 90AA; 10130)
Issue date *	2014-06-03	Logo	lenovo.

Product environmental att	ributes - Market	requirements	(continued)		Requirement	
P9 Energy consumpti	on.				Yes No	n.a.
P9 Energy consumpti9.1 For the product the		els or energy co	nsumntions are re	enortec	Y See P14	
The product is shipp			isumptions are re	sportec		
Energy mode *	Power level at 100 V AC	Power level 115 V AC	at Power level		Reference / Standard for energy modes and test method *	
	W(50Hz/60Hz)	W	W			
Category I1				I		
Short Idle State - WOL Enable	ed 25.31 W	25.09 W	25.31 W	Use	e for Energy Star V6.0 registration(P _{ShortIdle})	
Long Idle State - WOL Enable	d 25.20 W	24.90 W	25.20 W		e for Energy Star V6.0 registration(P _{Longldle})	_
Sleep (S3) - WOL Enabled	1.13 W	1.13 W	1.13 W	Us	e for Energy Star V6.0 registration (P _{sleep})	
Sleep (S3) - WOL Disabled	1.13 W	1.13 W	1.13 W	Ret	ference	$\overline{\Box}$
Off (S5) - WOL Enabled	0.37 W	0.37 W	0.37 W	Use	e for Energy Star V6.0 registration (Poff)	
Off (S5) - WOL Disabled	0.29 W	0.29 W	0.29 W	Use	e for EuP	Ħ
Category I2				l l		
Short Idle State - WOL Enable	ed 25.12 W	25.54 W	25.61 W	Use	e for Energy Star V6.0 registration(P _{ShortIdle})	П
Long Idle State - WOL Enable		25.29 W	25.09 W		e for Energy Star V6.0 registration(P _{Longlolle})	
Sleep (S3) - WOL Enabled	1.14 W	1.14 W	1.28 W		e for Energy Star V6.0 registration (P _{sleep})	
Sleep (S3) - WOL Disabled	1.14 W	1.14 W	1.28 W		ference	H
Off (S5) - WOL Enabled	0.38 W	0.40 W	0.53 W	_	e for Energy Star V6.0 registration (P _{off})	H
Off (S5) - WOL Disabled	0.29 W	0.29 W	0.29 W		e for EuP	H
	0.25 VV	0.25 **	0.23 **	030	s for Eur	ш
Category I3 Short Idle State - WOL Enable	ed 24.45 W	23.69 W	25.34 W	Her	e for Energy Star V6.0 registration(P _{ShortIdle})	
Long Idle State - WOL Enable		23.05 W	25.25 W		e for Energy Star V6.0 registration(P _{Longldle})	Ш
Sleep (S3) - WOL Enabled	1.13 W	1.14 W	1.41 W			
Sleep (S3) - WOL Enabled Sleep (S3) - WOL Disabled					e for Energy Star V6.0 registration (P _{sleep})	Щ
	1.13 W	1.14 W	1.41 W		ference	Щ
Off (S5) - WOL Enabled	0.37 W	0.39 W	0.66 W		e for Energy Star V6.0 registration (Poff)	Щ
Off (S5) - WOL Disabled	0.29 W	0.29 W	0.29 W	Use	e for EuP	Ш
Category D1						
Short Idle State - WOL Enable		<i>32.33</i> W	<i>32.26</i> W		e for Energy Star V6.0 registration(P _{ShortIdle})	Ш
Long Idle State - WOL Enable		32.15 W	31.54 W		e for Energy Star V6.0 registration (P _{LongIdle}	
Sleep (S3) - WOL Enabled	1.37 W	1.26 W	1.83 W	Us	e for Energy Star V6.0 registration (P _{sleep})	
Sleep (S3) - WOL Disabled	1.37 W	1.26 W	1.83 W	_	ference	
Off (S5) - WOL Enabled	<i>0.85</i> W	0.86 W	1.03 W	Use	e for Energy Star V6.0 registration (Poff)	
Off (S5) - WOL Disabled	0.29 W	0.29 W	0.29 W	Use	e for EuP	
Category D2						
Short Idle State - WOL Enable	ed 28.95 W	29.08 W	31.41 W	Use	e for Energy Star V6.0 registration(P _{ShortIdle})	
Long Idle State - WOL Enable	d 28.81 W	28.54 W	31.01 W	Use	e for Energy Star V6.0 registration(PLongldle)	
Sleep (S3) - WOL Enabled	1.24 W	1.26 W	1.43 W	Us	e for Energy Star V6.0 registration (P _{sleep})	
Sleep (S3) - WOL Disabled	1.24 W	1.26 W	1.43 W	Ret	ference	
Off (S5) - WOL Enabled	<i>0.85</i> W	0.86 W	1.03 W	Use	e for Energy Star V6.0 registration (Poff)	
Off (S5) - WOL Disabled	0.29 W	0.29 W	0.29 W	Use	e for EuP	
EPS No-load (External power supply / charge plugged in the wall outlet but disconnected from the product.)		W	W			
TEC Typical Energy Consumption	kWh/week	kWh/week	kWh/week			

ETEC * Annual Energy Consumption		Cat I1: 112.67; Cat I2: 112.00; Cat I3: 108.31; CatD1:148.33; CatD2:130.51; kWh/year	Cat I1: 111.60; Cat I2: 113.61; Cat I3: 104.96; CatD1:145.31; CatD2:130.60; kWh/year	Cat I1:112.88; Cat I2:114.14; Cat I3:114.09; CatD1:145.52; CatD2:141.74; kWh/year	E _{TEC} = (8760/1000) x (P _{off} x 0.45 + P _{sleep} x 0.05 + P _{ShortIdle} x 0.35 + P _{LongIdle} x 0.15)
			- WOL Enabled; F	P _{sleep} : Sleep Mode(S	3) - WOL Enabled; P _{idle} : Idle State - WOL Enabled
Display res	solution : Megapixe	ls			
Print Spee	d :	Images per minute			
Default tim	e to enter energy sa	ve mode: minutes			
P9.2*	Information about t	he energy save function	on is provided wi	th the product.	
P9.3* The product meets the energy requirements of the following voluntary program/s: ENERGY STAR® version: 6.0 Product category: I1,I2,I3,D1,D2 Others specify:		ram/s:			
P10	Emissions				
D40.4		Declared according to	ISO 9296		
P10.1	Mode	Mode description		Declared A-weighted sound power level L_{WAd} (B)	
	Idle	* System: Idle		* 3. 6	
	CPU Loading Operating(HDD) CD accessing	* Intel PTU tool		* 3. 7	Acoustical Noise Emission Values
		g to: X ISO7779 C	(only if not cove		with L _{pAm} measurement distance m)
P10.2	The product mosts	the acquistic noise red	quiromente of the	following volunto	ny program/s:

Model number *	Lenovo H530	MT:90A8; 10129; 90AA; 1013	30
Issue date *	2014-06-03	Logo	lenovo.

Product 6	environmental attributes - Market requirements (continued)	equire	ment	met
Item		Yes	No	n.a.
	Chemical emissions from printing products			
P10.3*	Test performed according to ECMA-328 (ISO/IEC 28360) standard ☑, other specify:	\boxtimes		
P10.4	Typical emission rate (print phase) is (mg/h):			
	Dust Ozone Styrene Benzene TVOC			
P10.5	Chemical emission requirements of the following voluntary program/s are met for :			
	Dust Ozone Styrene Benzene TVOC			
	Electromagnetic emissions			
P10.6	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary			\boxtimes
	program/s:			
P11	Consumable materials for printing products			
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).			\boxtimes
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.			
P11.3*	2-sided (duplex) printing/copying is an integrated product function.			\mathbb{X}
P12	Ergonomics for computing products			
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.			X
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.		X	
P13	Packaging and documentation			
P13.1*	Product packaging material type(s): EPE weight (kg): 0. 215			
	Product packaging material type(s): Carton weight (kg):1.3			
	Product packaging material type(s): BOX weight (kg): 0. 09			
	Product packaging material type(s): Laminatio Bag weight (kg): 0. 042			
	Product packaging material type(s): PE film weight (kg): 0. 025			
	Product packaging material type(s): PAD-Tray cover weight (kg): 0.842			
P13.2*	Product plastic packaging is free from PVC.	\boxtimes		
P13.3*	Specify media for user and product documentation (tick box):			
	Electronic , Paper , Other			
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber:0% (Japan only 70%)			
P14	Additional information (See Note B4)			
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied	regard	ina the	`
	information contained in this document. All information provided by supplier in this document is provided base			
	knowledge available at the time of completion, and supplier shall have no obligation to update such information			tion
	provided here is approximate and provided for informational purposes only. See a Lenovo Account Representa information.			

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19

Lenovo ErP Lot3 Information Sheet

- PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo H530	Logo	
Model Number	90A8; 10129; 90AA; 10130	_	
Issue Date	2014-06-03	lenovo.	
Additional information	Only 90A8; 10129 is Erp Lot3 Qualified, which is equipped with ES PSU.		

(d)	Year of manufacture:			Availible on product labe	
(e)	E TEC value (kWh) and capability ac are disabled and if the system is tes display:	N/A			
(f)	E TEC value (kWh) and capability ac are enabled: Cat. B 122.36 Cat. C 121.85 Cat. D 122.43				
(g)	idle state power demand (Watts);	33.77			
(h)	sleep mode power demand (Watts);	1.23			
(i)	sleep mode with WOL enabled powe	1.23			
(j)	off mode power demand (Watts);	0.74			
(k)	off mode with WOL enabled power de	0.74			
(l)	Internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable): 10% 78.61% 20% 84.02% 50% 86.51% 100% 83.02%				
(m)	External power supply efficiency (if a 10% 20% 50% or Level:	pplicable): 100% Averaç	ie ;	N/A	
(o)	The minimum number of loading cycles that the batteries can withstand (applies only to notebook computers): N/A				
(f)	Test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing: Test voltage in V and frequency in Hz 230V/50Hz Total harmonic distortion of the electricity supply system ≤ 2% Information and documentation on the instrumentation, set-up and circuits used for electrical testing			circuits	
	Instrument Type	Range Used Or ***	Make and Model **		
	AC Power Source 1~28	80VAC;1~550HZ;1000V A.	NF;EC1000S; SN:9152124		

		Digita	al Watch	Full range	CASIO; HS-70W; SN:208Q08R	
		Powe	er Meter	0~600V;0~20A	YOKOGAWA;WT210;SN:91M94456	
				•	0	
			ermograph	15~35°C/15~90%	testo; 608-H1,SN:1034895602	
			anemometer Measuring	0~20m/s,-20~70°C 1°;1-300cd/ m²	Testo;425;SN:02591883 Konica Minolta;LS-110;	
(p-1)	The		•			
(β-1)	The measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency: 80 PLUS® Program					
(p-2)			ment methodolog	y used to determine inform	mation mentioned in points (m) - external PSU	
	епис	iency:		N/A		
(p-3)		measure eries:	ment methodolog	y used to determine inform	mation mentioned in points (o) - loadingcycles	
	Dalle	51165.		N/A		
(p-4)	The	measurer	ment methodology	used to determine informati	ion mentioned in maximum, idle, sleep, off mode	
. ,	powe	er as defir	ned in Point P9.1	in the Product IT Eco Declar	ation:	
				IEC 62301	1	
(q)	Sequ	uence of s	steps for achieving	g a stable condition with resp	pect to power demand::	
			P	Power on -> Wait 5 minutes	->Stable condition	
(r)	Desc	cription of	how sleep and/or	r off mode was selected or pr	rogrammed:	
			Ве	gin menu -> Power -> Sele	ct sleep or off mode	
(s)		uence of e	events required to	reach the mode where the e	equipment automatically changes to sleep and/or	
		Contro	ol Panel->Power	Options-> Change Settings	s-> Restore default settings for this plan	
(t)					r automatically reaches sleep mode, or another and requirements for sleep mode (in minutes):	30 minutes
					, ,	
(u)					ich the computer automatically reaches a t than sleep mode (in minutes):	45 minutes
(v)	The length of time before the display sleep mode is set to activate after user inactivity (in minutes): 15 minutes					15 minutes
(w)	Infor	mation or	the energy-savin	ng potential of power manage	ement functionality:	
				N/A		
(x)	User	r informati	ion on how to ena	ble the power management f	functionality:	
				Refer to User (Guide	
Additio	n Noteb	ook Batte	ery Information:			
Yes	No	n/a		computer is operated by bat	tery/ies that cannot be accessed and replaced by	a non-professional
			The battery	[ies] in this product ca	annot be easily replaced by users then	nselves
Additio	nal infor	rmation				