

Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo		
Company name *	Lenovo			
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5J3 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo		
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html			
Additional information	The latest version of this document can be found at http://www.lenovo.com/social_responsibility/us/en/datasheets_notebooks.html			

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.		
Type of product *	II-in-One Desktop PC		
Commercial name *	deaCentre C540		
Model number *	10110, 6267		
Issue date *	012/09/11		
Intended market *	Global 🔲 Europe 🔄 Asia, Pacific & Japan 🛛 Americas 🗌 Other		
Additional information			

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Quality Control		
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).		

Model number *	IdeaCentre C540	MT : 10110, 6267		
Issue date *	2012/09/11		Logo	lenovo

Produc	t environmental attributes - Legal requirements	Require	ment	met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	\square		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\boxtimes		
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\square		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			\boxtimes
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm ² /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.	\square		
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/ThinkGreen_products.html#environment	\boxtimes		
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	\square		
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medica or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\boxtimes		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).	\boxtimes		
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\square		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			\square
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\boxtimes
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.	k 🖂		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	I 🛛		

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

	^{umber*} IdeaCentre C540 MT : 10110, 6267				
Issue da	ate * 2012/09/11 L	ogo la	200	vo	₽.
Produc	t environmental attributes - Market requirements - Environmental conscious de	sian Re	auire	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P6	Treatment information				
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).		\boxtimes		
P7	Design Disassembly, recycling				
P7.1*	Parts that have to be treated separately are easily separable		\square		
P7.2*	Plastic materials in covers/housing have no surface coating.		Ē		Ē
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.			Ē	Ē
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.			Ē	Ħ
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly ava	ailable tools.		Ē	Ē
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).			Ħ	Ħ
	Product lifetime				
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives		\square		
P7.8*	Upgrading can be done using commonly available tools			Ē	
P7.9.	Spare parts are available after end of production for: 5 years	_			Ħ
P7.10	Service is available after end of production for: 5 years				Ħ
	Material and substance requirements				
P7.11*	Product cover/housing material type:				
	Material type: ABS Material type: ABS+PET Material type	/pe:			
P7.12	Electrical cable insulation materials of power cables are PVC free.				
P7.13	Electrical cable insulation materials of signal cables are PVC free				
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.		\boxtimes		
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC612 Note B2)	249-2-21. (See		\square	
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking: >ABS<		\square		
P7.17	Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without component TBBPA (additive) , TBBPA (reactive) , Other; chemical name:, CAS #: 79-94-7	s):			
	Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25 ISO 1043-4	ig according			
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/p concentrations above 0.1%:	reparations in	\boxtimes		
	Comment: No legal limits exist, this is a market requirement. Provide a list of all used flame retardants including MSDS for each flame retardant. The list complete chemical name, CAS number and supplier. 1. Chemical name: CAS #: , Supplier: 2. Chemical name: CAS #: , Supplier: 3. Chemical name: CAS #: , Supplier: 4. b. c CAS #: , Supplier:	: must contain			
	Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:				
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classifi R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)	ed as R45,	\square		
P7.20	Of total plastic parts' weight >25g, recycled material content is 5.2 %.				
P7.21	Of total plastic parts' weight >25g, biobased material content is 0 %.				
P7.22	Light sources are free from mercury		\square		
P8	Batteries				
P8.1*	Battery chemical composition: Lithium Ion /Lithium Manganese Dioxide				

Annex B of ECMA-370 4th edition, June 2009

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number * Ide	aCentre C54	10 MT:10	110, 6267		
Issue date * 2012/				Logo lenovo	
Product onvironmental	attributos - Marko	t roquiromonts (continued)	Poquiromont	mot
Item	Product environmental attributes - Market requirements (continued) Requirement m tem				
P9 Energy consur	nption				
9.1 For the product the following power levels or energy consumptions are reported: See P14 The product is shipped w/ WOL Enabled.					
Energy mode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard for energy modes and test method *	
Category A					
Idle State - WOL Enabled	W	W	W	(P _{idle}) Energy Star v5.2	
Sleep (S3) - WOL Enabled	W	W	W	(P _{sleep}) Energy Star v5.2	
Sleep (S3) - WOL Disable	1 W	W	W	Energy Star v5.2	
Off (S5) - WOL Enabled	W	W	W	(P _{off}) Energy Star v5.2	
Off (S5) - WOL Disabled	W	W	W	Energy Star v5.2	
Category B					
Idle State - WOL Enabled	23.15 W	22.78 W	22.58 W	(P _{idle}) Energy Star v5.2	
Sleep (S3) - WOL Enabled		1.117 W	1.03 W	(P _{sleep}) Energy Star v5.2	
Sleep (S3) - WOL Disable	1 1.013 W	1.001 W	0.92 W	Energy Star v5.2	
Off (S5) - WOL Enabled	0.66 W	0.616 W	0.59 W	(Poff) Energy Star v5.2	
Off (S5) - WOL Disabled	0.373 W	0.357 W	0.36 W	Energy Star v5.2	
Category C					
Idle State - WOL Enabled	27.24 W	27.45 W	28.33 W	(P _{idle}) Energy Star v5.2	
Sleep (S3) - WOL Enabled		1.117 W	1.03 W	(P _{sleep}) Energy Star v5.2	
Sleep (S3) - WOL Disable	1.013 W	1.001 W	0.92 W	Energy Star v5.2	
Off (S5) - WOL Enabled	0.66 W	0.616 W	0.59 W	(P _{off}) Energy Star v5.2	
Off (S5) - WOL Disabled	0.373 W	0.357 ₩	0.36 W	Energy Star v5.2	
Category D					
Idle State - WOL Enabled	27.93 W	27.12 W	28.78 W	(P _{idle}) Energy Star v5.2	
Sleep (S3) - WOL Enabled		1.27 W	1.09 W	(P _{sleep}) Energy Star v5.2	
Sleep (S3) - WOL Disable		1.001 W	0.92 W	Energy Star v5.2	
Off (S5) - WOL Enabled	0.7 W	0.635 W	0.61 W	(P _{off}) Energy Star v5.2	
Off (S5) - WOL Disabled	0.373 W	0.357 W	0.36 W	Energy Star v5.2	
EPS No-load (External power supply / charger plugged in the wall outlet but disconnected fror the product.)	0.283 W	0.284 W	0.263 W		
TEC Typical Energy Consumptio	n kWh/week	kWh/week	kWh/week		
ETEC * Annual Energy Consumption		98.64 W	104.31 W	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.6 + P_{sleep} \times 0.1 + P_{idle} \times 0.3)$	
		woll Enabled; P _{sleep} :	Sieep Wode(S3) - WO	L Enabled; P _{idle} : Idle State - WOL Enabled	
	1080: Megapixels				
Print Speed : Imag	es per minute				
Default time to enter energy					
	ut the energy save fur				
	ets the energy require ® version: 5.2 Produ			n/s:	

Model number *	IdeaCentre C540	MT : 10110, 6267		
Issue date *	2012/09/11		Logo	lenovo

P10	Emissions					
	Noise emission	- Declared according to ISO 9296				
P10.1	Mode	Mode description	Declared	Declared A-w	/eighted	
			A-weighted	sound pressure leve	el $L_{p{\sf Am}}$ (dB)	
			sound power level L_{WAd} (B)		Bystander position	ns
			level L _{WAd} (D)	Desktop X		
				or Desk side	only if product is n operator attende	
	Idle	* HDD: Idle	3.5	27		
	Operation	* HDD: Operating	3.6	28		
	Other mode	ODD operating	4.7	35		
	Measured accore	ding to: 🔀 ISO7779 🔀 ECMA-74				
				th L _{pAm} measurement dista	ance m)	
P10.2		ets the acoustic noise requirements of the fo		program/s:		
Product e	environmental	attributes - Market requirements (co	ntinued)		Requireme	ent met
Item					Yes N	lo n.a.
	Chemical emiss	sions from printing products				
P10.3*	Test performed a	according to ECMA-328 (ISO/IEC 28360) st	tandard 📃, other	specify:		
P10.4	Typical emission	rate (print phase) is (mg/h):				\boxtimes
	Dust		zene TV	00		
P10.5		on requirements of the following voluntary p	-	are met for :		
	Dust	Ozone Styrene	Benzene	TVOC		
D40.0	Electromagneti		- la strange d'a C	al da la Cilla da lla cia a su al cont		
P10.6	program/s:	y meets the requirement for low frequency	electromagnetic fi	eids of the following volunt	ary 📋 💈	
P11		aterials for printing products				
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).					
P11.2*	EN12281.	g post-consumer recycled fibers can be u		at it meets the requirement	nts of	
P11.3*		printing/copying is an integrated product fu	nction.			
P12		computing products				
P12.1*		ts the ergonomic requirements of ISO 9241				
P12.2*	The physical inp	ut device meets the requirements of ISO 99	995 and ISO 9241	-410.		
P13	Packaging and					
P13.1*		ng material type(s): paper weight (g)				
		ng material type(s): EPE weight (g ng material type(s): HDPE weight (g				
		ng material type(s): weight (g				
	Product packagi	ng material type(s): weight (g				
P13.2*		ackaging is free from PVC.	,			
P13.3*	Specify media for user and product documentation (tick box):					
		Paper 🔀, Other 🗌				
P13.4*	fiber: 80 % (nd product documentation, please specify o	contained percent	age of post-consumer recy	cled	\square
P14	Additional infor	mation (See Note B4)				
	information conta	r makes no representations, guarantees, as ained in this document. All information prov	ided by supplier in	this document is provided	I based on supplie	er's
		able at the time of completion, and supplier				
	provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information.					
1						

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19