

Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo		
Company name *	Lenovo			
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo		
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environme	nt.html		
Additional information	The latest version of this document can be found at http://www.lenovo.com/social_responsibility/us/en/datasheets_notebooks.html			

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
Type of product *	Desktop Computer					
Commercial name *	IdeaCentre Q190					
Model number *	10115*******;6281****					
Issue date *	2014-05-12					
Intended market *	🔀 Global 🗌 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other					
Additional information	ENERGY STAR® Qualified (10115*******;6281****);GreenGuard					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Control	equireme	ent met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	\square	

Model number *	IdeaCentre Q190	MT: 10115*******; 6281****	10115****	*****;6281 ****
Issue date *	2014.05.12		Logo	lenovo

Produc	t environmental attributes - Legal requirements	Require	ement	met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	\boxtimes		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\boxtimes		
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\boxtimes		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			\boxtimes
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm ² /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/materials.html	\square		
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	\boxtimes		
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medica or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\times		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\boxtimes		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).	\boxtimes		
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.	d 🔀		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea	al 🔀		

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model n	umber *	IdeaCentre Q190 MT: 10115*******; 6281**** 10115*******;	***;628	31**	**
lssue da	ate *	2014.05.12 Logo	lend	vo	
Produc	t environ	mental attributes - Market requirements - Environmental conscious design	Require	ment	met
ltem		atory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a
P6		nt information			
P6.1*	Informat	ion for recyclers/treatment facilities is available (see legal reference).	\boxtimes		
P7	Design				
		mbly, recycling			
P7.1*		at have to be treated separately are easily separable			
P7.2*		naterials in covers/housing have no surface coating.	\square		
P7.3*	Plastic p	arts >100g consist of one material or of easily separable materials.	\square		
P7.4*	Plastic p	arts >25g have material codes according to ISO 11469 referring ISO 1043.	\boxtimes		
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly available tools.	\square		
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes		
	Product	lifetime			
P7.7*	Upgradir	ng can be done e.g. with processor, memory, cards or drives	\square		
P7.8*	Upgradir	ng can be done using commonly available tools	\square		
P7.9.	Spare pa	arts are available after end of production for: 5 years			
P7.10		s available after end of production for: 5 years			
		and substance requirements			_
P7.11*		cover/housing material type:			
		type: ABS Material type: PC/ABS Material type: Steel			
P7.12	Electrica	I cable insulation materials of power cables are PVC free.		\mathbf{X}	
P7.13		l cable insulation materials of signal cables are PVC free	<u> </u>		F
P7.14		/housing plastic parts >25g are free from chlorine and bromine.			+
P7.15		ed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (Se			
17.10	Note B2				
P7.16		, starded plastic parts >25g in covers / housings are marked according ISO 1043-4:	\boxtimes		
P7.17	Alt. 1 Chemica	al specifications of flame retardants in printed circuit boards >25g (without components): (additive) , TBBPA (reactive) , Other; chemical name: , CAS #:			
	ISO 104	al specifications of flame retardants in printed circuit boards (without components) >25g according 3-4: Brominated Epoxy Resin See P14			
P7.18	concentr	etarded plastic parts >25g contain the following flame retardant substances/preparations above 0.1%:	in 🗌		\boxtimes
	1. Chem 2. Chem 3. Chem Alt. 2	ent: No legal limits exist, this is a market requirement. ical name: , CAS #: ical name: , CAS #: ical name: , CAS #:			
P7.19		al specifications of flame retardants in plastic parts >25g according ISO 1043-4:			
-	R40, R4	6, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)			
P7.20	Of total p code)	plastic parts' weight >25g, recycled material content is 8.9%. (contains keyboard, mouse and pow	31		
P7.21	,	plastic parts' weight >25g, biobased material content is 0% .			
P7.22	Light sou If mercu	urces are free from mercury ry is used specify: Number of lamps: and max. mercury content per lamp: mg			\boxtimes
P8	Batterie				
P8.1*		chemical composition:			\square
P8.2	Batteries	meet the requirements of the following voluntary program/s:			\mathbf{X}

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	IdeaCen	tre Q190	MT: 1011	5***** ; 628	1**** 10115*******;6281 ***	*
Issue date *	2014.05.12				Logo lenovo.	
Product enviror	mental attri	butes - Market r	equirements ((continued)	Requirement	me
Item		buttoo muntot n		(continuou)	Yes No	n.a
P9 Energy	y consumptio	n				
9.1 For the	e product the fo	ollowing power level	s or energy cons	sumptions are rep	ported: See P14	
Energy mode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard for energy modes and test method *	\boxtimes
Category I1			1			
Short Idle State -			11.6 W	13.1 W	Use for Energy Star V6.0 registration(P _{ShortIdle})	
Long Idle State - I	WOL Enabled	10.57 W	10.5 W	11.9 W	Use for Energy Star V6.0 registration (P _{Longldle})	
Sleep (S3) - WOL	Enabled	2.53 W	2.6 W	2.7 W	Use for Energy Star V6.0 registration (P _{sleep})	
Off (S5) - WOL En	abled	1.22 W	1.3 W	1.4 W	Use for Energy Star V6.0 registration (Poff)	
Peak (On-max)		W	W	W		\mathbf{X}
Category I2						
Short Idle State -	WOL Enabled	/ W	W	W	(P _{ShortIdle})	
Long Idle State -	WOL Enabled	W	W	W	(P _{Longidie})	
Sleep (S3) - WOL	Enabled	W	W	w	(P _{sleep})	
Off (S5) - WOL En	abled	W	w	W	(P _{off})	
Peak (On-max)		W	w	W		
Category D1						
Short Idle State -	WOL Enabled	W	W	W	(P _{Shortidie})	
Long Idle State - I			W	W	(P _{Longidie})	
Sleep (S3) - WOL		W	W	W	(P _{sleep})	
Off (S5) - WOL En		W	W	w	(¹ sieep/ (P _{off})	
Peak (On-max)	labicu	W	W	W	(F off/	
EPS No-load		W	W	W		_
TEC Typical Energy Cor	nsumption	kWh/week	kWh/week	kWh/week		
ETEC * Annual Energy Cor	nsumption	<i>Cat I1:56.45</i> ; kWh/year	<i>Cat I1: 55.6</i> ; kWh/year	<i>Cat I1:62.5</i> ; kWh/year	E _{TEC} = (8760/1000) x (P _{off} x 0.45 + P _{sleep} x 0.05 + P _{shortldle} x 0.35 + P _{Longldle} x 0.15)	
		Poff: Off Mode(S5)		-	S3) - WOL Enabled; P _{idle} : Idle State - WOL Enabled	
Display resolution*	: Meg	apixels				\square
Print Speed *		jes per minute				
•		e mode: 25 minutes				
		energy save functi	on is provided w	ith the product		
		e energy requireme	-	-		
	GY STAR® ve specify:	rsion: Version 6.0	dated Septemb	er 10, 2013 Produ	ict category: 11	
P10 Emiss						
P10.1 Mode		eclared according to de description	o ISO 9296	Declared	Declared A-weighted	
	1010			A-weighted	sound pressure level $L_{\rm pAm}$ (dB)	
				sound powe		-
				level L_{WAd} (B) Operator position Bystander positions	
					or Desk side (only if product is not	
Idle	*	HDD:Idle		* 3.6	27.6	┤┌┐
Operat		HDD: Operating		* 4.3	31.9	ᅢ님
Other r						┤┘┘
Measu	red according	to: 🔀 ISO7779 🗌	ECMA-74	•		1
		Other			with L _{pAm} measurement distance m)	
P10.2 The pro	oduct meets th	ne acoustic noise re	quirements of th	e tollowing volunt	ary program/s:	\boxtimes

Model nu	mber *	IdeaCentre	e Q190	M	AT: 10115	5******; 6	281****	1011	5******	**;628	***	*
Issue date	e *	2014.05.12						Į	_ogo	leno	VO.	
Product	environr	nental attrib	utes - Marke	et requir	rements (o	continued)				Require	ment	met
Item										Yes	No	n.a.
	Chemic	al emissions f	rom printing	products	s							
P10.3*		formed accordi GUARD Childi				standard	, other spec	ify: GREE	NGUARD and			
P10.4	Typical e	emission rate (orint phase) is	s (mg/h):								\square
		Dust C	Dzone	Styrene	e B	enzene	TVOC					
P10.5	0	Il emission req	Ozone		ing voluntar /rene	y program/s Benz		net for : T				
		nagnetic emis										
P10.6	program		•			cy electromag	netic fields c	of the follo	wing voluntary			
P11		able material										
P11.1*		Data Sheet (S	,		•	•	0		```			\boxtimes
P11.2*	EN1228						ded that it r	meets the	requirements	of 🗌		\boxtimes
P11.3*	2-sided	duplex) printing	g/copying is a	in integrat	ted product	function.						\boxtimes
P12		nics for comp										
P12.1*	The disp	lay meets the	ergonomic rec	quirement	ts of ISO 92	41-307 for vis	sual display	technologi	es.			\times
P12.2*	The phy:	sical input devi	ce meets the	requireme	ents of ISO	9995 and IS0	D 9241-410.					\square
P13	Packagi	ng and docun	nentation									
P13.1*	Product	packaging mat packaging mat packaging mat	erial type(s):	PE weigh	nt (kg): 0.00	weight (kg 55 (kg): 0.0166	g): 1.87					
P13.2*	Product	plastic packagi	ng is free fror	n PVC.						\boxtimes		
P13.3*		media for user ic 🔀, Paper 🏾		documenta	ation (tick b	ox):						
P13.4*		er user and pro		ntation, plo	lease specif	y contained p	ercentage o	of post-con	sumer recycle	d		
P14		al information										
	informat knowled provided informat		n this docume the time of co timate and pro	ent. All info ompletion, ovided for	ormation pro , and suppli r information	ovided by sup er shall have nal purposes (oplier in this no obligation only. See a l	document n to updat Lenovo Ac	is provided ba e such informa	ased on sup ation. The in	plier's forma	
P9		ergy Star Qual ww.energysta							&pgw_code=C	:0		

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	IdeaCentre Q190	Logo
Model Number	10115*******;6281****	_
Issue Date	2014-05-13	lenovo
Additional information	none	

(d)	year of manufacture:			
,	,			le on product lab
e)	E TEC value (kWh) and capal are disabled and if the system display:	ility adjustments applied when all discre n is tested with switchable graphics mode	ete graphics cards (dGfx) e with UMA driving the	44.89
f)	E TEC value (kWh) per ErP L enabled:	ot 3 Category and capability adjustments	applied when all discrete graphics c	ards (dGfx) are
	Category Etec			
g)	idle state power demand (Wat	ts);		10.74
h)	sleep mode power demand (W	/atts);		2.52
i)	sleep mode with WOL enabled	power demand (Watts) (where enabled));	2.60
j)	off mode power demand (Wat	s);		0.34
k)	off mode with WOL enabled p	ower demand (Watts) (where enabled);		1.27
(1)	internal power supply efficience	y at 10 %, 20 %, 50 % and 100 % of rate	ed output power (if applicable):	N/A
	10% 20% 5	0% 100% Average		
m)	external power supply efficient	cy (if applicable):		
		50% 88.97% 100% 88.68% Average	e 88.74%;	
0)	or level: V the minimum number of loadir	g cycles that the batteries can withstand	(applies only to notebook computers):	N/A
f)		ents: — test voltage in V and frequency — information and documentation on the		
	Test voltage in V and frequend Total harmonic distortion of th	ey in Hz <i>230V/50Hz</i> e electricity supply system <i>≤</i> 2%		
	Instrument	Range Used	Make and Model **]
	AC Power Source	5~300V;45~500HZ;500VA.	ALLPOWER APF-500W	
	Power Meter	0-1100V;0-90A	HITESTER HIOKI 3332	

(p-2)		measurer ency:	nent methodology used to determine information mentioned in points (m) - external PSU	
			AR® Program Requirements for Single Voltage External Ac-Dc and Ac-Ac Power Supplies Eligibility Criteria (Version 2.0)	
(p-3)	the batte		ment methodology used to determine information mentioned in points (o) - loadingcycles	
			N/A	
(p-4)			nent methodology used to determine information mentioned in maximum, idle, sleep, off mode ned in Point P9.1 in the Product IT Eco Declaration:	
			IEC 62623	
(q)	sequ	ience of s	teps for achieving a stable condition with respect to power demand .:	
			Power on -> Wait 5 minutes ->Stable condition	
(r)	desc	ription of	how sleep and/or off mode was selected or programmed:	
			Begin menu -> Power -> Select sleep or off mode	
(s)		ence of e ode:	events required to reach the mode where the equipment automatically changes to sleep and/or	
		Contro	ol Panel->Power Options-> Change Settings-> Restore default settings for this plan	
(t)			of idle state condition before the computer automatically reaches sleep mode, or another	25 minutes
			h does not exceed the applicable power demand requirements for sleep mode (in minutes):	25 minutes
(u)		•	time after a period of user inactivity in which the computer automatically reaches a that has a lower power demand requirement than sleep mode (in minutes):	30 minutes
(v)	the I	ength of	time before the display sleep mode is set to activate after user inactivity (in minutes):	10 minutes
(w)	infor	mation or	the energy-saving potential of power management functionality:	
			N/A	
(x)	user	informati	on on how to enable the power management functionality:	
			Refer to User Guide	
(z)	the e	electricity	rs for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of supply system, — information and documentation on the instrumentation, set-up and circuits rical testing:	
		1	ery Information: This notebook computer is operated by battery/ies that cannot be accessed and replaced by a	non-professional
Yes	No	n/a	user.	a non-professional
			The battery[ies] in this product cannot be easily replaced by users them	selves

Additional information