



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo
Company name *	Lenovo	
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560 alcarter@lenovo.com	Lenovo
Internet site *	www.lenovo.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product						
conforms to the statements given in this declaration.						
Type of product *	Type of product * NB					
Commercial name *	Lenovo ideapad 110-15/TianYi 310-15					
Model number *	81AQ, 81AT					
Issue date *	2017/4/10					
Intended market *	Global Europe Asia, Pacific & Japan Americas Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model nu	Model number * 81AQ, 81AT Logo					
Issue date * 2017/4/10		2017/4/10		Lend) _{TH}
Product	environ	mental attributes - Legal requirements		Require	ment	met
Item		<u> </u>		Yes	No	n.a.
P1	Hazardo	ous substances and preparations				
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE	EB1)			
P1.2*	Commer	s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.				
P1.3*	hydrobro trichloro concentr	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no mation values.	naximum			
P1.4*	terpheny	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych l (PCT) in preparations (see legal reference).				
P1.5*		s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carl ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in th	e 🔀		
P1.6*	(see lega	th direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	,5 μg/cm²/weel	k 🔀		
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail	contact):			
P2	Batterie	s				
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with Information on proper disposal is provided in user manual. (See legal reference)	he disposal			
P2.2*	Batteries referenc	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadme)	nium. (See lega	ıl 🔀		
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		X		
P3	Conforn	nity verification & Eco design (ErP)				
P3.1*	The prod	duct is CE-marked to show conformance with applicable legal requirements (see leg	gal reference).	\boxtimes		
		laration of Conformity can be requested at (add link or e-mail address):				
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).				
	Required	d information is; given in item P15 or added to this document, available at (add URL):				
P5	Product	packaging				
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercur	v. cadmium ar	nd 🔀	$\overline{}$	
		ent chromium by weight of these together.	,, caaa			
P5.2*		kaging materials are marked with abbreviations and numbers indicating the nature be legal reference).	of the material(s) 🔀		
P5.3*	Protocol	duct packaging material is free from ozone depleting substances as specified (see legal reference). nt: Legal reference has no maximum concentration values.	in the Montre	al 🔀		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Treatment information

Information for recyclers/treatment facilities is available (see legal reference).

P6.1*

Issue date * 2017/04/10 LETIOVO	Model number *	81AQ, 81AT	Logo	1	opovo.	
	Issue date *	2017/04/10		reno		

Product	environmental attributes - Market requirements (See General NOTE GN below)			
Guudi		equirer	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design			
D7 1*	Disassembly, recycling Parts that have to be treated apparetaly are easily concernly		_	
P7.1*	Parts that have to be treated separately are easily separable			Щ
P7.2*	Plastic materials in covers/housing have no surface coating.			
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.		<u>Ц</u>	Ш
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		<u>Ц</u>	
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	_ <u>_</u> _		Щ
P7.8*	Upgrading can be done using commonly available tools		\boxtimes	
P7.9	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
P7.12	Material type: Material type: Material type: Material type: Insulation materials of external electrical cables are PVC free.	$\overline{}$		
P7.13	Insulation materials of internal electrical cables are PVC free.	-		
P7.14		 	<u> </u>	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and		Ш	Ш
	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts			
	containing more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2)		Ш	
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: >PC+ABS-TD15FR(40)<, >PC+ABS-FR(40)<	\boxtimes		
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):			
	□TBBPA (additive), □TBBPA (reactive) (See NOTE B3), ☑Other: 溴化环氧树脂, CAS #: 26265-08-7,			
	CAS#:			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4: FR(16)			
P7.18	<u>Alt. 1:</u> Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in			
	concentrations above 0,1%:			
	1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: "			
	3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:	\square		
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been	<u> </u>	╫	\blacksquare
F1.18	assigned the following Risk phrases; and Hazard statements:		Ш	
P7.20*	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5) Postconsumer recycled plastic material content is used in the product (See Note B6):		$\overline{}$	
0		ш	ш	ш
	If YES; at least one of the two alternatives below shall be answered;			
	 a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 6.1% 			
	or			
	b) The weight of recycled material is g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	81AQ, 81AT	Logo	Lanova
Issue date *	2017/04/10		Lei Iovo

Product environmental at	tributes - Market re	equirements (conti	nued)	Requirement met						
Item		•	•	Yes No n.a.						
	tance requirements									
P7.21* Biobased plastic m	aterial content is used	in the product (See N	OTE B7):							
If YES; at least one	e of the two alternative	s below shall be answ	ered;							
	c parts' weight > 25 g, the biobased plastic material content (calculated as a percentage									
of total plastic or	by weight) is 0%.	weight) is 0%.								
	the biobased plastic n	naterial is g.								
P7.22* Light sources are f	ree from mercury, i.e.	less than 0,1 mg/lamp		П П						
	specify: Number of lan	nps: and maxim	um mercury content pe	er lamp: mg						
P8 Batteries P8.1* Battery chemical c	omposition: Li ion									
•	Battery chemical composition: Li-ion Energy consumption (See NOTE B8)									
		s or energy consumpti	ons are reported:							
Energy mode *	Power level at	Power level at	Power level at	Reference/Standard for energy						
	100 V AC	115 V AC	230 V AC	modes and test method *						
Peak (On-max)	65 W	65 W	65 W	Full load						
Category I1										
Short Idle State - WOL	8.2 W	8.21 W	8.21 W	Reference						
Enabled										
Long Idle State - WOL	5.60 W	5.59 W	5.61 W	Reference						
Enabled										
Sleep (S3) - WOL Enabled	0.375 W	0.381 W	0.432 W	Reference						
Sleep (S3) - WOL Disabled	0.320 W	0.328 W	0.379 W	Reference						
Off (S5) - WOL Enabled	0.242 W	0.251 W	0.305 W	Reference						
Off (S5) - WOL Disabled	0.243 W	0.252 W	0.306 W	Reference						
	W	W	W	Reference						
Category I2										
Short Idle State - WOL	8.49 W	8.52 W	8.52 W	Reference						
Enabled										
Long Idle State - WOL	4.87 W	4.87 W	4.89 W	Reference						
Enabled										
0/ (00) 1/(0/ 5 // /	0.00714/	0.000.147	0.440304							
Sleep (S3) - WOL Enabled	0.387 W	0.393 W	0.443 W	Reference						
Sleep (S3) - WOL Disabled	0.332 W	0.340 W	0.390 W	Reference						
Off (S5) - WOL Enabled	0.257 W	0.266 W	0.32 W	Reference						
Off (S5) - WOL Disabled	0.255 W	0.264 W	0.318 W	Reference						
EDO Na Jacob	0.05.14/	0.057\0'	0.4.4.107							
EPS No-load (External power supply / charger plugged in the	0.05 W	0.057 W	0.144 W							
wall outlet but disconnected from the product.)	10/	10/	10/							
PTEC *	W	W	W							
Typical Energy Consumption ETEC *	28.311 kWh/year	28.449 kWh/year	28.732 kWh/year							
Annual Energy Consumption			KVVII/yCai							
External Power Supply Efficien	cy Level (International	Efficiency Marking Pro	otocol) * :							
Display resolution * : 1366*768	megapixels									
Default time to enter energy sa	ve mode: 30 minutes			T						

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

P9.2*	Informati	ion abou	ıt the one	ray saya functio	n ic pro	widod w	ith the pro	oduct						$\overline{}$	
				rgy save function	ni is pio	vided w	itii tile pro	Juuci.		1					
P9.3			/ class (n	nonitors only):											
P10	Emissions Naine emission - Declared exceeding to ISO 0206 (See NOTE BO)														
D10 1	Noise emission – Declared according to ISO 9296 (See NOTE B9) Mode Mode description Statistical upper limit A-weighted sound power level, L _{WA,c} (B)							(D)							
P10.1	Mode Idle		* HDD:					* 2.7	ai upper iimi	ı A-wei	gnied sc	ouna pow	er ievei	, LWA,c	(B)
									-						
	Operatio		* HDD:	Operating				* 2.8							
	Other me			7	1										
	Measure	d accord	ding to:	≤ ISO 7779 L	ECMA-										
				Other	(only if r	not cove	ered by E0	CMA-74)							
Model nur	nber *	81AQ,	81AT							L	.ogo				
Issue date		2017/0									9-		eno	OVC	
issue date		2017/0	4/10												- In
Product	environr	nental	attribut	es - Market re	quiren	nents (continu	ed)				F	Requir	emen	t met
Item					_	,							Yes	No	
	Electron	nagneti	c emissi	ons											
P10.4	Compute	er displa	y meets t	he requirement	for low 1	frequen	cy electro	magnetio	c fields of th	e follow	ving volu	ıntary			\boxtimes
	program														
P12				ing products		(100.00	244.007.6								
P12.1*				onomic require						inologie	es.				
P12.2*				meets the requ	irements	s of ISO	9995 and	d ISO 92	41-410.				\boxtimes		
P13			docume												
P13.1*				al type(s): Pape	er		t (kg): 0.4								
				al type(s): <i>EPE</i> al type(s): <i>LDPI</i>	=		t (kg): 0.0 t (kg): 0.0								
P13.2*				ackaging is free			t (kg). 0.0							\boxtimes	
P13.3*				ugated fiberboa			specify th	ne conta	ined percen	itage o	f minim	um post-			
				content: 80 %											ш
P13.4*				d product docur	nentatio	on (tick b	oox):								
		ronic, 🔀	Paper,	Other											
P13.5				s item if paper d											
				entation on pape	er media	is chlor	ine-free:								
	If Yes, p	ease sp	есіту:												
	Totally c														
	Element														
	Processe	ed chlori	ne-free												
P14	Volunta														
P14.1	The prod	luct mee	ets the re	quirements of th	e follow	ing volu	intary pro	gram(s):							
	ENERG'	Y STAR	R)	Criteria ver	sion.		Date	۵.	Proc	duct cat	edory.				
	Eco-labe			Criteria ver			Date			duct car					
	Eco-labe			Criteria ver			Date			duct cat	0 ,				
P15				See NOTE B10				_				_			
P9	Energy	consum	ption of	specific config	guration	n may va	ary; desc	ription	of the teste	d prod	uct con	figuratio	n:		

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo ideapad 110-15/TianYi 310-15	Logo	
Model Number	81AQ, 81AT		Lonovo
Issue Date	2017/04/10		Lenovo.
Additional information			

(d)	year of manufacture:				2017		
e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are		
f)	Etec value (kWh) per ErP Lot 3 Categorenable	y and capability adjust	ments applied when a	II discrete graphics o	cards (dGfx) are		
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)		
	Memory over base [GB]	8	8				
ents	Additional internal storage	YES (Yes / No)	YES (Yes / No)	(Yes / No)	(Yes / No)		
adjustm ring tes	Discrete television tuner	No (Yes / No)	No (Yes / No)	(Yes / No)	(Yes / No)		
capability adjustments applied during testing	Discrete Audio Card	No (Yes / No)	No (Yes / No)	(Yes / No)	(Yes / No)		
cap	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	Yes #: 1 (Yes / No)	# <i>:</i> (Yes / No)	#: (Yes / No)		
	Category of discrete graphics Card(s)		G1				
esults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	13.87	14.91				
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled						
g)	Idle state power demand (Watts);	•			A:4.45/ B:4.89		
h)	Sleep mode power demand (Watts);				A:0.46/ B:0.44		
i)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		A:0.46/ B:0.44		
j)	Off mode power demand (Watts);				A:0.34/ B:0.32		
k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		A:0.34/ B:0.32		
1)	Internal power supply efficiency at 10 %	, 20 %, 50 % and 100 °	% of rated output pow	er (if applicable):			
	10% 20% 50%	100% Avera	ige				
m)	external power supply efficiency (if appli	cable)*:					
	Average active efficiency: 45W:88.40% *internal note: show values for all available external p	ower supplies					
(o)	Minimum number of loading cycles that	he batteries can withs	tand (applies only to n	otebook computers):	300CYCLES		
p-1)	Measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency:						

(p-2)	Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency: EPA "Test Method for Calculating the Energy Efficiency of Single-voltage External AC-DC and AC-AC Power Supplies" dated August 11, 2004						
(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: IEC 61960 measurement methodology						
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration: IEC 62623/ IEC EN50564:2011 measurement methodology						
(q)	Sequence of steps for	r achieving a stable condition with respect to power IEC 62623/IEC EN50564:2011 measurement n					
(r)	Description of how sl	eep and/or off mode was selected or programmed: Energy-star requirement					
(s)	Sequence of events r off mode:	required to reach the mode where the equipment aud Energy-star requirement	tomatically changes to sleep and/or				
(t)		e condition before the computer automatically ronot exceed the applicable power demand requirement		30			
(u)		a period of user inactivity in which the compute ver power demand requirement than sleep mode (in		NA			
(v)		re the display sleep mode is set to activate after		10			
(w)	Information on the en	ergy-saving potential of power management functio Based on user manual					
(x)		ow to enable the power management functionality: Based on user manual					
(z)		neasurements: — test voltage in V and frequency in tem, — information and documentation on the instruction. 230V/50Hz, Total Harmonic Distortion	mentation, set-up and circuits used				
Addition	Notebook Battery	·					
		Battery[ies] <u>not</u> user replaceable The battery[ies] in this product cannot be easily replaced by users themselves. 1)	Battery[ies] user replaceable	n/a			
Internal/b	uilt-in Battery	September 2 decreases a series and series are series and series and series and series and series are series and series and series and series are series and series and series and series are seri	Internal/built-in Battery				
External/detachable Battery		External/detachable Battery					
Bios Backup Battery Bios Backup Battery							
Other:							
Additional	Information						
		easily replaced by users themselves.	PUN				

Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios.

Výměnu baterie/baterii v tomto výrobku by neměli provádět sami uživatelé. Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada. Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες

Η μπαταρία[-ες] στο προίον αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρηστες La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente. Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [bateriju] pats vartotojas negali lengvai pakeisti.

A termék akkumulátorat/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni.

II-batterija/batteriji f'dan iI-prodott ma tistax/jistgħux tiġ/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv. De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w latwy sposób wymienić baterii w tym produkcie.
A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.
Bateria (bateriile) din acest produs nu poate (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși.

Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ.

Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati. Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna.

Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.