

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Idea	Logo			
Company name *	Lenovo				
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo.			
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environmen	nt.html			
Additional information	The latest version of this document can be found at http://www.lenovo.com/social_responsibility/us/en/datasheets_notebooks.html				

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Notebook PC					
Commercial name *	Lenovo ideapad 110-15ACL					
Model number *	80TJ					
Issue date *	2016-03-10					
Intended market *	☑ Global Europe Asia, Pacific & Japan Americas Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Control	Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model number *	80TJ		
Issue date *	2016-03-10	Logo	lenovo.

Product	environmental attributes - Legal requirements	Require	ment	met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\boxtimes		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.	_		
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\boxtimes		
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\boxtimes		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as			\boxtimes
	pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):			$\overline{}$
1 1.10	http://www.lenovo.com/social_responsibility/us/en/materials.html		ш	
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	\boxtimes		
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\boxtimes		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).	\boxtimes		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).	\boxtimes		
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\square		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\square
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	80TJ		
Issue date *	2016-03-10	Logo	lenovo.

Product	environmental attributes - Market requirements - Environmental conscious design Re	quire	nent	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes		
P7	Design Picasa with a same line.			
P7.1*	Disassembly, recycling Parts that have to be treated separately are easily separable		$\overline{}$	
		<u> </u>		- - - - - - - - - - - - - -
P7.2*	Plastic materials in covers/housing have no surface coating.			-
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.		Щ.	Щ.
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.		Щ	Ц.
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		Щ	<u>Ц</u>
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).			
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes		
P7.8*	Upgrading can be done using commonly available tools			
P7.9.	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type:			
	Material type: PC+ABS-FR(40) Material type: Material type:			
P7.12	Electrical cable insulation materials of power cables are PVC free.	<u> </u>		Ц.
P7.13	Electrical cable insulation materials of signal cables are PVC free	Ш		_Ц
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.			
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Note B2)			
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking: FR(40)			
P7.17	Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive) , TBBPA (reactive) , Other; chemical name: , CAS #:			
	Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: <i>Brominated Epoxy Resin See P14</i>			
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%:			
	Comment: No legal limits exist, this is a market requirement.			
	1. Chemical name: , CAS #:			
	2. Chemical name: , CAS #:			
	3. Chemical name: , CAS #: Alt 2			
	Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:			
	FR(40)	\boxtimes		
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)			
P7.20	Of total plastic parts' weight >25g, recycled material content is 6.2%.			
P7.21	Of total plastic parts' weight >25g, biobased material content is 0%.			
P7.22	Light sources are free from mercury	\boxtimes		
P8	If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg			
P8.1*	Batteries Battery chemical composition: Lithium Ion/Lithium Manganese Dioxide			
P8 2	Batteries meet the requirements of the following voluntary program/s: US RBRC			+

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	80TJ		
Issue date *	2016-03-10	Logo	lenovo.

	roduct environmental attributes - Market requirements (continued) Requirement me					
P9 Energy consumption					Yes No	n.a.
P9 Energy consumption9.1 For the product the following		energy consumpt	ions are reporte	d: See P14		
Energy mode *	Power level at 100 V AC		-		or energy modes and test	
Peak (On-max)	45 W	45 W	45 W	Full load		
Category I1						
Short Idle State - WOL Enabled	6.13 W	6.15 W	6.28 W	Use for ENERGY STA	R V6 registration (P _{idle})	
Long Idle State - WOL Enabled	3.57 W	3.60 W	3.71 W		R V6 registration (P _{idle})	
Sleep (S3) - WOL Enabled	0.25 W	0.26 W	0.28 W		R V6 registration(P _{sleep})	
Sleep (S3) - WOL Disabled	0.25 W	0.26 W	0.28 W	Reference	.	
Off (S5) - WOL Enabled	0.19 W	0.20 W	0.22 W	Use for ENERGY STA	R V6 registration(P _{off})	
Off (S5) - WOL Disabled	0.19 W	0.20 W	0.22 W	Use for EuP		
Category D 1/2						
Short Idle State - WOL Enabled	W	W	W	Use for ENERGY STA	R V6 registration (P _{idle})	ТП
Long Idle State - WOL Enabled	W	W	W	Use for ENERGY STA	R V6 registration (P _{idle})	
Sleep (S3) - WOL Enabled	W	W	W		R V6 registration (P _{sleep})	+
Sleep (S3) - WOL Disabled	W	W	W	Reference		$+ \exists \vdash$
Off (S5) - WOL Enabled	W	W	W	Use for ENERGY STA	R V6 registration(P _{off})	늄
Off (S5) - WOL Disabled	W	W	W	Use for EuP		$+ \frac{1}{1}$
EPS No-load	0.076 W	0.078 W	0.079 W			ᆂ
(External power supply / charger plugged in the wall outlet but disconnected from the product.)						
PTEC * Typical Energy Consumption	W	W	W			
TEC * Typical Energy Consumption	kWh/week	kWh/week	kWh/week			
ETEC * Annual Energy Consumption	20.42 kWh/year	20.55 kWh/year	21.09 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25 + P_{sleep} \times 0.35 + P_{short idle} \times 0.3 + P_{long idle} \times 0.1)$		
		WOL Enabled; P _{slee}	_p : Sleep Mode(S3)	- WOL Enabled; P _{idle} : Idle	e State - WOL Enabled	
Display resolution*: 1920*1080 N	Megapixels					
Print Speed * : Image	es per minute					
Default time to enter energy save						
P9.2* Information about the	0,	•	•			
P9.3* The product meets the ENERGY STAR® version Others specify:			oluntary program category: <mark>A</mark>	/s:		
P10 Emissions						
Noise emission – De P10.1 Mode Mod	clared according to IS e description	O 9296	Declared	Declare	ed A-weighted	1
1 10.1 Wode Woo	c description		A-weighted	sound pressu	are level $L_{p{\sf Am}}$ (dB)	
			sound power	#I		-
			level L_{WAd} (Desktop		
				or Desk side	(only if product is not operator attended)	
	DD:Idle		* 2.9		21.9	□
	DD: Operating		* 4.2		34.6	┦ □ │
Other mode	o.	CMA-74				-
Measured according to			ov ECMA-74 with	L _{pAm} measurement dista	ance m)	
P10.2 The product meets the acoustic noise requirements of the following voluntary program/s:						

Model number *	80TJ		
Issue date *	2016-03-10	Logo	lenovo.

	roduct environmental attributes - Market requirements (continued) Requirement me										
P9 Energy consu	mntion					Yes No	n.a.				
0,		wing power levels or	energy consumpt	ions are reporte	ed: Se	ee P14					
Energy mode *		Power level at 100 V AC		-	Refe	erence / Standard for energy modes and tes	t 🔲				
Peak (On-max)		45 W	45 W	45 W	Fu	II load					
Category I2											
Short Idle State - WOL E	nabled	6.10 W	6.12 W	6.25 W	Use	e for ENERGY STAR V6 registration (P _{idle})					
Long Idle State - WOL Er	nabled	3.63 W	3.66 W	3.88 W	Use	e for ENERGY STAR V6 registration (Pidle)	+				
Sleep (S3) - WOL Enable	d	0.26 W	0.27 W	0.29 W	Use	e for ENERGY STAR V6 registration(P _{sleep})					
Sleep (S3) - WOL Disable	ed	0.26 W	0.27 W	0.29 W	Refe	erence					
Off (S5) - WOL Enabled		0.16 W	0.17 W	0.19 W	Use	for ENERGY STAR V6 registration(Poff)					
Off (S5) - WOL Disabled		0.16 W	0.17 W	0.19 W	Use	for EuP					
Category D 1/2		l		l	I						
Short Idle State - WOL E	nabled	W	W	W	Use	for ENERGY STAR V6 registration (P _{idle})					
Long Idle State - WOL Er	abled	W	W	W	Use	for ENERGY STAR V6 registration (P _{idle})					
Sleep (S3) - WOL Enable	d	W	W	W	Use	for ENERGY STAR V6 registration (P _{sleep})					
Sleep (S3) - WOL Disable	ed	W	W	W	Refe	erence					
Off (S5) - WOL Enabled		W	W	W	Use	for ENERGY STAR V6 registration(Poff)					
Off (S5) - WOL Disabled		W	W	W	Use	for EuP					
EPS No-load (External power supply / c	harger	0.076 W	0.078 W	0.079 W							
plugged in the wall outlet be disconnected from the pro-	ut										
PTEC * Typical Energy Consumpti	on	W	W	W							
TEC * Typical Energy Consumpti	on	kWh/week	kWh/week	kWh/week							
ETEC * Annual Energy Consumpti	on	20.36 kWh/year	20.49 kWh/year	21.13 kWh/year		$c = (8760/1000) \times (P_{\text{off}} \times 0.25 + P_{\text{sleep}} \times 0.35)$ short idle $\times 0.3 + P_{\text{long idle}} \times 0.1)$					
		P .: Off Mode(\$5) -	WOL Enabled: P	: Sleen Mode(S3)) - WO	L Enabled; P _{idle} : Idle State - WOL Enabled					
Display resolution* : 1920	* 1080 Me		VOL LITABIEG, I slee	p. Sieep Wode(33)	/ - WO	E Enabled, 1 idle 101e State - WOL Enabled					
Print Speed * :		per minute									
Default time to enter energ											
•	•	ergy save function is	s provided with the	e product.							
ENERGY STA	R® version	energy requirements on: Version 6.1 Tie		oluntary program, category: <mark>A</mark>	/s:						
Others specify P10 Emissions	:										
	on – Decla	ared according to IS	O 9296								
P10.1 Mode	Mode	description		Declared A-weighted		Declared A-weighted					
				sound power	er _	sound pressure level L_{pAm} (dB)					
				level $L_{W\!Ad}$ ((B) (Operator position Bystander position	S 1				
						or Desk side (only if product is no					
Idle	* HD	D:Idle		* 2.9	+	operator attended	<u> </u>				
Operation		D: Operating		* 4.2		34.6					
Other mode											
Measured acc	ording to:		CMA-74	E014 = 1							
P10.2 The product m	eets the s					measurement distance m)					
				g rolalitaly p	Jyra	P10.2 The product meets the acoustic noise requirements of the following voluntary program/s:					

Model number *	80TJ		
Issue date *	2016-03-10	Logo	lenovo.

Product environmental	attribu	tes - Market requ	irements (cont	inued)		Requirement me	
Item Yes No						n.a.	
P9 Energy consumption 9.1 For the product the following power levels or energy consumptions are reported: See P14							
Energy mode *		Power level at		-	Ref	ference / Standard for energy modes and test	
Peak (On-max)		45 W	45 W	45 W	F	ull load	
Category I3							
Short Idle State - WOL Ena	bled	6.09 W	6.12 W	6.33 W	Us	e for ENERGY STAR V6 registration (P _{idle})	
Long Idle State - WOL Ena	bled	3.75 W	3.75 W	3.95 W		e for ENERGY STAR V6 registration (P _{idle})	
Sleep (S3) - WOL Enabled		0.39 W	0.40 W	0.42 W	Us	e for ENERGY STAR V6 registration(P _{sleep})	
Sleep (S3) - WOL Disabled		0.39 W	0.40 W	0.42 W		ference	
Off (S5) - WOL Enabled		0.19 W	0.19 W	0.21 W	Us	e for ENERGY STAR V6 registration(Poff)	
Off (S5) - WOL Disabled		0.19 W	0.19 W	0.21 W	Us	e for EuP	
Category D 1/2					<u> </u>		
Short Idle State - WOL Ena	bled	W	W	W	Us	e for ENERGY STAR V6 registration (P _{idle})	
Long Idle State - WOL Ena	bled	W	W	W	Us	e for ENERGY STAR V6 registration (P _{idle})	
Sleep (S3) - WOL Enabled		W	W	W	Us	e for ENERGY STAR V6 registration (P _{sleep})	
Sleep (S3) - WOL Disabled		W	W	W	Re	ference	
Off (S5) - WOL Enabled		W	W	W	Us	e for ENERGY STAR V6 registration(P _{off})	
Off (S5) - WOL Disabled		W	W	W	Us	e for EuP	
EPS No-load		0.076 W	0.078 W	0.079 W			
(External power supply / cha plugged in the wall outlet but disconnected from the produ	:						
PTEC * Typical Energy Consumption		W	W	W			
TEC * Typical Energy Consumption		kWh/week	kWh/week	kWh/week			
ETEC * Annual Energy Consumption		20.90 kWh/year	21.01 kWh/year	21.84 kWh/year		$E_{\text{cc}} = (8760/1000) \times (P_{\text{off}} \times 0.25 + P_{\text{sleep}} \times 0.35)$ $P_{\text{short idle}} \times 0.3 + P_{\text{long idle}} \times 0.1)$	
			WOL Enabled; P _{slee}	p: Sleep Mode(S3)) - W	OL Enabled; P _{idle} : Idle State - WOL Enabled	
Display resolution*: 1920*1	080 Me	gapixels					
Print Speed * :	Images	per minute					
Default time to enter energy							
		ergy save function is	•	•			
P9.3* The product meets the energy requirements of the following voluntary program/s: ENERGY STAR® version: Version 6.1 Tier: Product category: A Others specify:							
P10 Emissions							
Noise emission P10.1 Mode		ared according to ISo description	O 9296	Declared	1	Declared A-weighted	1
i i i i i i i i i i i i i i i i i i i	Mode	accompact		A-weighted	d	sound pressure level $L_{p m Am}$ (dB)	
				sound power level $L_{W\!Ad}$ (Operator position Bystander positions	
				MAd V	(5)	Desktop (only if product is not	
1.0	+	D 1.11.		* 0.0		operator attended)	
Idle Operation	Idle * HDD:Idle Operation * HDD: Operating		* 2.9 * 4.2		21.9 34.6	┧╠╣	
Other mode	וטוו	o. Operading		7.4		34.0	┤╚┤
	Measured according to: ☐ ISO7779 ☐ ECMA-74						1
	Other (only if not covered by ECMA-74 with L _{pAm} measurement distance m)						
The product meets the acoustic noise requirements of the following voluntary program/s:							

Model nu	mber *	80TJ				
Issue date *		2016-03-10 Logo	lenovo			
Product	environn	nental attributes - Market requirements (continued)	Require	ement	t met	
Item			Yes	No	n.a	
	Chemica	al emissions from printing products				
P10.3*	Test per	formed according to ECMA-328 (ISO/IEC 28360) standard, other specify:			\boxtimes	
P10.4	Typical e	emission rate (print phase) is (mg/h):			X	
		Dust Ozone Styrene Benzene TVOC				
P10.5		Il emission requirements of the following voluntary program/s are met for : Oust Ozone Styrene Benzene TVOC			\boxtimes	
		nagnetic emissions				
P10.6	program	er display meets the requirement for low frequency electromagnetic fields of the following voluntary (s: MPR-II				
P11		able materials for printing products				
P11.1*		Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).			\boxtimes	
P11.2*	EN1228		of		\boxtimes	
P11.3*	2-sided (duplex) printing/copying is an integrated product function.			\boxtimes	
P12	Ergonor	nics for computing products				
P12.1*	The disp	lay meets the ergonomic requirements of ISO 9241-307 for visual display technologies.	\boxtimes			
P12.2*	The phys	sical input device meets the requirements of ISO 9995 and ISO 9241-410.	\boxtimes			
P13	Packagi	ng and documentation				
P13.1*	Product	packaging material type(s): Corrugated Carton weight (kg): 0.295 packaging material type(s): Polyethylene Cushions weight (kg): 0.053 packaging material type(s): Others weight (kg): 0.123				
P13.2*	Product	plastic packaging is free from PVC.	\boxtimes			
P13.3*		nedia for user and product documentation (tick box): c 🔀, Paper 📐, Other 🗌				
P13.4*		er user and product documentation, please specify contained percentage of post-consumer recycled				
P14	Addition	nal information (See Note B4)				
	NOTE: S informati knowled	supplier makes no representations, guarantees, assurances or warranties whether express or implier on contained in this document. All information provided by supplier in this document is provided bas ge available at the time of completion, and supplier shall have no obligation to update such informating here is approximate and provided for informational purposes only. See a Lenovo Account Represer	ed on sup on. The ir	plier's forma		
P9		rgy Star Qualified Notebooks & Tablet Computers for the latest information: ww.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup&pgw_code=C0)			
	•					

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19

Lenovo ErP Lot3 Information Sheet

- PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo ideapad 110-15ACL	Logo
Model Number	80TJ	_
Issue Date	2016-03-10	lenovo.
Additional information		

(d)	year of manufacture:	2014				
(e)	E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display:					
	Category (according to ErP Lot 3): A Etec: 16.67					
(f)	E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are enabled:					
	Category (according to ErP Lot 3): B Etec: 17.91					
(g)	idle state power demand (Watts);	6.15				
(h)	sleep mode power demand (Watts);	0.47				
(i)	sleep mode with WOL enabled power demand (Watts) (where enabled);	0.47				
(j)	off mode power demand (Watts);	0.25				
(k)	off mode with WOL enabled power demand (Watts) (where enabled);	0.25				
(I)	internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable):					
	10% 20% 50% 100% Average					
(m)	external power supply efficiency (if applicable):					
	Average 45W:88.40%;88.64%;88.53%;65W:89.23%,89.31%,88.93%;					
(o)	*internal note: show values for all available external power supplies the minimum number of loading cycles that the batteries can withstand (applies only to notebook computers):	300 cycles				
(p-1)	the measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency:					
	NA NA					
(p-2)	the measurement methodology used to determine information mentioned in points (m) – external PSU efficiency:					
	Energy-star requirement					
(p-3)	the measurement methodology used to determine information mentioned in points (o) – loadingcycles batteries:					
	IEC 61960 measurement methodology					

(p-4)				etermine information mentioned in maximum, idle, sleep, off mode duct IT Eco Declaration:		
		IEC 6262	3 / IEC E	EN50564:2011 measurement methodology		
(q)	sequence of ste	ps for achieving a	stable o	condition with respect to power demand::		
		EC 62623	3 / IEC E	N50564:2011 measurement methodology		
(r)	description of how sleep and/or off mode was selected or programmed:					
				Based on user manual		
(s)	sequence of eve off mode:	ents required to re	ach the	mode where the equipment automatically changes to sleep and/or		
				Based on user manual		
(t)				the computer automatically reaches sleep mode, or another icable power demand requirements for sleep mode (in minutes):	25	
(u)	the length of tim	ne after a period of	user in	activity in which the computer automatically reaches a power mode ent than sleep mode (in minutes):	NA	
(v)				mode is set to activate after user inactivity (in minutes):	10	
(w)				I of power management functionality:		
				Based on user manual		
(x)	user information	on how to enable	the pov	ver management functionality:		
				Based on user manual		
(z)		y system, — inforn		t voltage in V and frequency in Hz, — total harmonic distortion of the nd documentation on the instrumentation, set-up and circuits used		
		23	30V/50H	Iz, Total Harmonic Distortion <2 %		
Addition No	tebook Battery	Information:				
Yes		No	n/a	This notebook computer is operated by battery/ies that cannot	be accessed and	
(Battery	not user	(Battery user		replaced by a non-professional user.		
replaceable)		replaceable)		The battery[ies] in this product cannot be easily users themselves	replaced by	
				users themserves		
Additional i	nformation					