

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Loge	0			
Company name *	Lenovo					
Contact information * Lenovo Global Environmental Affairs e-mail address Alvin L Carter alcarter@lenovo.com Alvin L Carter			Lenovo			
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html				
Additional information	The latest version of this document can be found at:					
	http://www.lenovo.com/ecodeclaration					

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
Type of product *	Notebook					
Commercial name *	Lenovo ideapad 110-17					
Model number *	80VL, 80VM, 80UM					
Issue date *	2016-11-15					
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template: P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model nu	mber *	80VL, 80VM	Logo			
Issue dat	e *	2016-11-15		Leng		тн
Product	environ	mental attributes - Legal requirements		Require	ment	met
Item				Yes	No	n.a.
P1	Hazardo	ous substances and preparations				
P1.1*	Products	\square				
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.		\boxtimes		
P1.3*	hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), pmofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no m ration values.	loride, 1,1,1- aximum			
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych rl (PCT) in preparations (see legal reference).	orinated	\boxtimes		
P1.5*	Products	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 cart ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in th	ne 🔀		
P1.6*	Parts wi (see lega Comme	k 🔀				
P1.7*		Article 33 information about substances in articles is available at (add URL or mail on with the with the substances in articles is available at (add URL or mail on with the substances). A substances in articles is available at (add URL or mail on with the substances) and the substances in articles is available at (add URL or mail on with the substances). A substances is a substances in articles is available at (add URL or mail on with the substances) are substances. A substances in articles is available at (add URL or mail on with the substances). A substances is a substances in articles is available at (add URL or mail on with the substances). A substances is a substances in articles is available at (add URL or mail on with the substances). A substances is a substances in articles is available at (add URL or mail on with the substances). A substances is a substances in articles is available at (add URL or mail on with the substances). A substances is a substances in articles is a substances. A substances is a substances in a substances in a substances. A substances is a substances in	contact):	\boxtimes		
P2	Batterie	s				
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference)	he disposal	\boxtimes		
P2.2*	Batteries	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadm e)	ium. (See lega	al 🔀		
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		\square		
P3	Conform	nity verification & Eco design (ErP)				
P3.1*	The proo The D	duct is CE-marked to show conformance with applicable legal requirements (see leg	al reference). mail address	s):		
P3.2*	•	luct complies with the Eco design requirements for energy-related products, al reference).				
		d information is; given in item P15 or added to this document, available at (add URL):				
_		vww.lenovo.com/social_responsibility/us/en/datasheets_notebooks/				
P5		packaging	<u> </u>			
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercury ant chromium by weight of these together.	r, cadmium ai	nd 🔀		
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature one legal reference).				
P5.3*	Protocol	duct packaging material is free from ozone depleting substances as specified (see legal reference). nt: Legal reference has no maximum concentration values.	in the Montre	eal 🔀		
P6	Treatme	nt information				
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).		\boxtimes		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *		80VL, 80VM	Logo				
Issue dat	te *	2016-11-15		Len	enovo.		
Product	environ	mental attributes - Market requirements (See General NOTE GN	· ·				
		onmental conscious design		Require			
Item P7		tory to fill in. Additional information regarding each item may be found under P14. Disassembly, recycling		Yes	No	n.a.	
P7.1*		thave to be treated separately are easily separable					
P7.2*	Plastic m			H			
P7.3*	Plastic p			H			
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			H	H	
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly a	available tools.		Ħ	Ħ	
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).			Ħ	Ħ	
	Product						
P7.7*	Upgradir	ng can be done e.g. with processor, memory, cards or drives		\boxtimes			
P7.8*	Upgradir	ng can be done using commonly available tools		\boxtimes			
P7.9	Spare pa	arts are available after end of production for: 5 years					
P7.10	Service i	s available after end of production for: 5 years					
		and substance requirements					
P7.11*			al type: > PC+AB 1D)15FR(40)<	IS-			
P7.12	Insulation	n materials of external electrical cables are PVC free.			\boxtimes		
P7.13	Insulation	n materials of internal electrical cables are PVC free.					
P7.14	weight (' polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flam chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm)	e retardants, an	d 💆			
P7.15	Printed	ig more than 25% post-consumer recycled content. circuit boards, PCBs (without components) are low halogen: all PCBs > as defined in IEC 61249-2-21. (See 1NOTE B2)	25 g 🗌 are lov	v 🗌	\square		
P7.16		tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:		\square			
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without c PA (additive), TBBPA (reactive) (See NOTE B3), Other: Brominated Epoxy -08-7					
		nemical specifications of flame retardants in printed circuit boards (without compon g ISO 1043-4: Brominated Epoxy Resin See P14	ents) > 25 g				
P7.18	concentr	etarded plastic parts >25g contain the following flame retardant substance ations above 0.1%:	s/preparations i	n 🗌			
	1. Chemi 2. Chemi	ent: No legal limits exist, this is a market requirement. ical name: <i>YGN5151RFL; NH-1150HH; TN-3715BW,</i> CAS #: <i>confidential</i> ical name: <i>YGN5001RFD; NH-1021; TN-7000A</i> , CAS #: <i>confidential</i> ical name: <i>ER5151RFL, GC-1150</i> , CAS #: <i>confidential</i>			_	_	
D7.40		Il specifications of flame retardants in plastic parts >25g according ISO 1043-4: FR			Ц.	<u> </u>	
P7.19	assigned	<pre>parts > 25 g, flame retardant substances/preparations above 0,1% are used which I the following Risk phrases; and Hazard statements: H411;H413 rce(s) for these classifications is/are found at (add URL(s)): European Court EEC , (See note B5)</pre>					
P7.20*		sumer recycled plastic material content is used in the product (See Note B6):		\boxtimes			
	a) Oft ape or	t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material conter ercentage of total plastic by weight) is 6.7 %. e weight of recycled material is 347.1 g.	nt (calculated as				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number	* 80VL, 8	80VM			Logo			
Issue date *	2016-11	1-15				Lenovo		
Product envir	onmental a	attributes - Market I	requirements (cont	inued)		Requiremen	t met	
Item						Yes No	n.a.	
Mate	erial and sub	stance requirements	(continued)					
			d in the product (See N	NOTE B7):				
If YF	S: at least or	ne of the two alternativ	es below shall be answ	vered:				
a) or b)	Of total plas of total plast The weight of	tic parts' weight > 25 g ic by weight) is 0 of the biobased plastic	g, the biobased plastic %. material is <i>0</i> g.	material content (calc	ulated as a percent	tage		
lf me	Light sources are free from mercury, i.e. less than 0,1 mg/lamp. If mercury is used specify: Number of lamps: and maximum mercury content per lamp: mg							
	eries							
	ery chemical	•	V					
		ption (See NOTE B8)						
	the product th		els or energy consumpt Power level at		Defenserer	land for an and		
Energy mode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	modes and test	dard for energy		
Peak (On-max)		45 W	45 W	45 W	Full load			
Category								
Short Idle State Enabled	- WOL	7.67 W	7.77 W	7.87 W	Use for ENERG registration (Pic			
Long Idle State Enabled	- WOL	4.55 W	4.67 W	4.78 W	Use for ENERG registration (P _{ic}			
Sleep (S3) - WO	L Enabled	0.4 W	0.41 W	0.41 W	Use for ENERG registration(P _{sid}			
Sleep (S3) - WO	L Disabled	0.4 W	0.41 W	0.41 W	Reference			
Off (S5) - WOL	Enabled	0.30 W	0.31 W	0.31 W	Use for ENERG registration(Pof			
Off (S5) - WOL	Disabled	0.3 W	0.31 W	0.31 W	Use for ErP			
EPS No-load (External power supply / c wall outlet but disconnected	harger plugged in the	0.103 W	0.106 W	0.108 W				
PTEC * Typical Energy C		W	W	W			\boxtimes	
ETEC * Annual Energy C		26.11 kWh/year	26.45 kWh/year	26.81 kWh/year	$E_{TEC} = (8760/100) + P_{sleep} \times 0.35 + P_{short_ldle} \times 0.30)$	Plong_Idle x 0.10+		
<u> </u>				p Mode(S3) - WOL Enabl	ed; Pidle: Idle State -	WOL Enabled		
			al Efficiency Marking Pr	rotocol) * : V				
Display resolutio	n * : 1366*76	68 megapixels						
		ave mode: 30 minutes						
P9.2* Infor	mation about	the energy save funct	ion is provided with the	e product.				
P9.3 Ener	rgy efficiency	class (monitors only):				-	\boxtimes	
	ssions se emission -	 Declared according t 	o ISO 9296 (See NOT	E B9)	• 			
P10.1 Mod		Mode description	, .	Statistical upper lim	it A-weighted soun	d power level, <i>Lw</i> A,c	(B)	
Idle		* HDD:Idle		* 3.0	-			
Ope	ration	* HDD: Operating		* 3.9				
			nd pressure level (dB) L_{pA}	m 22.7 (operator pos	ition desktop – idle)			
	er mode	Declared A-weighted sour	nd pressure level (dB) L_{pA}	32.2 (operator pos	ition desktop – opera	atina)		
			-					
Mea	sured accord	ing to: 🔀 ISO 7779	ECMA-74					

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u> Other (only if not covered by ECMA-74)

Model nu		80VL, 80VM				Logo	Leno	VO	
Issue da	te *	2016-11-15					Leno		rm -
Product	t environi	mental attribute	es - Market requireme	nts (continued)			Require	ment	met
Item							Yes	No	n.a.
		magnetic emission							
P10.4	program	(s): MPR-II(3 pin	he requirement for low free AC adapter only)	quency electromagn	etic fields of the fo	bllowing voluntary			
P12		mics for comput							
P12.1*		-	onomic requirements of IS			ogies.	\square		
P12.2*	The phy	sical input device	meets the requirements o	f ISO 9995 and ISO	9241-410.		\boxtimes		
P13		ing and docume							
P13.1*	Product Product	packaging materi	al type(s): <i>Cushion</i> v al type(s): <i>Paper pad</i> v	veight (kg): 0.38 veight (kg): 0.102 veight (kg): 0.045 veight (kg): 0.0284					
P13.2*			ckaging is free from PVC.	0 (0)			\times		
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post- consumer recovered fiber content: 100 %								
P13.4*	Specify		d product documentation (tick box):					
P13.5	Ùser an		s item if paper documental intation on paper media is				\boxtimes		
	Element	hlorine-free al chlorine-free ed chlorine-free							
P14	Volunta	ry programs							
P14.1	The pro	duct meets the red	quirements of the following	voluntary program(s):				
		Y STAR® el: EPEAT	Criteria version: 6.1 Criteria version: 1680	Date: 201 .1-2009 Date: 200		t category: <i>I1</i> t category: <i>Silver</i>			
	Eco-labe	əl:	Criteria version:	Date:	Produc	t category:			
P15		nal information (
P9			specific configuration m	ay vary; descriptio	n of the tested p	roduct configura	ation:		
	NOTE: S informat knowled	Supplier makes no ion contained in th ge available at the here is approxim	o representations, guarante nis document. All informati e time of completion, and s ate and provided for inform	ees, assurances or v on provided by supp supplier shall have n	varranties whethe lier in this docume o obligation to up	r express or impli ent is provided ba date such informa	ed, regarding ised on supp ition. The info	olier's format	ion
P9	See Ene	ergy Star Qualified	INotebooks & Tablet Com //index.cfm?fuseaction=fin			code=CO			

Annex B1 of ECMA-370 5th edition (Lenovo) 2015-04-08

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo ideapad 110-17	Logo
Model Number	80VL, 80VM	
Issue Date	2016-11-15	Lenovo
Additional information		

P7.1.1	Product environmental attributes							
(d)	Year of manufacture:				2016			
(e)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display.							
(f)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are enable							
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)			
	Memory over base [GB]	8						
ients sting	Additional internal storage	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)			
capability adjustments applied during testing	Discrete television tuner	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)			
ability a	Discrete Audio Card	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)			
cap	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)			
	Category of discrete graphics Card(s)							
Test results	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	14.55						
Test r	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled							
(g)	Idle state power demand (Watts);		I		4.64			
(h)	Sleep mode power demand (Watts);				0.41			
(i)	Sleep mode with WOL enabled power do	emand (Watts) (where	enabled);		0.41			
(j)	Off mode power demand (Watts);				0.31			
(k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		0.31			
(I)	Internal power supply efficiency at 10 %,	20 %, 50 % and 100 %	% of rated output powe	er (if applicable):				
	10% 20% 50% 100% Average							
(m)	External power supply efficiency (if appli	cable)*:						
	Average active efficiency: 86%							
(-)	*internal note: show values for all available external p		and (and is a shot a					
(o)	Minimum number of loading cycles that t	The Datternes can withsi	and (applies only to h	olebook computers):	300CYCLES			
(p-1)	o-1) Measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency: NA							

(p-2)	-2) Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency: EPA "Test Method for calculating the Energy Efficiency of Single-Voltage External AC-DC and AC- AC Power Suppler" dated August 11,2014							
(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: IEC61916 measurement methodology							
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration: IEC62321/IEC EN50564:2011 measurement methodology							
(q)	Sequence of steps for achieving a stable condition with respect to power demand:: IEC62321/IEC EN50564:2011 measurement methodology							
(r)	Description of how sleep and/or off mode was selected or programmed: refer to power management, sleep mode: ACPI system level G1/S3 (suspend to RAM) state; off mode: ACPI system level G2/S5 ('soft off') state							
(s)	Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode: refer to power management, 30mins automatically reaches sleep mode							
(t)		te condition before the computer automatically re not exceed the applicable power demand requirement		30				
(u)	Length of time after	a period of user inactivity in which the compute ver power demand requirement than sleep mode (in	r automatically reaches a power	NA				
(v)		re the display sleep mode is set to activate after u		10				
(w)		nergy-saving potential of power management function refer to user manual						
(x)	User information on I	now to enable the power management functionality: refer to user manual						
(z)		neasurements: — test voltage in V and frequency in system, — information and documentation on the ins sting: 230V50HZ-2%-Edition 2.0, 2011-01, Section 4	strumentation, set-up and circuits					
Addition	al Notebook Batter	v Information:						
Additiona	a Notebook Datter	Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a				
		The battery[ies] in this product cannot be easily replaced by users themselves. ¹⁾		n,a				
Internal/b	uilt-in Battery							
External/c	letachable Battery							
Bios Back	up Battery							
Other:	Other:							
Additional information								
AκγΜγλατορμα Las baterías de Výměnu baterio Brugeren kan i Der Akku/die A Kasutajad ei sa Η μπαταρία[-ες La/les batterie(та[ите] батерия[и] в този e este producto no pueden e/baterií v tomto výrobku by kke uden videre udskifte ba kkus dieses Produkts kanr aa selle toote akut/akusid is ;] σто προϊόν αυτό δεν μπο s présente(s) dans ce prod	ρούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες luit ne peuvent être facilement remplacée(s) par les utilisateurs e	werden.					
Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu. .a batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente.								

La batteria/le batterie in questo prodotto non puo/possono essere racimente sostituita/e dali uter Lietotăji paši nevar nomainīt šā ražojuma akumulatoru(-us). Ŝio gaminio baterijos [bateriju] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni. Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv. De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar. Užytkownik nie može sam w latwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores. Bateria (bateriile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înșiși. Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati. Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa. Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarva(lar) kuljanucular tarándnan kolavlikla dečistirilemez.

Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.