

ECMA/TC38-TG3/2015/026 (Rev. 1 - 15 April 2015)

Annex B2 - Product environmental attributes **Computers and computer monitors**

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo
Company name *	Lenovo	
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560 alcarter@lenovo.com	Lenovo
Internet site *	www.lenovo.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	NB			
Commercial name *	Lenovo ideapad 130-14 Intel			
Model number *	81H6, 81J5			
Issue date *	2018/5/17			
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template: P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products P11.1 - P11.3 Consumable materials for printing products

Model nu	mber *	81H6, 81J5	Logo			
Issue dat	e *	2018/5/17		Leng	JVC	Тм
Product	environ	mental attributes - Legal requirements		Require	ment	met
Item				Yes	No	n.a.
P1		ous substances and preparations				
P1.1*		s do comply with current European RoHS Directive. (See legal reference and $^{\hbox{\scriptsize NO}}{\mbox{TE}}$ is	31)	\boxtimes		
P1.2*	Products Commer		\boxtimes			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.					
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych rl (PCT) in preparations (see legal reference).	lorinated	\boxtimes		
P1.5*	Products	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 cart ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in the			
P1.6*	(see lega	th direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	,5 μg/cm²/week	\boxtimes		
P1.7*		Article 33 information about substances in articles is available at (add URL or mail	contact):			
P2	Batterie	S				
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference)	he disposal	\square		
P2.2*	Batteries referenc	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadme)	ium. (See legal	\square		
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		\boxtimes		
P3	Conform	nity verification & Eco design (ErP)				
P3.1*	The proc	duct is CE-marked to show conformance with applicable legal requirements (see leg	jal reference).	\boxtimes		
		laration of Conformity can be requested at (add link or e-mail address):				
P3.2*	The proc (see lega	duct complies with the Eco design requirements for energy-related products, al reference).		\square		
		d information is; given in item P15 or added to this document,				
	http://w	available at (add URL): ww.lenovo.com/social_responsibility/us/en/datasheets_notebooks/				
P5		packaging				
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercury	, cadmium and	д 🖂		
P5.2*	hexavale	ent chromium by weight of these together.			<u> </u>	
	used (se	kaging materials are marked with abbreviations and numbers indicating the nature one legal reference).				
P5.3*	Protocol	duct packaging material is free from ozone depleting substances as specified (see legal reference). ht: Legal reference has no maximum concentration values.	in the Montrea			
P6		nt information				
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).		\square		

Model number *		81H6, 81J5	Logo			
Issue dat	te *	2018/5/17		Len	ovo	тм
Product		mental attributes - Market requirements (See General NOTE GN	below)			
		onmental conscious design		Require	ment r	net
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7	Design Disasse	mbly, recycling				
P7.1*	Parts that	at have to be treated separately are easily separable		\boxtimes		
P7.2*	Plastic m	naterials in covers/housing have no surface coating.				
P7.3*	Plastic p	arts > 100 g consist of one material or of easily separable materials.			Ē	Π
P7.4*	Plastic p		Ħ	Π		
P7.5	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4. Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.					
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).			Ħ	
	Product	lifetime				
P7.7*	Upgradir	ng can be done e.g. with processor, memory, cards or drives		\square		
P7.8*	Upgradir	ng can be done using commonly available tools			Ē	
P7.9		arts are available after end of production for: 5 years				Ħ
P7.10	Service i	s available after end of production for: 5 years				Ħ
	Material	and substance requirements				
P7.11*	Product	cover/housing material type (e.g. plastics, metal, aluminum):	al type: plastics			
P7.12		n materials of external electrical cables are PVC free.	**	\boxtimes		
P7.13	Insulatio	n materials of internal electrical cables are PVC free.		$\overline{\times}$		
P7.14	weight (polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) ng more than 25% post-consumer recycled content.	e retardants, an	d		
P7.15		circuit boards, PCBs (without components) are low halogen: all PCBs > as defined in IEC 61249-2-21. (See 1NOTE B2)	25 g 🗌 are Iov	N	\boxtimes	
P7.16		tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:		\boxtimes		
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without ca PA (additive), TBBPA (reactive) (See NOTE B3), Other: Brominated epoxy 7				
	accordin	nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4: <i>FR(16)</i>	, -			
P7.18		ame retarded plastic parts > 25 g contain the following flame retardant substance ations above 0,1%: Chemical name: confidential , CAS #: confidential (See NOTE B4)	s/preparations i	n 🔀		
	Alt. 2: Ch	nemical specifications of flame retardants in plastic parts > 25 g according ISO 104	3-4: FR(40)			
P7.19		parts > 25 g, flame retardant substances/preparations above 0,1% are used which		\square		
	assigned	the following Risk phrases; and Hazard statements:				
	The sour	rce(s) for these classifications is/are found at (add URL(s)):	See note B5)			
P7.20*	Postcons	sumer recycled plastic material content is used in the product (See Note B6):			\boxtimes	
	a) Of t a pe or	at least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material contenercentage of total plastic by weight) is <i>0</i> %. The weight of recycled material is g.	t (calculated as			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	81H6, 81	J5			Logo		
Issue date *	2018/5/17	7				Leno	VO.
Product environm	ental at	tributes - Market r	equirements (conti	nued)		Require	ment met
Item			(No n.a.
Material a	and subs	tance requirements	(continued)				
			in the product (See N	OTE B7):			
If YES; at	least one	of the two alternative	s below shall be answ	ered;			
				material content (calcul	ated as a percen	tage	
of tot or	tal plastic	by weight) is %).				
b) The v		the biobased plastic r					
			less than 0,1 mg/lamp			\boxtimes	
P8 Batteries		specify: Number of lan	nps: and maxim	um mercury content per	r lamp: mg		
		omposition: Li-ion Po	lymer				
		ion (See NOTE B8)	•				
P9.1 For the pre		following power level	s or energy consumpti		_		
Energy mode *		Power level at	Power level at	Power level at	Reference/Stand		rgy
Peak (On-max)		100 V AC 65 W	115 V AC	230 V AC	modes and test	method	
Category I1							
Short Idle State - WO	DL	4.907 W	4.907 W	5.535 W	Reference		
Enabled							
Long Idle State - WO	L	2.438 W	2.409 W	2.855 W	Reference		
Enabled							
Sleep (S3) - WOL Ena	abled	0.451 W	0.459 W	0.521 W	Reference		
Sleep (S3) - WOL Dis		0.410 W	0.411 W	0.467 W	Reference		
Off (S5) - WOL Enabl	led	0.233 W	0.242 W	0.295 W	Reference		
Off (S5) - WOL Disab	led	0.232 W	0.239 W	0.296 W	Reference		
Category I2							
Short Idle State - WO Enabled		3.984 W	3.971 W	5.516 W	Reference		
		0.047.14/	0.054.144	0.404.14/	D. C.		
Long Idle State - WO Enabled	L	2.017 W	2.051 W	2.121 W	Reference		
Sleep (S3) - WOL Ena	abled	0.469 W	0.477 W	0.572 W	Reference		
Sleep (S3) - WOL Dis	abled	0.414 W	0.422 W	0.514 W	Reference		
Off (S5) - WOL Enabl	led	0.242 W	0.249 W	0.339 W	Reference		
Off (S5) - WOL Disab	nea	0.245 W	0.248 W	0.335 W	Reference		<u>.</u>
EPS No-load		0.055 W	0.058 W	0.150 W			
(External power supply / charger plu wall outlet but disconnected from the	lugged in the ie product.)						
PTEC * Typical Energy Consu	motion	W	W	W			
ETEC *	inpuon	14.205 kWh/year	14.240 kWh/year	18.850 kWh/year			
Annual Energy Consu				•			<u> </u>
External Power Supply			Efficiency Marking Pro	otocol) * : V			
Display resolution * : 1							
Default time to enter e							
			on is provided with the	product.			
P9.3 Energy efficiency class (monitors only):							
P10 Emission		Declared according to	ISO 9296 (See NOTE	- B9)			
10130 6111							

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

P10.1	Mode	Mode description	Statistical upper limit A-weighted sound power level, L _{WA,c} (B)
	ldle	* Idle	* 2.6
	Operation	* CPU Operating	* 4.1
	Other mode		
	Measured acc	ording to: 🔀 ISO 7779 🗌 ECMA-74	
		Other (only if not covered	by ECMA-74)

Model nu	mber *	81H6, 81J5			Logo			
Issue dat	:e *	2018/5/17				Leno	VO,	rm.
Product	environ	mental attribut	es - Market requirements	(continued)		Require	ment	me
ltem						Yes	No	n.a
		magnetic emissi						
P10.4	Comput program		the requirement for low frequer	cy electromagnetic field	s of the following volunta	ry		\square
P12		mics for compu						
P12.1*	The disp	play meets the er	gonomic requirements of ISO 9	241-307 for visual displa	ay technologies.			
P12.2*	The phy	sical input device	meets the requirements of ISC) 9995 and ISO 9241-41	0.		\times	
P13	Packag	Packaging and documentation						
P13.1*	Product	packaging mater		weight (kg): 0.031 nt (kg): 0.305 nt (kg): 0.017				
P13.2*			ackaging is free from PVC.			\boxtimes		
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-							
P13.4*	Specify		nd product documentation (tick	box):				
P13.5	Ùser an		is item if paper documentation i entation on paper media is chlo					
		chlorine-free tal chlorine-free						
		ed chlorine-free						
P14		ry programs						
P14.1	The pro	duct meets the re	quirements of the following vol	untary program(s):				
	ENERG Eco-lab Eco-lab		Criteria version: <i>6.1</i> Criteria version: Criteria version:	Date: 2018-4-17 Date: Date:	Product category: <i>I1</i> Product category: Product category:			
P15		nal information		54.0.	oudor outogory.			
P9			specific configuration may v	ary; description of the	tested product confiau	iration:		
	NOTE: S informat knowled	Supplier makes n tion contained in t lge available at th d here is approxir	o representations, guarantees, his document. All information p le time of completion, and supp nate and provided for information	assurances or warrantie rovided by supplier in th lier shall have no obligat	s whether express or im is document is provided ion to update such inforr	plied, regarding based on supp nation. The inf	lier's ormati	ion
P9	See Ene	ergy Star Qualifie	d Notebooks & Tablet Compute v/index.cfm?fuseaction=find_a_					

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo ideapad 130-14/330C-14	Logo
Model Number	81H6, 81J5	
Issue Date	2018/5/17	Lenovo
Additional information		

P7.1.1	Product environmental attributes					
(d)	year of manufacture:				2018	
(e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are	
(f)	Etec value (kWh) per ErP Lot 3 Categor enable	y and capability adjust	ments applied when a	II discrete graphics o	cards (dGfx) are	
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)	
	Memory over base [GB]	12		12		
ents ting	Additional internal storage	YES (Yes / No)	(Yes / No)	YES (Yes / No)	(Yes / No)	
capability adjustments applied during testing	Discrete television tuner	NO (Yes / No)	(Yes / No)	NO (Yes / No)	(Yes / No)	
ability <i>a</i> lied du	Discrete Audio Card	NO (Yes / No)	(Yes / No)	NO (Yes / No)	(Yes / No)	
cap	Discrete graphics Card(s) [number / #]	NO #: (Yes / No)	#: (Yes / No)	YES #: 1 (Yes / No)	#: (Yes / No)	
	Category of discrete graphics Card(s)			G3		
Test results	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)					
Test r	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled	10.91		7.86		
(g)	Idle state power demand (Watts);				A: 3.26; C: 2.12	
(h)	Sleep mode power demand (Watts);				A: 0.55 C: 0.51	
(i)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		A: 0.61; C: 0.57	
(j)	Off mode power demand (Watts);				A: 0.34;	
(k)	Off mode with WOL enabled power dema	and (Watts) (where en	abled);		<u>C: 0.34</u> A: 0.34; C:0.34	
(I)	Internal power supply efficiency at 10 %,	20 %, 50 % and 100 %	% of rated output powe	er (if applicable):	0.0.04	
	10% 20% 50%	100% Avera	ge			
(m)	external power supply efficiency (if applied	cable)*:				
	Average active efficiency: 88.45% , 89. *internal note: show values for all available external pote		%,88.53%,88.93%			
(0)	Minimum number of loading cycles that t	otebook computers):	300			
(p-1)	h-1) Measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency: NA					

(p-2)	Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency: ENERGY STAR® Program Requirements for Single Voltage External Ac-Dc and Ac-Ac Power Supplies Eligibility Criteria (Version 2.0)					
(p-3)	Measurement metho	dology used to determine information mentioned in p <i>≥</i> 70% of Cmin	points (o) – loading cycles batteries:			
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration: IEC 62623					
(q)	Sequence of steps fo	r achieving a stable condition with respect to power Power on -> Wait 5 minutes ->Stable con				
(r)	Description of how sl	eep and/or off mode was selected or programmed: Begin menu -> Power -> Select sleep or o	ff mode			
(s)	Sequence of events r off mode:	required to reach the mode where the equipment aut	tomatically changes to sleep and/or			
(t)		e condition before the computer automatically re not exceed the applicable power demand requirement		30min		
(u)	Length of time after	a period of user inactivity in which the compute	r automatically reaches a power	NA		
(v)		<pre>rer power demand requirement than sleep mode (in re the display sleep mode is set to activate after of re the display sleep mode is set to activate</pre>		10min		
(w)		ergy-saving potential of power management function Refer to User Guide				
(x)	User information on h	now to enable the power management functionality: <i>Refer to User Guide</i>				
(z)	Test parameters for r the electricity supply used for electrical test	neasurements: — test voltage in V and frequency in system, — information and documentation on the ins ting: 230V50HZ-2%-Edition 2.0, 2011-01, Section 4	strumentation, set-up and circuits			
Addition	Notebook Battery	Information:				
		Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a		
		The battery[ies] in this product cannot be easily replaced by users themselves. ¹⁾				
Internal/bu	uilt-in Battery					
External/d	letachable Battery			\square		
Bios Back	up Battery					
Other:						
Additional	information					
Akymynatopha Las baterias de Výměnu bateria Brugeren kan il Der Akku/die A Kasutajad ei sa H μπαταρία[-ες La/les batterie(Korisnik ne mo La batteria/le b Lietotāji paši ne Šio gaminio ba A termék akkur Il-batterija/batte Batteriet [ene] i De batterij(en)	та[ите] батерия[и] в този i e este producto no pueden e/baterií v tomto výrobku by kke uden videre udskifte ba kkus dieses Produkts kann ha selle toote akut/akusid is] στο προϊόν αυτό δεν μπο s présente(s) dans ce prod že lako zamijeniti Bateriju s atterie in questo prodotto n avar nomainī šā ražojuma terijos [bateriju] pats vartotr nulátorát/akkumulátorait a riji fdan il-prodott ma tistas i dette produktet kan ikke le in dit product is (zijn) door o	ρούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες uit ne peuvent être facilement remplacée(s) par les utilisateurs e sam u ovom proizvodu. on può/possono essere facilmente sostituita/e dall'utente.	werden.			

A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadore Bateria (bateriale) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înșiși. Bateriu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati. Tămăn tuotteen akku [akut] e[îvăt] ole helposti käyttäjän vaihdettavissa. Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.