

#### Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an \* are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo			
Company name *	Lenovo				
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560 alcarter @lenovo.com	Lenovo			
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html				
Additional information	The latest version of this document can be found at				
	http://www.lenovo.com/social_responsibility/us/en/datasheets_i	notebooks.html			

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Notebook			
Commercial name *	Lenovo ideapad 310S-15IKB, Lenovo ideapad 310S-15ISK			
Model number *	80UW, 80V3			
Issue date *	2016/7/6			
Intended market *	Slobal Surope Sasia, Pacific & Japan Samericas Other Sasia, Pacific & Japan Samericas Sasia, Pacific & Japan Sasi			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Control	Requireme	ent met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	$\boxtimes$	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).		

Model number *	80UW, 80V3		
Issue date *	2016/7/6	Logo	Lenovo

Product	oduct environmental attributes - Legal requirements			
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent	$\boxtimes$		
	chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See	_	_	
	legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference).	$\boxtimes$		
	Comment: Legal reference has no maximum concentration value.	_		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	$\boxtimes$		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-		_	
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
	concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated	$\square$		
	terphenyl (PCT) in preparations (see legal reference).		_	
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in	$\square$		
	the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).		_	
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS),			$\boxtimes$
	Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference).			
	Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split			$\boxtimes$
	aromatic amines. (See legal reference and Note B1)			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as			$\boxtimes$
	pentachlorophenol and derivatives (see legal reference).	ш	ш	
	Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5	$\boxtimes$		
	microgram/cm <sup>2</sup> /week (see legal reference).		ш	ш
	Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	$\square$		
	http://www.lenovo.com/social_responsibility/us/en/materials.html		ш	
P2	Batteries			
P2.1*				
P2. I	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be	$\boxtimes$	Ш	Ш
	marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is			
	provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or		$\overline{}$	
1 2.2	accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	$\boxtimes$	ш	Ш
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the		$\overline{}$	
1 2.5	design of the product). Exception: Batteries that are permanently installed for safety, performance, medical		Ш	Ш
	or data integrity reasons do not have to be "easily removable". (See legal reference)	!		
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).			
			ᅮ	<del>-</del>
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal	$\boxtimes$	Ш	
Do ot	reference).			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies	$\boxtimes$	Ш	
Do 44	with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	$\boxtimes$		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see			$\boxtimes$
	legal reference and Note B1).		_	
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			$\boxtimes$
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the		$\overline{}$	
1 4.0	product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these	ш	ш	
	requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and	1 🔽		
. 0.1	hexavalent chromium by weight of these together.	d 🔀	Ш	
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).			
			<u> </u>	_Щ_
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea	I 🔀		
	Protocol (see legal reference).			
	Comment: Legal reference has no maximum concentration values.			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	80UW, 80V3		
Issue date *	2016/7/6	Logo	Lenovo.

Product	environmental attributes - Market requirements - Environmental conscious design	Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	$\boxtimes$		
P7	Design Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	$\boxtimes$		
P7.2*	Plastic materials in covers/housing have no surface coating.		$\overline{\boxtimes}$	Ī
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.			
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.	$\boxtimes$		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	$\boxtimes$		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).		$\overline{\sqcap}$	
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	$\boxtimes$		
P7.8*	Upgrading can be done using commonly available tools	$\boxtimes$		
P7.9.	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type:			
D7.40	Material type: FR 3021 Material type: FR 3008 Material type:			_
P7.12	Electrical cable insulation materials of power cables are PVC free.			Щ.
P7.13	Electrical cable insulation materials of signal cables are PVC free			Щ.
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.		<u>Ц</u>	<u>Ц</u>
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Note B2)		Ш	
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4:  Marking: >PC+ABS-TD15 FR(40)<, >PC+ABS-FR(40)<			
P7.17	Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive), TBBPA (reactive), Other; chemical name: <i>Phosphoric flame retardants</i> , CAS #: 35948-25-5			
D7.40	Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: Brominated Epoxy Resin See P14			
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations ir concentrations above 0.1%: Comment: No legal limits exist, this is a market requirement.	n 🔀		
	1. Chemical name: acrylonitrile, CAS #: 107-13-1 2. Chemical name: butadiene, CAS #: 106-99-0 3. Chemical name: styrene, CAS #: 100-42-5 Alt. 2			
	Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4: FR(40)			
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)			
P7.20	Of total plastic parts' weight >25g, recycled material content is 0.36%.			
P7.21	Of total plastic parts' weight >25g, biobased material content is <b>0%</b> .			
P7.22	Light sources are free from mercury	$\boxtimes$		
P8	If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg  Batteries mg			
P8.1*	Battery chemical composition: <i>Li-ion Polymer</i>			
P8.2	Batteries meet the requirements of the following voluntary program/s: US RRRC			╁

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	80UW, 80V3		
Issue date *	2016/7/6	Logo	Lenovo.

Product environmental att	ibules - Market	requirements (	continueu)		Requirement		
Item					Yes No	n.a.	
P9 Energy consumption  9.1 For the product the following power levels or energy consumptions are reported: See P14							
	following power leve						
Energy mode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC		ference / Standard for energy modes and test thod *		
Peak (On-max)	<b>65</b> W	<b>65</b> W	<b>65</b> W	Fι	ull load		
Category I1			I				
Short Idle State - WOL Enable	ed 6.110W	6.112W	6.138W	Use	e for ENERGY STAR V6 registration (Pidle)		
Long Idle State - WOL Enable		2.644W	2.695W		e for ENERGY STAR V6 registration (Pidle)	$\vdash$	
		-				Ц	
Sleep (S3) - WOL Enabled	0.650W	0.650W	0.703W		e for ENERGY STAR V6 registration(P <sub>sleep</sub> )	Ш	
Sleep (S3) - WOL Disabled	0.548W	0.543W	0.544W		ference		
Off (S5) - WOL Enabled	0.223W	0.224W	0.280W		e for ENERGY STAR V6 registration(Poff)		
Off (S5) - WOL Disabled	0.177W	0.175W	0.177W	Use	e for EuP		
Category I2							
Short Idle State - WOL Enable	5.683W	5.673W	5.670W	Use	e for ENERGY STAR V6 registration(P <sub>idle</sub> )		
Long Idle State - WOL Enable	d 2.845W	2.838W	2.826W	Use	e for ENERGY STAR V6 registration(P <sub>idle</sub> )		
Sleep (S3) - WOL Enabled	0.320W	0.317W	0.318W	Use	e for ENERGY STAR V6 registration (Psleep)		
Sleep (S3) - WOL Disabled	0.280W	0.277W	0.278W	Ref	ference		
Off (S5) - WOL Enabled	0.190W	0.188W	0.190W	Use	e for ENERGY STAR V6 registration(Poff)		
Off (S5) - WOL Disabled	0.156W	0.155W	0.156W	Use	e for EuP		
EPS No-load	W	W	W				
(External power supply / charge plugged in the wall outlet but disconnected from the product.)							
PTEC * Typical Energy Consumption	W	W	W				
TEC *							
Typical Energy Consumption	kWh/week	kWh/week	kWh/week				
ETEC * Annual Energy Consumption	<b>18.78</b> kWh/year	18.77 kWh/year	<b>19.16</b> kWh/year		$E_{\rm C} = (8760/1000) \times (P_{\rm off} \times 0.25 + P_{\rm sleep} \times 0.35)$ $P_{\rm long\_Idle} \times 0.10 + P_{\rm short\_Idle} \times 0.30)$		
	P <sub>off</sub> : Off Mode(St	5) - WOL Enabled; I	P <sub>sleep</sub> : Sleep Mode(	(S3) -	WOL Enabled; P <sub>idle</sub> : Idle State - WOL Enabled		
Display resolution* : 1366*768	Megapixels		-				
Print Speed * : Ima	ages per minute						
Default time to enter energy say	ve mode: 30 minutes	 S					
P9.2* Information about th			th the product.			H	
P9.3* The product meets			<u> </u>	gram			
ENERGY STAR® v				-			
Others specify: P10 Emissions							
Noise emission – I	Declared according	to ISO 9296					
	ode description		Declared		Declared A-weighted		
			A-weighted		sound pressure level $L_{p{\sf Am}}$ (dB)		
			sound power level $L_{W\!Ad}$ (		Operator position Bystander positions		
			level L <sub>WAd</sub> (	(5)	Desktop		
					or Desk side (only if product is not		
Idle *	HDD:Idle		* 2.8		operator attended)		
Operation *	HDD: Operating		* 4.2	$\dashv$	34.9	ΙH	
Other mode				+			
Measured according	n to: X ISO7779 N	FCMA-74	L	1_		1	
moadaroa aboorani	Other	<del></del> '	red by ECMA-74	4 with	n L <sub>pAm</sub> measurement distance m)		
P10.2 The product meets							

CI	2016/7/6  Evironmental attributes - Market requirements (continued)  Chemical emissions from printing products  Test performed according to ECMA-328 (ISO/IEC 28360) standard, other specify: Typical emission rate (print phase) is (mg/h):  Dust Ozone Styrene Benzene TVOC  Chemical emission requirements of the following voluntary program/s are met  Dust Ozone Styrene Benzene  Electromagnetic emissions  Computer display meets the requirement for low frequency electromagnetic fields of the			remens No	n.a
Item	Chemical emissions from printing products  Test performed according to ECMA-328 (ISO/IEC 28360) standard, other specify:  Typical emission rate (print phase) is (mg/h):  Dust Ozone Styrene Benzene TVOC  Chemical emission requirements of the following voluntary program/s are met  Dust Ozone Styrene Benzene	for :			n.a
Item	Chemical emissions from printing products  Test performed according to ECMA-328 (ISO/IEC 28360) standard, other specify:  Typical emission rate (print phase) is (mg/h):  Dust Ozone Styrene Benzene TVOC  Chemical emission requirements of the following voluntary program/s are met  Dust Ozone Styrene Benzene	for :			n.a
P10.3* Te P10.4 Ty P10.5 Cl	Test performed according to ECMA-328 (ISO/IEC 28360) standard , other specify: Typical emission rate (print phase) is (mg/h):  Dust Ozone Styrene Benzene TVOC  Chemical emission requirements of the following voluntary program/s are met  Dust Ozone Styrene Benzene  Electromagnetic emissions	for :	Ye	s No	
P10.3* Te P10.4 Ty P10.5 Cl	Test performed according to ECMA-328 (ISO/IEC 28360) standard , other specify: Typical emission rate (print phase) is (mg/h):  Dust Ozone Styrene Benzene TVOC  Chemical emission requirements of the following voluntary program/s are met  Dust Ozone Styrene Benzene  Electromagnetic emissions	for :			
P10.4 Ty P10.5 CI	Typical emission rate (print phase) is (mg/h):  Dust Ozone Styrene Benzene TVOC  Chemical emission requirements of the following voluntary program/s are met  Dust Ozone Styrene Benzene  Electromagnetic emissions	for :			
P10.5 CI	Dust Ozone Styrene Benzene TVOC Chemical emission requirements of the following voluntary program/s are met Dust Ozone Styrene Benzene Electromagnetic emissions				
EI	Chemical emission requirements of the following voluntary program/s are met  Dust Ozone Styrene Benzene  Electromagnetic emissions				
EI	Dust Ozone Styrene Benzene				' \
	Electromagnetic emissions	TVOC			
P10.6 C	computer display meets the requirement for low frequency electromagnetic fields of the		_		
	program/s:	ne following volunt	tary	l L	
	Consumable materials for printing products				
	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally	v required (see P4	1.3)	1 🗖	
	Paper containing post-consumer recycled fibers can be used, provided that it med				
	EN12281.	cis the requireme	1113 01		
P11.3* 2-	2-sided (duplex) printing/copying is an integrated product function.				
	Ergonomics for computing products				
P12.1* Th	The display meets the ergonomic requirements of ISO 9241-307 for visual display tec	hnologies.			
P12.2* Th	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.				
P13 Pa	Packaging and documentation				
	Product packaging material type(s): paper weight (kg): 0.390				
	Product packaging material type(s): <b>EPE</b> weight (kg): <b>0.098</b>				
P13.2* Pr	Product packaging material type(s): LDPE weight (kg): 0.018  Product plastic packaging is free from PVC.				
			X		<u>_</u> _
	Specify media for user and product documentation (tick box): Electronic , Paper , Other ,				
	For paper user and product documentation, please specify contained percentage of product documentation.	ost-consumer recy	vcled		
	iber: 80%		,		
P14 A	Additional information (See Note B4)				
No ini kr pr	NOTE: Supplier makes no representations, guarantees, assurances or warranties who information contained in this document. All information provided by supplier in this document in this document. All information provided by supplier in this document in the supplier shall have no obligation to provide here is approximate and provided for informational purposes only. See a Lengard information.	cument is provided o update such info	d based on s rmation. The	upplier' inform	s ation
P9 Se	See Energy Star Qualified Notebooks & Tablet Computers for the latest information: http://www.energystar.gov/index.cfm?fuseaction=find_a_product.showProduct(		e=CO		

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

# Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19

## **Lenovo ErP Lot3 Information Sheet**

## - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

#### **Products scope of this sheet:**

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo ideapad 310S-15IKB, Lenovo ideapad 310S-15ISK	Logo
Model Number	80UW, 80V3	Lanava
Issue Date	2016/7/6	<b>Lenovo</b> ®
Additional information		

P7.1.1	Product environmental attributes				
(d)	year of manufacture:	2016			
(e)	E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display:				
	Category (according to ErP Lot 3): A Etec: 11.47				
(f)	E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics caenabled:	ırds (dGfx) are			
	Category (according to ErP Lot 3): B Etec: 9.67				
(g)	idle state power demand (Watts);	A: 3.66 B: 2.98			
(h)	sleep mode power demand (Watts);	A: 0.63 B: 0.41			
(i)	sleep mode with WOL enabled power demand (Watts) (where enabled);	NA			
j)	off mode power demand (Watts);	A: 0.25 B: 0.28			
(k)	off mode with WOL enabled power demand (Watts) (where enabled);	NA			
(I)	internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable): 10% 20% 50% 100% Average				
(m)	external power supply efficiency (if applicable):				
	Average*: 45W:88.40%;88.64%;88.53%;65W:89.23%,89.31%,88.93%				
(o)	*internal note: show values for all available external power supplies  the minimum number of loading cycles that the batteries can withstand (applies only to notebook computers):	300 cycles			
(p-1)	the measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency:				
(p-2)	the measurement methodology used to determine information mentioned in points (m) – external PSU efficiency:				
	Energy-star requirement				

(p-3)	(p-3) the measurement methodology used to determine information mentioned in points (o) – loadingcycles batteries:							
	battories.		IEC	61960 measurement methodology				
(p-4)	p-4) the measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:							
	IEC 62623/ IEC EN50564:2011 measurement methodology							
(q)	sequence of steps for achieving a stable condition with respect to power demand::							
IEC 62623/ IEC EN50564:2011 measurement methodology								
(r)	description of how sleep and/or off mode was selected or programmed:							
Energy-star requirement								
(s)	s) sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:							
Energy-star requirement								
(t)	the duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):  30							
(u)	the length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):							
(v)	the length of time before the display sleep mode is set to activate after user inactivity (in minutes):							
(w)	information on the energy-saving potential of power management functionality:							
Based on user manual								
(x) user information on how to enable the power management functionality:								
Based on user manual								
(z) test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits								
used for electrical testing:  230V/50Hz, Total Harmonic Distortion <2 %								
	Notebook Ba	attery Information:	/	This netcheck computer is appreted by bettery/ise that connet be passed	and and raplaced			
Yes		No	n/a	This notebook computer is operated by battery/ies that cannot be access by a non-professional user.	sed and replaced			
(Battery replaceable	<b>not</b> user e)	(Battery user replaceable)		The battery[ies] in this product cannot be easily replacthemselves	ced by users			
				themselves				
Additiona	l informatio	n						