

Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	Idea	Logo			
Company name *	Lenovo				
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560 alcarter@lenovo.com				
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html				
Additional information	he latest version of this document can be found at ttp://www.lenovo.com/social_responsibility/us/en/datasheets_notebooks.html				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.							
Type of product *	Notebook						
Commercial name *	Lenovo ideapad 510-15ISK						
Model number *	80SR						
Issue date *	2016-01-10						
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other						
Additional information							

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Control	Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).	bl 🔀	

Model number *	80SR		
Issue date *	2016-01-10	Logo	Lenovo

Product	environmental attributes - Legal requirements	Require	ment	met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	\boxtimes		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\square		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-			
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).			
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\boxtimes		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			\boxtimes
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as			\boxtimes
	pentachlorophenol and derivatives (see legal reference).			
	Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm ² /week (see legal reference).			
	Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/materials.html	\square		
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains	\square		
	more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be			
	marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)			\boxtimes
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the	\square		
	design of the product). Exception: Batteries that are permanently installed for safety, performance, medical			
	or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).			
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).	\boxtimes		
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\boxtimes		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			\boxtimes
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\boxtimes
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\square		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal			
	Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number * Issue date *		80SR 2016-01-10 Logo	1.0.1		
issue uale		2016-01-10 Logo	Len	<u>ovc</u>)。
Product	environ	mental attributes - Market requirements - Environmental conscious design	Require	ment	met
Item		tory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P6	Treatme	nt information			
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).	\square		
P7	Design	while requelling			
P7.1*		mbly, recycling t have to be treated separately are easily separable			
P7.2*		aterials in covers/housing have no surface coating.			- H
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.				- - -
P7.4*		arts >25g have material codes according to ISO 11469 referring ISO 1043.		- - -	
P7.5				- [-]	- [-]
P7.6*	-	arts are free from metal inlays or have inlays that can be removed with commonly available tools re easily separable. (This requirement does not apply to safety/regulatory labels).	<u>s. X</u>	- [-]	-H
F7.0					
P7.7*	Product Upgradin	g can be done e.g. with processor, memory, cards or drives			
P7.8*		g can be done using commonly available tools		-#	-#
P7.9.					╞
P7.10		rts are available after end of production for: 5 years			- #
17.10		s available after end of production for: 5 years and substance requirements			
P7.11*		cover/housing material type:			
		type: >PC+ABS-FR(40)< Material type: >PC+ABS-TD15FR(40)< Material type: >PC+ (TD+MD)15FR(40)<			
P7.12	Electrica	cable insulation materials of power cables are PVC free.		\boxtimes	
P7.13	Electrica	cable insulation materials of signal cables are PVC free		\boxtimes	
P7.14	All cover	/housing plastic parts >25g are free from chlorine and bromine.	\boxtimes		
P7.15	All printe Note B2)	d circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See	\square	
P7.16	Flame re Marking:	tarded plastic parts >25g in covers / housings are marked according ISO 1043-4: <i>FR(40)</i>	\boxtimes		
P7.17	Alt. 1 Chemica	I specifications of flame retardants in printed circuit boards >25g (without components): additive), TBBPA (reactive) 🔀, Other; chemical name: <i>Brominated Epoxy Resin</i> , CAS #	:		
	Chemica ISO 1043	I specifications of flame retardants in printed circuit boards (without components) >25g accordin 3-4: <i>FR(16)</i>	g 🔀		
P7.18		etarded plastic parts >25g contain the following flame retardant substances/preparation ations above 0.1%:	sin 🔀		
	1. Chemi 2. Chemi 3. Chemi Alt. 2	ent: No legal limits exist, this is a market requirement. cal name: <i>YGN5001RFD</i> , CAS #: <i>confidential</i> cal name: <i>YGN5151RFL</i> , CAS #: <i>confidential</i> cal name: <i>ER5151RFL</i> , CAS #: <i>confidential</i> I specifications of flame retardants in plastic parts >25g according ISO 1043-4:			
	FR(40)		\boxtimes		
P7.19	Plastic pa	arts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, 5, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)			
P7.20		lastic parts' weight >25g, recycled material content is 2.4% .			
P7.21		lastic parts' weight >25g, biobased material content is 0% .			
P7.22		rces are free from mercury y is used specify: Number of lamps: and max. mercury content per lamp: mg			
P8	Batteries	5 · · · · · · · · · · · · · · · · · · ·			
P8.1*		hemical composition: LI-ION			
P8.2	Batteries JBRC	meet the requirements of the following voluntary program/s: US Call2Recycle, and add EPBA,			

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model num Issue date		80SR 2016-01-1	0				Logo	Lenc		
								Leik		
	environm	ental attri	ibutes - Market	<mark>requirements (</mark>	continued)			Require		
Item P9	Energy	onsumptio	n					Yes	No	n.a.
9.1			ollowing power leve	els or energy cons	umptions are re	ported: See P14				
Energy mod		r		Power level at		-	indard for e	energy modes ar	d test	П
07			100 V AC	115 V AC	230 V AC	method *				
Peak (On-n	nax)		65 W	65 W	65 W	Full load				
Category I1										
Short Idle	State - WO	OL Enabled	8.15 W	8.18 W	8.33 W	Use for ENERG	GY STAR N	/6 registration (I	P _{idle})	
Long Idle S	State - WC	OL Enabled	5.24 W	5.22 W	5.35 W	Use for ENERO	GY STAR V	/6 registration (I	P _{idle})	
Sleep (S3)	- WOL En	abled	0.55 W	0.55 W	0.57W	Use for ENERO	GY STAR V	/6 registration(P	sleep)	
Sleep (S3)	- WOL Di	sabled	0.55 W	0.54 W	0.56 W	Reference				
Off (S5) - V	VOL Enab	led	0.30 W	0.30 W	0.31 W	Use for ENERC	GY STAR \	/6 registration(F	off)	
Off (S5) - V	VOL Disal	bled	0.29 W	0.29 W	0.31 W	Use for EuP				
EPS No-loa (External po plugged in t	ower supp		0.049W	0.051 W	0.119 W					
plugged in the wall outlet but disconnected from the product.)										
PTEC * Typical Ene	ergy Consu	umption	W	W	W					
TEC * Typical Ene	ergy Consu	umption	kWh/week	kWh/week	kWh/week					
ETEC *			28.35	28.41	29.00	E _{TEC} = (8760/10	000) x (P _{off}	x 0.25 + P _{sleep} x	0.35	
Annual Ene	ergy Consu	Imption	kWh/year	kWh/year	kWh/year	+ P _{long_ldle} x 0.1	0+ P _{short_Idl}	" x 0.30)		
			Poff: Off Mode(S	5) - WOL Enabled;	P _{sleep} : Sleep Mode	(S3) - WOL Enable	d; P _{idle} : Idle	e State - WOL Ena	bled	-
Display res	olution* :	1920*1080	Megapixels							
Print Speed	: * t	Imag	ges per minute							\square
Default time	e to enter e	energy save	e mode: 30 minutes	;						
P9.2*	Informatio	on about the	energy save func	tion is provided wi	th the product.	I		\boxtimes		
P9.3*	ENERGY Others sp	STAR® ve ecify:	ne energy requirem rsion: Version 6.1				ory: <mark>/1</mark>			
P10	Emission		eclared according	to ISO 9296						
P10.1	Mode		de description	0 10 0 9290	Declared		Declared A	A-weighted		
					A-weighted			-		
					sound power level L_{WAd} (Bystander pos		-
					WAd V		sktop 🔀	(only if product operator atte		
ŀ	Idle	*	HDD:Idle		* 3.2		24	.7		
	Operation	۱ * ۱	HDD: Operating		* 3.7		31	.5		
ŀ	Other mo		DD :Operating		3.2		N/			1
ľ	Measured	d according	to: 🔀 ISO7779 🗌	ECMA-74						1
<u> </u>			Other			with L _{pAm} measu	irement dis	tance m)		
P10.2	The produ	uct meets th	ne acoustic noise re	equirements of the	e tollowing volunt	ary program/s:				\square
©										

Model number *		80SR				
Issue date	*	2016-01-10	Logo	Leno	VO.	
	environn	nental attributes - Market requirements (continued)		Require		
Item				Yes	No	n.a.
		al emissions from printing products				
P10.3*		formed according to ECMA-328 (ISO/IEC 28360) standard, other specify:				\square
P10.4	Typical e	emission rate (print phase) is (mg/h):				\boxtimes
		Dust Ozone Styrene Benzene TVOC				
P10.5	Chemical emission requirements of the following voluntary program/s are met for : Dust Ozone Styrene Benzene TVOC					\boxtimes
		nagnetic emissions				
P10.6		er display meets the requirement for low frequency electromagnetic fields of the foll	owing voluntary			
	program		oning rolandary			
P11	Consum	able materials for printing products				
P11.1*	A Safety	Data Sheet (SDS) is available for the ink/toner preparation, even if not legally requ	uired (see P4.3).			\boxtimes
P11.2*	Paper co EN1228	ontaining post-consumer recycled fibers can be used, provided that it meets th 1.	ne requirements o	of 🗌		\square
P11.3*	2-sided (duplex) printing/copying is an integrated product function.				\square
P12	Ergonor	nics for computing products				
P12.1*		lay meets the ergonomic requirements of ISO 9241-307 for visual display technolo	gies.	\square		
P12.2*	The phys	sical input device meets the requirements of ISO 9995 and ISO 9241-410.	-		Π	Ē
P13	Packagi	ng and documentation				
P13.1*	Product	packaging material type(s): CARTON weight (kg): 0.2738 packaging material type(s): CUSHION weight (kg): 0.089 packaging material type(s): Gift BOX weight (kg): 0.030				
P13.2*	Product	plastic packaging is free from PVC.		\boxtimes		
P13.3*		nedia for user and product documentation (tick box):				
P13.4*		er user and product documentation, please specify contained percentage of post-co	onsumer recycled			
P14	Additior	nal information (See Note B4)				
	informati knowledg	Supplier makes no representations, guarantees, assurances or warranties whether on contained in this document. All information provided by supplier in this documer ge available at the time of completion, and supplier shall have no obligation to upda here is approximate and provided for informational purposes only. See a Lenovo A on.	nt is provided base ate such information	ed on supp on. The inf	olier's ormat	ion
P9		rgy Star Qualified Notebooks & Tablet Computers for the latest information: ww.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup	o&pgw_code=CO			

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo ideapad 510-15ISK	Logo
Model Number	80SR	
Issue Date	2016-01-10	Lenovo
Additional information		

(d)	year of manufacture:	2016
(e)	E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics ca disabled and if the system is tested with switchable graphics mode with UMA driving the display:	urds (dGfx) are
	Category (according to ErP Lot 3): A Etec: 17.77	
(f)	E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics ca enabled:	rds (dGfx) are
	Category (according to ErP Lot 3): B Etec: 18.12	
(g)	idle state power demand (Watts);	A:6.00 B:6.15
(h)	sleep mode power demand (Watts);	A:0.55 B:0.50
(i)	sleep mode with WOL enabled power demand (Watts) (where enabled);	A:0.55 B:0.50
(j)	off mode power demand (Watts);	A:0.29 B:0.29
(k)	off mode with WOL enabled power demand (Watts) (where enabled);	A:0.29 B:0.29
(I)	internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable):	
	10% 20% 50% 100% Average	
(m)	external power supply efficiency (if applicable):	
	10% 20% 50% 100% Average ;	
	or level: 45W:87.58%,87.60%,88.32%; 65W:89.18%,89.04%,89.92%	
(0)	the minimum number of loading cycles that the batteries can withstand (applies only to notebook computers):	300 cycles
(p-1)	the measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency:	
(p-2)	NA the measurement methodology used to determine information mentioned in points (m) – external PSU efficiency:	
	Energy-star requirement by EPA 2.0	
(p-3)	the measurement methodology used to determine information mentioned in points (o) - loading cycles batteries:	
	Energy-star requirement by EPA 2.0	
(p-4)	the measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode	

		IEC 62623	3 / IEC E	N50564:2011 measurement methodology						
(q)	sequence of	of steps for achieving	g a stab	e condition with respect to power demand::						
	IEC 62623 / IEC EN50564:2011 measurement methodology									
(r)	description of how sleep and/or off mode was selected or programmed:									
				Based on user manual						
(s)	sequence of mode:	of events required to	reach t	he mode where the equipment automatically changes to sleep and/or						
				Based on user manual						
(t)				efore the computer automatically reaches sleep mode, or another oplicable power demand requirements for sleep mode (in minutes):	30min					
(u)				ser inactivity in which the computer automatically reaches a demand requirement than sleep mode (in minutes):	NA					
(v)	the length	of time before the	display	sleep mode is set to activate after user inactivity (in minutes):	10min					
(w)	information	on the energy-savi	ng poter	tial of power management functionality:						
				refer to user manual						
(x)	user inform	nation on how to ena	ble the	power management functionality:						
				refer to user manual						
(z)		supply system, — inf		test voltage in V and frequency in Hz, — total harmonic distortion of the n and documentation on the instrumentation, set-up and circuits used						
			230V/5	50Hz, Total Harmonic Distortion <2 %						
	Notebook Ba	attery Information:		This notaback computer is appreted by bottom/ise that appret by appret	ad and ranks					
Yes		No	n/a	This notebook computer is operated by battery/ies that cannot be access by a non-professional user.	sed and replaced					
(Battery replaceabl	not user le)	(Battery user replaceable)		The battery[ies] in this product cannot be easily replace themselves	ced by users					