



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo
Company name *	Lenovo	_
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com	Lenovo.
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html
Additional information	The latest version of this document can be found at:	
	http://www.lenovo.com/ecodeclaration	

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
Type of product *	· ·						
Type of product	Notebook						
Commercial name *	vo ideapad 320-14						
Model number *	80XG, 80XK, 80XQ, 80XU, 80YD, 80YF, 81A2						
Issue date *	2017-1-10						
Intended market *	Global Europe Asia, Pacific & Japan Americas Other						
Additional information							

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

wodei nu	ımber "	80XK, 80YF, 80YD, 80XG	Logo	Land		5
Issue dat	te *	2017-1-10		Len		J th
Product	environ	mental attributes - Legal requirements		Require	men	t met
Item				Yes	No	n.a.
P1	Hazardo	ous substances and preparations				
P1.1*		s do comply with current European RoHS Directive. (See legal reference and NOTE	EB1)	\boxtimes		
P1.2*		s do not contain Asbestos (see legal reference).		\boxtimes		
		nt: Legal reference has no maximum concentration value.				
P1.3*		s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),		\bowtie		
		omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach				
		ethane, methyl bromide (see legal reference). Comment: Legal reference has no n	naximum			
		ration values.				
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych	lorinated			
		/I (PCT) in preparations (see legal reference).				
P1.5*		s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 car	bon atoms in tl	ne 🔀		
		ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).				
P1.6*	Parts wit	th direct and prolonged skin contact do not release nickel in concentrations above (),5 μg/cm²/wee	ek 🔀		
	` 0	al reference).				
		nt: Max limit in legal reference when tested according to EN1811:2011-5.				
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail	contact):	\boxtimes		
	http://ww	vw.lenovo.com/social_responsibility/us/en/environment.html				
P2	Batterie	s				
P2.1*	If the pro	oduct contains a battery or an accumulator, the battery/accumulator is labeled with	the disposal	\boxtimes		
		Information on proper disposal is provided in user manual. (See legal reference)	•		ш	ш
P2.2*	Batteries	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadn	nium. (See leg	al 🔀		
	referenc		` 0		ш	ш
P2.3*	Batteries	s and accumulators are readily removable. (See legal reference)		\boxtimes		
P3	Conforn	nity verification & Eco design (ErP)				
P3.1*		duct is CE-marked to show conformance with applicable legal requirements (see leg	gal reference).	X		$\overline{}$
			mail addres		ш	ш
	http://w	ww.lenovo.com/social responsibility/us/en/ec doc notebooks/		,		
	<u> </u>					
P3.2*		duct complies with the Eco design requirements for energy-related products,		\boxtimes		
	, ,	al reference).			_	_
	Required	d information is; given in item P15 or added to this document,		\bowtie		
		available at (add URL):				
	http://w	ww.lenovo.com/social_responsibility/us/en/datasheets_notebooks/				
P5		packaging				
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercur	y, cadmium a	nd 🔀		
		ent chromium by weight of these together.				
P5.2*		kaging materials are marked with abbreviations and numbers indicating the nature	of the material	(s)		\Box
		e legal reference).		` '	ш	ш
P5.3*		duct packaging material is free from ozone depleting substances as specified	in the Montre	eal 🔀		
		(see legal reference).				
	Commer	nt: Legal reference has no maximum concentration values.				
P6	Treatme	nt information				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Information for recyclers/treatment facilities is available (see legal reference).

P6.1*

Model number *	80XK, 80YF, 80YD, 80XG	Logo	Lonovo
Issue date *	2017-1-10		Lei Iovo

Produc	t environmental attributes - Market requirements (See General NOTE GN below)			
		Require		met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design, Disassembly, recycling		_	
P7.1*	Parts that have to be treated separately are easily separable		Ц.	_ <u>_</u> _
P7.2*	Plastic materials in covers/housing have no surface coating.		\boxtimes	
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.			
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes		
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		
P7.9	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: >PC+ABS-FR(40)< Material type: >PC+ABS-TD15FR(40)< Material type:			
P7.12	Insulation materials of external electrical cables are PVC free.		\boxtimes	
P7.13	Insulation materials of internal electrical cables are PVC free.		\boxtimes	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts			
	containing more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR(40)			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: Brominated Epoxy Resin, CAS #: 26265—08—7			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4: <i>FR(16)</i>			
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%:			
	Comment: No legal limits exist, this is a market requirement. 1. Chemical name: <i>YGN5001RFD</i> , CAS #: <i>confidential n</i> 2. Chemical name: <i>YGN5151RFL</i> , CAS #: <i>confidential</i> 3. Chemical name: <i>NH-1150</i> , CAS #: <i>confidential</i> 4. Chemical name: <i>FR3021</i> , CAS #: <i>confidential</i> 5. Chemical name: <i>FR3002</i> , CAS #: <i>confidential</i> Alt. 2			
	Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4: FR(40)			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been			
	assigned the following Risk phrases; and Hazard statements: The source(s) for these classifications is/are found at (add URL(s)): European Council Directive 67/548/EEC , (See note B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):		\square	
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 0%.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	80XK, 80YF, 80YD, 80XG	Logo	Lonovo
Issue date *	2017-1-10		LEI IOVO"

Product environmental at	tributes - Market r	equirements (conti	nued)	Requirement met
Item				Yes No n.a.
	tance requirements			
		I in the product (See No		
		s below shall be answe		
	c parts' weight > 25 g by weight) is 0		material content (calcu	lated as a percentage
or or	by weight) is	70.		
	the biobased plastic r	naterial is g.		
		less than 0,1 mg/lamp.		
P8 Batteries	specify: Number of lan	nps: and maxim	um mercury content pe	r lamp: mg
P8.1* Battery chemical c	omposition: LI-ION			
	tion (See NOTE B8)			
		s or energy consumption	ons are reported:	
Energy mode *	Power level at	Power level at	Power level at	Reference/Standard for energy
Book (On mone)	100 V AC	115 V AC	230 V AC	modes and test method *
Peak (On-max)	65 W	65 W	65 W	Full load
Category I1				
Short Idle State - WOL	5.41 W	5.28 W	5.33 W	Use for ENERGY STAR V6
Enabled	0.41 W	3.20 VV	0.00 **	registration (P _{idle})
Long Idla State 14/01	2.44 \\\	3.21 W	3.28 W	Use for ENERGY STAR V6
Long Idle State - WOL Enabled	3.11 W	3.21 VV	3.20 VV	registration (P _{idle})
				cogress arrest (c. alloy
Sleep (S3) - WOL Enabled	0.44 W	0.46 W	0.47 W	Use for ENERGY STAR V6
				registration(P _{sleep})
Sleep (S3) - WOL Disabled	0.44 W	0.46 W	0.47 W	Reference
Off (S5) - WOL Enabled	0.28 W	0.31 W	0.32 W	Use for ENERGY STAR V6
Cir (CO) Trol Emasion	0.20		0.02	registration(P _{off})
Off (S5) - WOL Disabled	0.28 W	0.31 W	0.32 W	Use for ErP
	0.20 11	0.01 11	0.02 **	030 101 2.11
Category I2				
Short Idle State - WOL	5.41 W	5.57 W	5.68 W	Reference
Enabled				
Long Idle State - WOL	3.31 W	3.41 W	3.44 W	Reference
Enabled				
Slean (S2) WOL Freshed	0.45 W	0.48 W	0.51 W	Reference
Sleep (S3) - WOL Enabled	0.45 VV	U.46 VV	0.51 VV	Reference
Sleep (S3) - WOL Disabled	0.45 W	0.48 W	0.51 W	Reference
Off (S5) - WOL Enabled	0.29 W	0.31 W	0.32 W	Reference
Off (S5) - WOL Disabled	0.29 W	0.31 W	0.32 W	Reference
				Transfer and a
EPS No-load (External power supply / charger plugged in the	0.099 W	0.106 W	0.108 W	
wall outlet but disconnected from the product.)	14/	\A/	14/	
PTEC * Typical Energy Consumption	W	W	W	
ETEC *	18.90 kWh/year	18.78 kWh/year	19.02 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25)$
Annual Energy Consumption	19.13 kWh/year	19.78 kWh/year	20.20 kWh/year	+ P _{sleep} x 0.35 + P _{long_Idle} x 0.10+
	P. w. Off Mode(\$5) - W/	Ol Fnabled: Parasi Sleen	Mode(S3) - WOL Enable	P _{short_Idle} x 0.30) d; P _{idle} : Idle State - WOL Enabled
External Power Supply Efficien				, , raie, raio otato - FFOL Litablet
Display resolution * : 1920*108			-,	H
Default time to enter energy sa				H
		on is provided with the	product.	
	lass (monitors only):		r	

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

P10	Emissi	ons										
			- Declared	according to ISO 9296	(See NOTE I	39)						
P10.1	Mode		Mode descr		(000110121	Statistical up	per limit A-v	veiahted so	und powe	er level.	Lwa.c ((B)
	Idle	,	* HDD:Idle			* 2.44		<u> </u>		,	,. (\top
	Operation	on '	* HDD: Op	perating		* 3.7						Ħ
	Other m			eighted sound pressure le	evel (dB) T	16.9 (operat	or nosition o	leskton – id	(a)			
			Deelened A		L _p Am		<u> </u>	•				
	Other m	ode	Declared A-W	eighted sound pressure le	ever (dB) L _{pAm}	28.1 (operat	or position o	lesktop – op	erating)			
	Measur	ed accordi	ing to: 🔀 🛚	SO 7779 🔲 ECMA-7	4							
				Other (only if not	covered by E	ECMA-74)						
				` ,		,						
Model nu	ımber *	80XK, 8	80YF, 80YD	, 80XG				Logo		one	1/0	
Issue dat	te *	2017-1-	10						L	enc	VO	TM
												_
	environ	mental a	ttributes -	- Market requireme	nts (contin	ued)			R	equire		met
Item										Yes	No	n.a.
			emissions									
P10.4				requirement for low fre	quency electr	omagnetic fiel	ds of the fol	lowing volu	ntary	\boxtimes		
P12			computing	adapter only)								
P12.1*				omic requirements of IS	SO 0241 307	for visual displ	av tochnolo	aioc				
P12.1*								gies.			井	-
				ets the requirements o	1 ISO 9995 ai	na 150 9241-4	10.				Щ	
P13			locumentat									
P13.1*					weight (kg): 0, weight (kg): 0,							
					weight (kg): 0.							
P13.2*				ging is free from PVC.						X		
P13.3*				ted fiberboard packag		the contained	nercentage	of minim	ım nost-			+
1 10.0				ntent: 100 %	ing, speeny	ine contained	percentage	01 1111111111	iii poot			
P13.4*	Specify	media for	user and p	oduct documentation ((tick box):							\Box
	Electror	ic 🔲, Pa	aper 🔯, Ot	her 🗌								
P13.5	(Please	only com	plete this ite	m if paper documenta	tion used)							
	Ùser an	d product	documenta	tion on paper media is		•				\boxtimes		
	If Yes, p	lease spe	ecify:									
	Totally of	hlorine-fre	ee							\boxtimes		
		al chlorine								$\overline{\boxtimes}$		
	Process	ed chlorin	ne-free							Ħ		
P14	Volunta	ry progra	ams									
P14.1				ements of the following	voluntary pr	ogram(s):						
	•		•	`	, , , , ,	0 ()						
		Y STAR®		Criteria version: 6.1		ite:		category: I				
	Eco-lab	el: <i>EPEA</i>	4 <i>T</i>	Criteria version: 1680	. 1-2009 Da	ite: 2009/12/9	Product	category: S	ilver			
	Eco-lab	ol:		Criteria version:	De	ite:	Droduct	category:				
P15			nation (See	NOTE B10)	De	ite.	TTOUUCI	category.				
P9				ecific configuration m	av varv: des	crintion of th	e tested nr	nduct cont	iguration	, ·		
				presentations, guarant							a the	
				document. All informati								
				ne of completion, and								ion
			approximate	and provided for information	mational purp	oses only. See	e a Lenovo	Account Re	presenta	tive for i	more	
	informa											
- DO	_	<u> </u>	0 116 177			1.1.1.1.1						
P9				tebooks & Tablet Comdex.cfm?fuseaction=fin				22-codo				

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo ideapad 320-14	Logo	
Model Number	80XK, 80YF, 80YD, 80XG		Lonovo
Issue Date	2017-1-10		Lenovo.
Additional information			

d)	Year of manufacture:				2017	
e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are	
f)	Etec value (kWh) per ErP Lot 3 Categor enable	y and capability adjust	ments applied when a	II discrete graphics o	cards (dGfx) are	
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)	
	Memory over base [GB]	20	20			
ents	Additional internal storage	No (Yes / No)	Yes (Yes / No)	(Yes / No)	(Yes / No)	
capability adjustments applied during testing	Discrete television tuner	No (Yes / No)	No (Yes / No)	(Yes / No)	(Yes / No)	
ability a	Discrete Audio Card	No (Yes / No)	No (Yes / No)	(Yes / No)	(Yes / No)	
cap	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	Yes #: 1 (Yes / No)	#: (Yes / No)	#: (Yes / No)	
	Category of discrete graphics Card(s)		G3			
sults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	9.86				
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled		11.17			
3)	Idle state power demand (Watts);	1	<u> </u>	<u> </u>	A: 2.97; B:3.44	
ו)	Sleep mode power demand (Watts);				A: 0.48; B:0.51	
)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		A: 0.48; B:0.51	
)	Off mode power demand (Watts);				A: 0.31: B:0.32	
()	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		A: 0.31; B:0.32	
)	Internal power supply efficiency at 10 %,	20 %, 50 % and 100 °	% of rated output power	er (if applicable):	· · · · · · · · · · · · · · · · · · ·	
	10% 20% 50%	100% Avera	ige			
n)	External power supply efficiency (if appli	cable)*:				
	Average active efficiency: 45W:88.40%		<i>:</i> 89.23%,89.31%,88.	93%		
o)	*internal note: show values for all available external power supplies Minimum number of loading cycles that the batteries can withstand (applies only to notebook computers): 300CYCLES					
o-1)	Measurement methodology used to dete	rmine information men	tioned in points (I) – ir	nternal PSU efficiency:		

	Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency: EPA "Test Method for calculating the Energy Eifficiency of Single-Voltage External AC-DC and AC- AC Power Suppler" dated August 11,2014							
(p-3) Measurement method	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: IEC61916 measurement methodology							
	120013 to measurement meandology							
	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration: IEC62321/IEC EN50564:2011 measurement methodology							
q) Sequence of steps f	Sequence of steps for achieving a stable condition with respect to power demand:: IEC62321/IEC EN50564:2011 measurement methodology							
	leep and/or off mode was selected or programmed: nagement, sleep mode: ACPI system level G1/S3 ACPI system level G2/S5 ('soft off') s							
off mode:	required to reach the mode where the equipment au er to power management, 30mins automatically re							
condition which doe	te condition before the computer automatically resonce the applicable power demand requirements	ents for sleep mode (in minutes):	30					
mode that has a lo	r a period of user inactivity in which the compute wer power demand requirement than sleep mode (in	n minutes):	NA					
	ore the display sleep mode is set to activate after nergy-saving potential of power management functio		10					
v) information on the c	refer to user manual	manty.						
() User information on	how to enable the power management functionality: refer to user manual							
	measurements: — test voltage in V and frequency in system, — information and documentation on the in sting: 230V50HZ-2%-Edition 2.0, 2011-01, Section 4	strumentation, set-up and circuits						
Additional Notebook Batte								
	Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a					
	The battery[ies] in this product cannot be easily replaced by users themselves. 1)							
nternal/built-in Battery								
xternal/detachable Battery								
ios Backup Battery								
Other:								
dditional information								
e hatterv(ies) in this product cannot be	easily replaced by users themselves.							
имулаторната[ите] батерия[и] в този s baterías de este producto no pueder měnu baterie/baterií v tomto výrobku l igeren kan ikke uden videre udskifte t r Akku/die Akkus dieses Produkts kan	продукт не може да се замени[ят] лесно от самите потребит i ser sustituidas fácilmente por los propios usuarios. by neměli provádět sami uživatelé. atteriet/batterierne i dette produkt. n/können nicht ohne weiteres vom Benutzer selbst ausgetauscht							
/les batterie(s présente(s) dans ce pro prisnik ne može lako zamijeniti Bateriju	ορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες duit ne peuvent être facilement remplacée(s) par les utilisateurs e sam u ovom proizvodu. non puó/possono essere facilmente sostituita/e dall'utente.							
o gaminio baterijos [baterijų] pats varto termék akkumulátorát/akkumulátorait a	tojas negali lengvai pakeisti. ı felhasználó nem tudja egyedül egyszerűen kicserélni. ɒx/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess.							

Annex B1 of ECMA-370 5th edition (Lenovo) 2015-04-08

Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Užytkownik nie može sam w łatwy sposób wymienić baterii w tym produkcie.

A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înşişi.

Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ.

Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna.

Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.