



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo
Company name *	Lenovo	
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com	Lenovo
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html
Additional information	The latest version of this document can be found at: http://www.lenovo.com/ecodeclaration	

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.							
Type of product *	NB							
Commercial name *	Lenovo ideapad 320S-14							
Model number *	81BN							
Issue date *	2017/7/24							
Intended market *	Global Europe Asia, Pacific & Japan Americas Other							
Additional information								

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model nu	mber *	81BN	Logo	Lon		
Issue dat	e *	2017/7/24		Lend	DVC	J _{th}
Product	environ	mental attributes - Legal requirements		Require	menf	t met
Item				Yes	No	n.a.
P1		ous substances and preparations				
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE	B1)	\boxtimes		
P1.2*	Commer	s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.				
P1.3*	hydrobro trichloroe	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no mation values.				
P1.4*	terpheny	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych rl (PCT) in preparations (see legal reference).				
P1.5*		s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carl ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in th	he 🔀		
P1.6*	(see lega	th direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.),5 μg/cm²/wee	ek 🔀		
P1.7*		Article 33 information about substances in articles is available at (add URL or mail	contact):			
P2	Batterie	s				
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with Information on proper disposal is provided in user manual. (See legal reference)	he disposal			
P2.2*	Batteries reference	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadn e)	nium. (See lega	al 🔀		
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		\square	П	
P3	Conforn	nity verification & Eco design (ErP)				
P3.1*		duct is CE-marked to show conformance with applicable legal requirements (see leg	gal reference).	\square	\Box	
	The Dec	laration of Conformity can be requested at (add link or e-mail address):				
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).				
	-	d information is; given in item P15 or added to this document,				
_		available at (add URL):				
P5		packaging	<u> </u>	. 5		
P5.1*	hexavale	ng and packaging components do not contain more than 0,01% lead, mercur ent chromium by weight of these together.				
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature elegal reference).		.,		
P5.3*	Protocol	duct packaging material is free from ozone depleting substances as specified (see legal reference). nt: Legal reference has no maximum concentration values.	in the Montre	eal 🔀		
P6		nt information				
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).		\square		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	81BN	Logo	Lonovo
Issue date *	2017/7/24		LEI IOVO,

Produc	t environmental attributes - Market requirements (See General NOTE GN below)			
		Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design Picasa and the grant that a			
P7.1*	Disassembly, recycling Parts that have to be treated separately are easily separable			
P7.2*	Plastic materials in covers/housing have no surface coating.		X	╫
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.			
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		╫	
			 	-
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		<u> </u>	
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).			
P7.7*	Product lifetime Upgrading can be done e.g. with processor, memory, cards or drives			
P7.8*			- - -	-
P7.8	Upgrading can be done using commonly available tools		Ш	#
	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
P7.11*	Material and substance requirements Product cover/housing material type (e.g. plastics, metal, aluminum):			
F7.11	Material type: PC+ABS Material type: Metal Material type: Aluminum.	m		
P7.12	Insulation materials of external electrical cables are PVC free.			\boxtimes
P7.13	Insulation materials of internal electrical cables are PVC free.		X	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%	, <u> </u>		+
	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and		ш	
	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts	3		
D7.45	containing more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2)	<i>I</i>		
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: >PC+ABS<			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):			
	TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: <i>chemical name</i> , CAS #:	\boxtimes		
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g			
	according ISO 1043-4: <i>FR16</i>			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in	า		
	concentrations above 0,1%:			\boxtimes
	1. Chemical name: , CAS #: (See NOTE B4)			
	2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: "			
D7.40	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:		<u>Н</u>	
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been			
	assigned the following Risk phrases; and Hazard statements: The accuracy for those elegations is lore found at (add LIRI (a)): (See note RE)			
P7.20*	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5) Postconsumer recycled plastic material content is used in the product (See Note B6):	$\overline{\square}$		$\overline{}$
1 20	. SSISSINSSINS 1. SO JOINE PRESIDENT AND			
	If YES; at least one of the two alternatives below shall be answered;			
	a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as			
	a percentage of total plastic by weight) is 0.6%.			
	b) The weight of recycled material is 4 g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	81BN	Logo	Lonovo
Issue date *	2017/7/24		Leliovo"

Product	environmental at	tributes - Market re	equirements (conti	nued)	·	Require	emen	t met
Item			•	,		Yes	No	n.a.
	Material and subs	tance requirements	(continued)					
P7.21*	Biobased plastic m	aterial content is used	in the product (See NO	OTE B7):				\boxtimes
			s below shall be answe , the biobased plastic i	ered; material content (calcul	ated as a percentage			
	of total plastic			,				
	, ,	the biobased plastic n						
P7.22*		ree from mercury, i.e. specify: Number of lan	less than 0,1 mg/lamp.	um mercury content per	· lamp: mg		Ш	
P8	Batteries	specify. Humber of lan	ipo. una maxim	an mercury content per	iump. mg			
P8.1*	Battery chemical co	omposition:						\boxtimes
P9		tion (See NOTE B8)						
P9.1			s or energy consumption		1=			
Energy mo	de *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard modes and test methods		ergy	
Peak (On-	max)	65 W	65 W	65 W	Full load			
Categor	y NBI1							
Short Idle Enabled	State - WOL	5.03 W	5.034 W	5.043 W	Reference			
Long Idle Enabled	State - WOL	2.715 W	2.715 W	2.76 W	Reference			
Sleep (S3)	- WOL Enabled	0.381 W	0.387 W	0.437 W	Reference			
Sleep (S3)	- WOL Disabled	0.377 W	0.383 W	0.434 W	Reference			
Off (S5) - V	WOL Enabled	0.208 W	0.219 W	0.274 W	Reference			
Off (S5) - V	WOL Disabled	0.205 W	0.216 W	0.271 W	Reference			
		17.221 W	17.274 W	17.661 W	Reference			
Categor	y NBI2							
Short Idle Enabled	State - WOL	4.24 W	4.24 W	4.262 W	Reference			
Long Idle Enabled	State - WOL	2.105 W	2.109 W	2.146 W	Reference			
Sleep (S3)	- WOL Enabled	0.365 W	0.372 W	0.425 W	Reference			
Sleep (S3)	- WOL Disabled	0.365 W	0.372 W	0.425 W	Reference			
Off (S5) - V	NOL Enabled	0.195 W	0.207 W	0.261 W	Reference			
Off (S5) - V	WOL Disabled	0.195 W	0.207 W	0.261 W	Reference			
		14.533 W	14.584 W	14.955 W	Reference			
Categor	<u>y</u>							
Short Idle Enabled	State - WOL	W	W	W	Reference			
Long Idle Enabled	State - WOL	W	W	W	Reference			
Sleep (S3)	- WOL Enabled	W	W	W	Reference			

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Sleep (S.	3) - WOL Disabled	W	W	W	Reference
Off (S5) -	- WOL Enabled	W	W	W	Reference
Off (S5) -	- WOL Disabled	W	W	W	Reference
		W	W	W	Reference
EPS No-l	oad	0.053 W	0.052 W	0.149 W	
	er supply / charger plugged in the disconnected from the product.)				
PTEC *		W	W	W	
	nergy Consumption				
ETEC *		14.533 kWh/year	14.584 kWh/year	14.955 kWh/year	
	nergy Consumption		I E C Madia D		
		• •	al Efficiency Marking P	rotocol) * : V	
Display re	esolution * : 1920*108	80 megapixels			
Default tir	me to enter energy sa	eve mode: 10 minutes	;		
P9.2*	Information about	the energy save func	tion is provided with the	e product.	
P9.3	Energy efficiency of	class (monitors only):			
P10	Emissions				<u> </u>
	Noise emission -	Declared according	to ISO 9296 (See NOT	E B9)	
P10.1		Mode description			nit A-weighted sound power level, L _{WA,c} (B)
	Idle *	18.0		* 2.8	
	Operation *	33.9		* 4.3	
	Other mode				
	Measured according	ng to: ISO 7779 Other	ECMA-74 (only if not covered b	y ECMA-74)	

Model nur	nber *	81BN					Logo	1.0	100	VO	
Issue date	*	2017/7/24						Le	eno	VO,	•
Product	environn	nental attribute	s - Market requirem	nents (con	tinued)			Re	quirer	nent	met
Item			-	•					Yes	No	n.a.
	Electron	nagnetic emissio	ns								
P10.4	program	(s):	ne requirement for low f	requency ele	ectromagnet	tic fields of the fo	llowing volunta	ary			
P12		nics for computi									
P12.1*	The disp	lay meets the ergo	onomic requirements of	ISO 9241-3	07 for visua	I display technolo	ogies.				
P12.2*	The phys	sical input device i	meets the requirements	of ISO 999	5 and ISO 9	241-410.				\boxtimes	
P13		ng and documen									
P13.1*	Product	packaging materia packaging materia packaging materia	ıl type(s): <i>EPE</i>	weight (kg) weight (kg) weight (kg)): 0.084						
P13.2*	Product	olastic primary pa	ckaging is free from PV	C.						\boxtimes	
P13.3*		uct primary corruer recovered fiber	gated fiberboard pack content: 80 %	aging, speci	ify the conta	ained percentage	e of minimum	post-			
P13.4*		nedia for user and onic, ⊠Paper, [I product documentation Other	n (tick box):							
P13.5	Ùser and		item if paper documen ntation on paper media								
	•	nlorine-free									
		al chlorine-free							Ш		
		ed chlorine-free							Ш		
P14		y programs									
P14.1	The prod	uct meets the req	uirements of the followi	ing voluntary	program(s)):					
	ENERGY	/ STAR®	Criteria version: 6.1	1	Date:	Product	category: 11&	.12			
	Eco-labe	l:	Criteria version:		Date:	Product	category:				
	Eco-labe		Criteria version:		Date:	Product	category:				
P15		al information (S									
P9	Energy (consumption of	specific configuration	may vary;	description	of the tested pr	oduct config	uration:			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo ideapad 320S-14	Logo	
Model Number	81BN		Lenovo
Issue Date	2017/7/24		reliovo"
Additional information			

	Product environmental attributes				
(d)	year of manufacture:				2017
e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are
(f)	Etec value (kWh) per ErP Lot 3 Categor enable	y and capability adjust	tments applied when a	all discrete graphics	cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]	4	4		
ents sting	Additional internal storage	No (Yes / No)	No (Yes / No)	(Yes / No)	(Yes / No)
capability adjustments applied during testing	Discrete television tuner	No (Yes / No)	No (Yes / No)	(Yes / No)	(Yes / No)
ability a	Discrete Audio Card	No (Yes / No)	No (Yes / No)	(Yes / No)	(Yes / No)
cap	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	Yes #: 1 (Yes / No)	#: (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)		G3		
esults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	10.18	7.38		
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled				
(g)	Idle state power demand (Watts);	1	1	Cai	t.A: 2.828 Cat. B: 2.146
(h)	Sleep mode power demand (Watts);			Ca	t.A: 0.416 Cat. B 0.425
(i)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);	Ca	t.A: 0.416 Cat. B 0.425
(j)	Off mode power demand (Watts);			Cat	A: 0.2445 Cat. B 0.26
(k)	Off mode with WOL enabled power dema	and (Watts) (where en	abled);	Cat	A: 0.2445 Cat. B 0.26
(I)	Internal power supply efficiency at 10 %,	20 %, 50 % and 100 °	% of rated output pow	er (if applicable):	
	10% 20% 50%	100% Avera	age		
(m)	external power supply efficiency (if applic	cable)*:			
	Average active efficiency: 45W:88.40%,	;88.64%;88.53%;65W	÷ 89.23%,89.31%,88	.93%	
	*internal note: show values for all available external po				
(o)	Minimum number of loading cycles that t	he batteries can withs	tand (applies only to r	notebook computers):	300
(p-1)	Measurement methodology used to dete	rmine information mer	ntioned in points (I) - i	nternal PSU efficiency	:
(p-2)	Measurement methodology used to dete EPA "Test Method for Calculating the		f Single-voltage Ext		

(p-3)	o-3) Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: IEC 61960 measurement methodology			
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:			
		IEC 62623/IEC EN50564:2011 measurement n	nethodology	
(q)	Sequence of steps for achieving a stable condition with respect to power demand::			
		IEC 62623/ IEC EN50564:2011 measurement n	nethodology	
(r)	Description of how sleep and/or off mode was selected or programmed:			
		Energy-star requirement		
(s)	Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:			
		Energy-star requirement		
(t)	Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):			30
(u)	Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):			NA
(v)				10
(w)				
		Based on user manual		
(x)	user information on h	now to enable the power management functionality:		
		Based on user manual		
(z)	test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing:			
		230V/50Hz, Total Harmonic Distortion	<2 %	
Additio	n Notebook Battery		- 77	
		Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)		
Internal/built-in Battery				
External/detachable Battery				
Bios Backup Battery				
Other:				
Addition	al information			
4)				
1) The battery[i	ies] in this product cannot be	easily replaced by users themselves.		

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители. Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes.

Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente. Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us).

Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni. II-batterija/batteriji f'dan iI-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess.

Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar. Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie.

A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși. Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ.

Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati. Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa. Det är inte enkelt för kunden att själv byta ut batteriet/batterierna.

Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.