



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

## Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo			
Company name *	Lenovo				
Contact information *	Lenovo Global Environmental Affairs	Lenovo			
e-mail address	Alvin L Carter	LCHOVO			
	<u>alcarter@lenovo.com</u>				
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html				
Additional information	The latest version of this document can be found at:				
	http://www.lenovo.com/ecodeclaration				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Notebook				
Commercial name *	Lenovo ideapad 530S-15				
Model number *	81EV				
Issue date *	2018-1-16				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

#### About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number "		81EV	Logo	Lon		
Issue dat	:e *	2018-1-16		Lend		<b>J</b> <sub>th</sub>
Product	environ	mental attributes - Legal requirements		Require	men	t met
Item				Yes	No	n.a.
P1	Hazardo	ous substances and preparations				
P1.1*		do comply with current European RoHS Directive. (See legal reference and NOTE	B1)			
P1.2*		s do not contain Asbestos (see legal reference).		$\boxtimes$		
D4 2*		nt: Legal reference has no maximum concentration value. s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),			$\overline{}$	
P1.3*			I = 1	$\boxtimes$		
		omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach				
		ethane, methyl bromide (see legal reference). Comment: Legal reference has no m ation values.	iaxiiiiuiii			
P1.4*			lorinated		$\overline{}$	
P1.4	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).					
P1.5*	Products	do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carl	oon atoms in th	ne 🔀		
		ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).				
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm²/week					
		al reference).		_	_	_
	Commer	nt: Max limit in legal reference when tested according to EN1811:2011-5.				
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail	contact):	$\boxtimes$		
	http://ww	/w.lenovo.com/social_responsibility/us/en/environment.html				
P2	Batterie	S				
P2.1*	If the pro	oduct contains a battery or an accumulator, the battery/accumulator is labeled with	he disposal	X	$\Box$	$\Box$
		Information on proper disposal is provided in user manual. (See legal reference)				
P2.2*		or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadn	nium. (See lega	al 🔀		
	referenc		, ,			
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		$\boxtimes$		
P3		nity verification & Eco design (ErP)				
P3.1*	The prod	duct is CE-marked to show conformance with applicable legal requirements (see leg	gal reference).			
			mail addres	s):		
	http://w	ww.lenovo.com/social_responsibility/us/en/ec_doc_notebooks/				
P3.2*	The proc	duct complies with the Eco design requirements for energy-related products,			$\overline{}$	$\overline{}$
1 3.2	•	al reference).			Ш	
	Required	d information is; given in item P15 or added to this document,				
		available at (add URL):				
	httn://v	vww.lenovo.com/social_responsibility/us/en/datasheets_notebooks/				
P5		packaging				
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercury	/ cadmium a	nd 🔀	$\overline{}$	
1 0.1		ent chromium by weight of these together.	,, oddiniani d	<u> </u>	ш	
P5.2*		kaging materials are marked with abbreviations and numbers indicating the nature	of the material	(s)	$\neg$	
		e legal reference).			Ш	Ш
P5.3*		duct packaging material is free from ozone depleting substances as specified	in the Montre	eal 🔀		
		(see legal reference).			ш	ш
		nt: Legal reference has no maximum concentration values.				
P6		nt information				
P6 1*		on for recyclers/treatment facilities is available (see legal reference)			$\neg$	

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	81EV	Logo	Longvo
Issue date *	2018-1-16		Lei Iovo.

Produc	et environmental attributes - Market requirements (See General NOTE GN below)			
	- Environmental conscious design	Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design, Disassembly, recycling		_	
P7.1*	Parts that have to be treated separately are easily separable		Щ.	
P7.2*	Plastic materials in covers/housing have no surface coating.		Щ.	
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.			$\boxtimes$
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	$\boxtimes$		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.			
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	$\boxtimes$		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives			
P7.8*	Upgrading can be done using commonly available tools	$\boxtimes$		
P7.9	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: >PC+ABS-FR(40)< Material type: >PC+ABS-TD15FR(40)< Material type:			
P7.12	Insulation materials of external electrical cables are PVC free.			
P7.13	Insulation materials of internal electrical cables are PVC free.		$\boxtimes$	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%			
	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, ar polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in par			
	containing more than 25% post-consumer recycled content.	ıs		
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are lo	w	$\boxtimes$	
	halogen as defined in IEC 61249-2-21. (See 1NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: <i>FR</i> (40)			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):	_		
	TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: Brominated Epoxy Resin, CAS #:			
	26265—08—7			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g	$\boxtimes$		
	according ISO 1043-4: FR(16)			
P7.18	Alt. 1	in 🔽		
	Flame retarded plastic parts >25g contain the following flame retardant substances/preparations concentrations above 0.1%:	in 🔀	Ш	
	Comment: No legal limits exist, this is a market requirement.			
	1. Chemical name: CAS #: <i>confidential</i>			
	2. Chemical name: CAS #: confidential			
	. Chemical name: FR3021, CAS #: confidential			
	Alt. 2  Chamical appointance of flame retardants in plactic parts > 25g according ISO 1042.4:			
	Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4: FR(40)	$\boxtimes$		
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been	X	$\overline{\Box}$	
	assigned the following Risk phrases; Confidential and Hazard statements:Confidential			
	The source(s) for these classifications is/are found at (add URL(s)): European Council Directive			
D7 00*	67/548/EEC , (See note B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6): If YES; at least one of the two alternatives below shall be answered;	$\boxtimes$	Ш	Ш
	a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as			
	a percentage of total plastic by weight) is 0%.			
	or The state of th			
1	b) The weight of recycled material is 0.1 q.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nun	nber *	81EV				Logo	Lonovo
Issue date	*	2018-1-1	6				Lenovo.
Product 6	environn	nental at	tributes - Market re	equirements (contir	nued)		Requirement met
Item		Torrear ac	market i	oquiromonio (ooniii	idouj		Yes No n.a.
	Material	and subs	tance requirements (	(continued)			
P7.21*				in the product (See NO	OTE B7):		
	If YES; a	t least one	e of the two alternatives	s below shall be answe	ered;		
					naterial content (calcula	ited as a percen	tage
	or to	otai piastic	by weight) is 0 %	<b>%</b> .			
	b) The		the biobased plastic n				
P7.22*				less than 0,1 mg/lamp.	ım maraun, aantant nar	lomn: ma	
P8	Batterie		specify: Number of lam	ips. and maximi	um mercury content per l	lamp: mg	
P8.1*			omposition: LI-ION				П
P9	Energy	consumpt	tion (See NOTE B8)				
P9.1		roduct the	following power levels	s or energy consumption			_
Energy mod	de *		Power level at 100 V AC	Power level at 115 V AC		Reference/Stan modes and test	dard for energy
Peak (On-r	nax)		65 W	65 W	65 W	Full load	metrod
Categor	<u>y 12</u>						
Short Idle Enabled	State - W	OL	6.66 W	7.18 W		Use for ENERO registration (Page 1997)	
Long Idle S Enabled	State - W	OL	4.21 W	5.84 W		Use for ENERO registration (Page 1997)	
Sleep (S3)	- WOL E	nabled	0.34 W	0.34 W		Use for ENERO registration(Ps.	
Sleep (S3)	- WOL Di	sabled	0.34 W	0.34 W	0.37 W	Reference	
Off (S5) - V	VOL Enal	oled	<b>0.26</b> W	<b>0.27</b> W		Use for ENERO registration(Po	
Off (S5) - V	VOL Disa	bled	0.26 W	<b>0.27</b> W	<b>0.27</b> W	Use for ErP	
EPS No-loa (External power s wall outlet but disc		plugged in the	0.07 W	<b>0.08</b> W	0.08 W		
PTEC *	connected from	trie product.)	W	W	W		
Typical Ene	ergy Cons	umption					
ETEC * Annual Ene	ergy Cons	umption	22.8 kWh/year 16.34 kWh/year	25.62 kWh/year 15.01 kWh/year	18.18 kWh/year		(00) x (P <sub>off</sub> x 0.25 P <sub>long_Idle</sub> x 0.10+
					Mode(S3) - WOL Enabled;	; P <sub>idle</sub> : Idle State	- WOL Enabled
	- ' '	•	` `	Efficiency Marking Pro	tocol) * : VI		
. ,			0 megapixels				
			ve mode: 10 minutes				
P9.2*				on is provided with the	product.		
P9.3			lass (monitors only):				
P10	Emissio		Declared according to	JSO 0206 (See NOTE	DO)		
P10.1	Mode er		lode description	ISO 9296 (See NOTE		A-weighted sour	nd power level, L <sub>WA,c</sub> (B)
	Idle	*	HDD:Idle		* 3.0	· · · · · · · · · · · · · · · · · · ·	1. porto: 10101, 2m,s (2)
	Operatio		HDD: Operating		* 4.3		
	Other mo	ode D	eclared A-weighted sound	d pressure level (dB) $L_{p{ m Am}}$	21.9 (operator positio	n desktop – idle)	
	Other mo	ode D	eclared A-weighted sound	d pressure level (dB) $L_{p{\sf Am}}$	34.8 (operator positio	n desktop – oper	rating)
		d accordir		ECMA-74	1		<u> </u>
	Other (only if not covered by ECMA-74)						

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Model number *		81EV					Logo	Long	1/0	
Issue dat	te *	2018-1-16						Lenc	VO	тм
Product	t environr	nental attribut	es - Market requirer	nents (coi	ntinued)			Require	ment	met
Item								Yes	No	n.a.
		nagnetic emissi								
P10.4	program	(s): MPR-II	the requirement for low	frequency e	electromagnetic field	ds of the foll	owing voluntary			
P12		nics for comput								
P12.1*			gonomic requirements o		·	-	gies.	$\boxtimes$		
P12.2*	The phys	sical input device	e meets the requirement	s of ISO 999	95 and ISO 9241-4	10.		$\boxtimes$		
P13	Packagi	ng and docume	entation							
P13.1*	Product	packaging mater	rial type(s): CARTON rial type(s): CUSHION rial type(s): Gift BOX	weight (ko weight (ko weight (ko						
P13.2*	Product	plastic primary p	ackaging is free from P\	/C.				$\boxtimes$		
P13.3*			rugated fiberboard pack r content: <b>100</b> %	kaging, spe	cify the contained	percentage	of minimum po	ost-		
P13.4*	Specify r	nedia for user ar c ⊠, Paper ⊠	nd product documentation	on (tick box)	:					
P13.5	Ùser and		is item if paper documer entation on paper media							
	•	hlorine-free al chlorine-free						$\boxtimes$		
	Processe	ed chlorine-free								
P14	Volunta	y programs								
P14.1	The prod	luct meets the re	quirements of the follow	ving voluntai	ry program(s):					
		/ STAR® II: <i>EPEAT</i>	Criteria version: 6. Criteria version: 16 Criteria version:		Date: Date: 2009/12/9 Date:	Product	category: <i>I1, I2</i> category: <i>Silver</i> category:			
P15			(See NOTE B10)		Date.	1 Toddot	oatogory.			
P9			specific configuration	n may vary;	description of the	e tested pro	oduct configura	ation:		
	NOTE: S informati knowled	upplier makes non contained in the general contained in the general contained in the general contained in the contained in th	o representations, guara this document. All inform the time of completion, ar nate and provided for inf	antees, assunation provided	urances or warrantion  ded by supplier in the	es whether his document tion to upda	express or impli nt is provided ba ate such informa	ed, regardin sed on supp ation. The inf	plier's format	ion
P9			d Notebooks & Tablet C v/index.cfm?fuseaction=				code=CO			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) *  * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

# **Lenovo ErP Lot3 Information Sheet** - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

### **Products scope of this sheet:**

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo ideapad 530S-15IKB	Logo	
Model Number	81EV		Lenovo
Issue Date	2018-1-16		reliovo.
Additional information			

	Product environmental attributes				
d)	Year of manufacture:				2018
e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are
)	Etec value (kWh) per ErP Lot 3 Categor enable	y and capability adjust	ments applied when <b>a</b>	II discrete graphics of	cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]	16	16		
ents ting	Additional internal storage	No (Yes / No)	No (Yes / No)	(Yes / No)	(Yes / No)
adjustm ring tes	Discrete television tuner	No (Yes / No)	No (Yes / No)	(Yes / No)	(Yes / No)
capability adjustments applied during testing	Discrete Audio Card	No (Yes / No)	No (Yes / No)	(Yes / No)	(Yes / No)
cap	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	Yes #: 1 (Yes / No)	#: (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)		G3		
ssults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	10.72			
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled		10.67		
1)	Idle state power demand (Watts);		ı	ı	A : 3.32 ; B:3.34
)	Sleep mode power demand (Watts);				A : 0.48 ; B:0.48
)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		A : 0.48 ; B:0.48
)	Off mode power demand (Watts);				A : 0.30 ; B:0.33
:)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		A : 0.30 ; B:0.33
)	Internal power supply efficiency at 10 %,	, 20 %, 50 % and 100 S	% of rated output power	er (if applicable):	
	10% 20% 50%	100% Avera	ige		
1)	External power supply efficiency (if appli	cable)*:			
	Average active efficiency: 89.23%, 89.	03%, 88.93%, 89.04	<b>%, 89.92%, 89.18%</b>		
	*internal note: show values for all available external po				
)	Minimum number of loading cycles that t	the batteries can withst	tand (applies only to n	otebook computers):	800CYCLES
p-1)	Measurement methodology used to dete	rmine information men	ntioned in points (I) - ir	nternal PSU efficiency:	

(p-2)	Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency:  ENERGY STAR® Program Requirements for Single Voltage External Ac-Dc and Ac-Ac Power Supplies  Eligibility Criteria (Version 2.0)					
(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries:  ≥70% of Cmin					
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:  IEC 62623					
(q)	Sequence of steps for	or achieving a stable condition with respect to power  Power on -> Wait 5 minutes -> Stable con				
(r)	Description of how sl	eep and/or off mode was selected or programmed:  **Begin menu -> Power -> Select sleep or	ff mode			
(s)	Sequence of events off mode:	required to reach the mode where the equipment aut	omatically changes to sleep and/or			
(t)		te condition before the computer automatically renter not exceed the applicable power demand requirement		30		
(u)	Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):					
(v)	Length of time before the display sleep mode is set to activate after user inactivity (in minutes):					
(w)		nergy-saving potential of power management function refer to user manual				
(x)	User information on h	now to enable the power management functionality:  refer to user manual				
(z)		measurements: — test voltage in V and frequency in system, — information and documentation on the insting:  230V50HZ-2%-Edition 2.0, 2011-01, Section 4	strumentation, set-up and circuits			
A -1 -1:4:	al Natalea de Datte		, 1202001			
Addition	al Notebook Batter		Detter Seel			
		Battery[ies] <u>not</u> user replaceable  The battery[ies] in this product cannot be easily replaced by users themselves. 1)	Battery[ies] user replaceable	n/a		
Internal/b	uilt-in Battery					
External/	detachable Battery					
Bios Bac	Bios Backup Battery					
Other:	Other:					
Additiona	l information					
		easily replaced by users themselves. продукт не може да се замени[ят] лесно от самите потребите	DEM			

Las baterias de este producto no pueden ser sustituídas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden. Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente.

Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [bateriju] pats vartotojas negali lengvai pakeisti.

A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni. Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.
Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie.
A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși.

Batériu(-ie) v tomto výrobku nemôže výmieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.