

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo				
Company name *	Lenovo					
Contact information *	Lenovo Global Environmental Affairs	Lenovo				
e-mail address	Alvin L Carter					
	alcarter@lenovo.com					
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html				
Additional information	The latest version of this document can be found at:					
	http://www.lenovo.com/ecodeclaration					

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	NB				
Commercial name *	Lenovo ideapad S530-13				
Model number *	81J7, 81J8				
Issue date *	2018/7/2				
Intended market *	🔀 Global 📃 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template: P4.1 – P4.3 Consumable materials P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products P11.1 - P11.3 Consumable materials for printing products.

Model nu	ımber *	81J7, 81J8 Logo				
Issue date *		2018/7/2		Lenovo		
Product	environ	mental attributes - Legal requirements	Require	ement	met	
Item			Yes	No	n.a.	
P1	Hazard	ous substances and preparations				
P1.1*	Product	s do comply with current European RoHS Directive. (See legal reference and NOTE B1)	\square			
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.	\boxtimes			
P1.3*	hydrobr trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, ethane, methyl bromide (see legal reference). Comment: Legal reference has no maximul ration values.				
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinate yl (PCT) in preparations (see legal reference).	ed 🔀			
P1.5*		s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon ato ontaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oms in the 🛛 🔀			
P1.6*	Parts wi (see leg	th direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/c al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	cm²/week			
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail contact ww.lenovo.com/social_responsibility/us/en/environment.html	t):			
P2	Batterie	IS				
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with the disp Information on proper disposal is provided in user manual. (See legal reference)	posal 🔀			

P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)	\boxtimes	
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)	\square	
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	\boxtimes	
P3	Conformity verification & Eco design (ErP)		
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).	\square	
	The Declaration of Conformity can be requested at (add link or e-mail address):		
P3.2*	The product complies with the Eco design requirements for energy-related products, (see legal reference).	\boxtimes	
	Required information is; given in item P15 or added to this document,	\boxtimes	
	available at (add URL):		
	http://www.lenovo.com/social_responsibility/us/en/datasheets_notebooks/		
P5	Product packaging		
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.	\boxtimes	
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference).	\square	
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).	\square	
	Comment: Legal reference has no maximum concentration values.		
P6	Treatment information		
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\bowtie	

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *		81J7, 81J8	Logo				
Issue dat	te *	2018/7/2		Len	_enovo.		
Product		mental attributes - Market requirements (See General NOTE GN onmental conscious design	· ·	Require	ment	met	
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.	
P7		Disassembly, recycling			-		
P7.1*	Parts that	t have to be treated separately are easily separable		\square			
P7.2*	Plastic m	aterials in covers/housing have no surface coating.					
P7.3*	Plastic pa	arts > 100 g consist of one material or of easily separable materials.					
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.						
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.						
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).		\boxtimes			
	Product						
P7.7*	Upgradin	ig can be done e.g. with processor, memory, cards or drives			\boxtimes		
P7.8*	Upgradir	g can be done using commonly available tools				\boxtimes	
P7.9	Spare pa	rts are available after end of production for: 5 years					
P7.10	Service i	s available after end of production for: 5 years					
		and substance requirements					
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):					
			al type:				
P7.12		n materials of external electrical cables are PVC free.					
P7.13		n materials of internal electrical cables are PVC free.		\square			
P7.14	weight (' polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine i n 25% post-consumer recycled content.	e retardants, and	1 -			
P7.15		ircuit boards, PCBs (without components) are low halogen: all] are low haloge	ו 🗌	\boxtimes		
P7.16	Marking:	tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: >PC+ABS-FR(40)<		\square			
P7.17	<u>Alt. 1: </u> Cł	nemical specifications of flame retardants in printed circuit boards > 25 g (without c	omponents):				
		A (additive), TBBPA (reactive) (See NOTE B3), Other: Phenol, 4,4'-1(1-		\bowtie			
		thylidene)bis[2,6-dibromo-, polymer with (chloromethyl)) oxirane and 4,4'-(1- ethylidene)], CAS #:26265-08-7				_	
				\bowtie			
		nemical specifications of flame retardants in printed circuit boards (without compon- g ISO 1043-4: <i>FR(16)</i>	ents) > 25 g				
P7.18	Alt. 1: Fl concentr 1. Chemi 2. Chemi	ame retarded plastic parts > 25 g contain the following flame retardant substance ations above 0,1%: ical name: confidential , CAS #: confidential (See NOTE B4) ical name: , CAS #: ""	es/preparations in	ו 			
		nemical specifications of flame retardants in plastic parts > 25 g according ISO 104	3-4:				
P7.19		parts > 25 g, flame retardant substances/preparations above 0,1% are used which		-H	H		
	-	the following Risk phrases; and Hazard statements:					
	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)		See note B5)				
P7.20*	Postcons	sumer recycled plastic material content is used in the product (See Note B6):			\boxtimes		
	a) Of t a pe or	t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material conter ercentage of total plastic by weight) is <i>0</i> %. weight of recycled material is <i>0</i> g.	nt (calculated as				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	81J7, 81J8	Logo	Lenovo
Issue date *	2018/7/2		Lei Iovo.
Product environ	mental attributes - Market requirements (continued)		Requirement met

Item

Requirement met

P7.21*	Biobased plastic m If YES; at least on a) Of total plasti total plastic b or b) The weight of Light sources are t	c parts' weight > 25 g, y weight) is <i>0</i> %. f the biobased plastic r	in the product (See Ness below shall be answ	vered;							
P7.22*	 a) Of total plasti total plastic b or b) The weight of Light sources are formation. 	c parts' weight > 25 g, y weight) is <i>0</i> %. f the biobased plastic r		,							
P7.22*	or b) The weight of Light sources are f	f the biobased plastic r	 If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is 0%. 								
P7.22*	Light sources are f		or b) The weight of the biobased plastic material is <i>0</i> g.								
	Light sources are free from mercury, i.e. less than 0,1 mg/lamp.										
	Batteries										
		composition: Li-Polym	er, Lithium Mangane	se							
P9	Energy consump	tion (See NOTE B8)									
		e following power level									
Energy mod		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *						
Peak (On-m	ax)	65 W	65 W	65 W	Full load						
Category	<u>NB1</u>										
Short Idle S Enabled	tate - WOL	4.34 W	4.22 W	4.60 W	Use for ENERGY STAR V6 registration (P _{idle})						
Long Idle S Enabled	tate - WOL	2.48 W	2.45 W	2.20 W	Use for ENERGY STAR V6 registration (P _{idle})						
Sleep (S3) -	WOL Enabled	0.39 W	0.40 W	0.47 W	Use for ENERGY STAR V6 registration(P _{sleep})						
Sleep (S3) -	WOL Disabled	0.39 W	0.40 W	0.47 W	Reference						
Off (S5) - W	OL Enabled	0.23 W	0.24 W	0.31 W	Use for ENERGY STAR V6 registration(Poff)						
Off (S5) - W	OL Disabled	0.23 W	0.24 W	0.31 W	Use for ErP						
EPS No-load	ł	.05 W	W	W							
	gy Consumption	0.052 W	0.058 W	0.144 W							
ETEC * Annual Ener	gy Consumption	15.28 kWh/year	14.99 kWh/year	16.14 kWh/year	E _{TEC} = (8760/1000) x (P _{off} x 0.25 + P _{sleep} x 0.35 + P _{long_ldle} x 0.10+ P _{short_ldle} x 0.30)						
					ed; P _{idle} : Idle State - WOL Enabled						
		ncy Level (International	Efficiency Marking Pr	otocol) * : VI							
. ,	lution * : 1920x10	• ·									
		ave mode: 10 minutes									
		the energy save functi	on is provided with the	e product.							
		class (monitors only):									
	Emissions	Declared coordination		= P0)							
		 Declared according to Aode description 	130 9290 (See NOT		it A-weighted sound power level, Lwa,c (B)						
		Idle		* 3.0							
		CPU Operating		* 4.4	<u></u> _						
	Other mode	Declared A-weighted soun	d pressure level (dB)	20.7 (operator po	osition desktop – idle)						
	Other mode	Declared A-weighted soun	d pressure level (dB)	35.6 (operator po	osition desktop – operating)						
	Measured accordi	ng to: 🛛 ISO 7779 🗌	ECMA-74 (only if not covered by	y ECMA-74)							

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available;

 $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm}$

Model nu	mber *	81J7, 81J8					Logo			
Issue dat	e *	2018/7/2						Len	Lenovo	
Product	environ	mental attribut	tes - Market requiren	nents (cor	ntinued)			Requi	ement	t me
ltem								Yes	No	n.a
		magnetic emissi								
P10.4	program	ı(s):	the requirement for low	frequency e	lectromagnetic field	ls of the foll	owing volunta	iry 🔀		
P12		mics for compu								
P12.1*	The disp	play meets the er	gonomic requirements o	of ISO 9241-	307 for visual displa	ay technolo	gies.			\ge
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.									
P13	Packagi	ing and docume	entation							
P13.1*	Product	packaging mater	ial type(s): <i>carton</i> ial type(s): <i>paper pad</i> ial type(s): <i>cushion</i>	weight (ko weight (ko weight (ko	g): 0.033					
P13.2*	Product	plastic primary p	ackaging is free from P\	/C.					\boxtimes	
P13.3*	For proc	duct primary cor er recovered fibe	rugated fiberboard pack r content: 80 %	kaging, spec	cify the contained	percentage	of minimum	post-		
P13.4*	Specify		nd product documentation	on (tick box)						
P13.5	Úser and		is item if paper documer entation on paper media						\boxtimes	
	Totally c	hlorine-free								
	,	al chlorine-free						H		
		ed chlorine-free								
P14	Volunta	ry programs								
P14.1			equirements of the follow	ving voluntar	ry program(s):					
	ENERG	Y STAR®	Criteria version: 7.0	0	Date: 2018/8/16	Product	category: NB1	1		
	Eco-labe		Criteria version:		Date:	Product of	0,			
	Eco-labe		Criteria version:		Date:	Product	category:			
P15			(See NOTE B10)							
P9			f specific configuration							
	informat knowled	ion contained in t lge available at th d here is approxir	o representations, guara this document. All inform ne time of completion, ar nate and provided for inf	nation provid	led by supplier in th shall have no obliga	is documer tion to upda	nt is provided ate such inforr	based on su nation. The i	pplier's nformat	tion
P9	See Ene	ergy Star Qualifie	d Notebooks & Tablet C v/index.cfm?fuseaction=	omputers fo find_a_proc	or the latest informat duct.showProductG	tion: roup&pgw_	code=CO			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo ideapad S530-13	Logo
Model Number	81J7, 81J8	
Issue Date	2018/7/2	Lenovo
Additional information		

P7.1.1	Product environmental attributes									
(d)	Year of manufacture:									
(e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are					
(f)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are enable									
	Category A (according to ErP Lot 3)Category B (according to ErP Lot 3)Category C (according to ErP Lot 3)Category D 									
	Memory over base [GB]	4	16							
ents sting	Additional internal storage	No (Yes / No)	No (Yes / No)	(Yes / No)	(Yes / No)					
capability adjustments applied during testing	Discrete television tuner	No (Yes / No)	No (Yes / No)	(Yes / No)	(Yes / No)					
ability a	Discrete Audio Card	No (Yes / No)	No (Yes / No)	(Yes / No)	(Yes / No)					
cap	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	Yes #: 1 (Yes / No)	#: (Yes / No)	#: (Yes / No)					
	Category of discrete graphics Card(s)	No	G3							
esults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	7.41								
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled		8.08							
(g)	Idle state power demand (Watts);		•		A: 2.04					
(h)	Sleep mode power demand (Watts);				<u> </u>					
(i)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		A: 0.39					
(j)	Off mode power demand (Watts);				B: 0.43 A: 0.32					
					B: 0.33					
(k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		A: 0.32 B: 0.33					
(I)	Internal power supply efficiency at 10 %	20 %, 50 % and 100 9	% of rated output powe	er (if applicable):						
	10% 20% 50%	100% Avera	ige							
(m)	External power supply efficiency (if appli	cable)*:								
	Average active efficiency: 88.93%,89.24									
(0)	*internal note: show values for all available external p Minimum number of loading cycles that t		tand (applies only to n	otebook computers):						
(-)				. ,	300					
(p-1)	(p-1) Measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency: NA									

(p-2)	Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency: ENERGY STAR® Program Requirements for Single Voltage External Ac-Dc and Ac-Ac Power Supplies Eligibility Criteria (Version 2.0)			
(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: ≥70% of Cmin			
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration: IEC 62623			
(q)	Sequence of steps for achieving a stable condition with respect to power demand:: Power on -> Wait 5 minutes ->Stable condition			
(r)	Description of how sleep and/or off mode was selected or programmed: Begin menu -> Power -> Select sleep or off mode			
(s)	Sequence of events off mode:	required to reach the mode where the equipment au	tomatically changes to sleep and/or	
(t)	condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):			
(u)		r a period of user inactivity in which the compute ver power demand requirement than sleep mode (ir		NA
(v)	Length of time befo	re the display sleep mode is set to activate after	user inactivity (in minutes):	10min
(w)	Information on the energy-saving potential of power management functionality: Refer to User Guide			
(x)	User information on	how to enable the power management functionality: <i>Refer to User Guide</i>		
(z)	Test parameters for	measurements: — test voltage in V and frequency in	Hz, — total harmonic distortion of	
. ,	the electricity supply	system, - information and documentation on the in		
	used for electrical tes	sting: 230V50HZ-2%-Edition 2.0, 2011-01, Section 4	4, IEC62301	
Additio	nal Notebook Batter			
		Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a
		The battery[ies] in this product cannot be easily replaced by users themselves. $^{1)} \ensuremath{}$		
Internal/	built-in Battery			
External/detachable Battery				
	ckup Battery			
Other:				
Addition	al information			
		asily replaced by users themselves. родукт не може да се замени[ят] лесно от самите потребите.	пи.	
		er sustituidas fácilmente por los propios usuarios. neměli provádět sami uživatelé.		
		teriet/batterierne i dette produkt. können nicht ohne weiteres vom Benutzer selbst ausgetauscht v	verden	
sutajad ei s	aa selle toote akut/akusid ise			
/les batterie	e(s présente(s) dans ce produ	it ne peuvent être facilement remplacée(s) par les utilisateurs et	ux-mêmes.	
batteria/le		n può/possono essere facilmente sostituita/e dall'utente.		
o gaminio b	nevar nomainīt šā ražojuma a aterijos [baterijų] pats vartoto	jas negali lengvai pakeisti.		
		elhasználó nem tudja egyedül egyszerűen kicserélni. ′jistgħux tiġi/jiġu sostitwita/i mill-utenti stess.		
atteriet [ene]	i dette produktet kan ikke let			
zytkownik ni	e może sam w łatwy sposób	wymienić baterii w tym produkcie.		
ateria (bater	iile) din acest produs nu poat	ser facilmente substituídas pelos próprios utilizadores. e (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși.		
atériu(-ie) v 1	tomto výrobku nemôže vymie	ňať používateľ.		

Baterii/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati. Tämän tuotteen akku [akut] el[vät] ole helposti käyttäjän vaihdettavissa. Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.