



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

## Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo
Company name *	Lenovo	
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com	Lenovo
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html
Additional information	The latest version of this document can be found at: http://www.lenovo.com/ecodeclaration	

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
Type of product *	Notebook						
Commercial name *	Lenovo V140-14						
Model number *	81K5						
Issue date *	2019-3-19						
Intended market *	Global Europe Asia, Pacific & Japan Americas Other						
Additional information							

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

#### About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model nu	mber *	81K5 Logo				4
Issue dat	e *	2019-3-19	L	enc	DVC	<b>)</b> <sub>TM</sub>
Product	environ	mental attributes - Legal requirements	Re	quire	menf	met
Item				Yes	No	n.a.
P1	Hazardo	ous substances and preparations				
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE B1)		$\boxtimes$		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.		$\boxtimes$		
P1.3*	hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1 ethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum ration values.	,1-			
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated (PCT) in preparations (see legal reference).				
P1.5*	Products	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	in the			
P1.6*	(see lega	th direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm², al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	week			
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail contact): www.lenovo.com/social_responsibility/us/en/environment.html				
P2	Batterie	S				
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with the disposition on proper disposal is provided in user manual. (See legal reference)	al			
P2.2*		s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See	legal			
P2.3*	Batteries	s and accumulators are readily removable. (See legal reference)		$\boxtimes$		
P3	Conforn	nity verification & Eco design (ErP)				
P3.1*	The prod	duct is CE-marked to show conformance with applicable legal requirements (see legal referen	ice). dress):			
P3.2*	The prod	duct complies with the Eco design requirements for energy-related products, al reference).				
	-	d information is;  □ given in item P15 or added to this document,  □ available at (add URL):				
		ww.lenovo.com/social_responsibility/us/en/datasheets_notebooks/				
P5		packaging				
P5.1*	hexavale	ng and packaging components do not contain more than 0,01% lead, mercury, cadmiu ent chromium by weight of these together.				_
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature of the mate se legal reference).	` '			
P5.3*	The prod (see lega	duct packaging material is free from ozone depleting substances as specified in the Montreal P al reference). nt: Legal reference has no maximum concentration values.	rotocol			
P6		nt information				
P6.1*		on for recyclers/treatment facilities is available (see legal reference).				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	81K5	Logo	Lanava
Issue date *	2019-3-19		Lei IOVO,

Produc	t environmental attributes - Market requirements (See General NOTE GN below)			
		Require		met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
<b>P7</b>	Design, Disassembly, recycling  Parts that have to be treated separately are easily separable			
	· · · · · · · · · · · · · · · · · · ·			
P7.2*	Plastic materials in covers/housing have no surface coating.			
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.			_Ц_
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	$\boxtimes$		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	$\boxtimes$		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).			
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	$\boxtimes$		
P7.8*	Upgrading can be done using commonly available tools			
P7.9	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):  Material type: >PC+ABS-FR(40)<  Material type: >PC+ABS-TD15FR(40)<  Material type: >PC+ABS-TD15FR(40)<  (TD+MD)15-FR(40)<	S-		
P7.12	Insulation materials of external electrical cables are PVC free.		$\boxtimes$	
P7.13	Insulation materials of internal electrical cables are PVC free.		X	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%	X		
	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low haloger as defined in IEC 61249-2-21. (See 1NOTE B2)		$\boxtimes$	
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: <i>FR(40)</i>			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):			
	TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: <b>Brominated Epoxy Resins</b> , CAS #: <b>26265-08-7</b>		Ш	
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4: FR(16)			
P7.18	Alt. 1			
	Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%:			
	Comment: No legal limits exist, this is a market requirement.			
	1. Chemical name: <i>BPADP</i> , CAS #: <i>181028-79-5</i>			
	2. Chemical name: <i>confidential</i> CAS #: <i>confidential</i> Alt. 2			
	Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:	$\boxtimes$		
	FR(40)			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been	$\boxtimes$		
	assigned the following Risk phrases; and Hazard statements:			
D7.00*	The source(s) for these classifications is/are found at (add URL(s)): EU Directive 67/548/EEC		_	
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):			
	If YES; at least one of the two alternatives below shall be answered;  a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 0%.  or			
	b) The weight of recycled material is g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	81K5	Logo	Lonovo
Issue date *	2019-3-19		Leilovo

Product environmental attributes - Market requirements (continued)	Requi	remer	nt met
Item	Yes	No	n.a.

	Material and sub	stance requirements	(continued)		
P7.21*	Biobased plastic r	naterial content is use	d in the product (See N	IOTE B7):	
	<ul> <li>a) Of total plast total plastic b</li> </ul>	c parts' weight > 25 g			ated as a percentage of
	or b) The weight o	f the biobased plastic	material is g.		
P7.22*	Light sources are		less than 0,1 mg/lamp	o. num mercury content po	er lamp: mg
P8	Batteries		···		
P8.1*	Battery chemical of	composition: LI-ION	l		
P9	Energy consump	tion (See NOTE B8)			
P9.1	For the product th	e following power leve	ls or energy consumpt		
Energy mod	de *	Power level at	Power level at	Power level at	Reference/Standard for energy
Deals (On a		100 V AC	115 V AC	230 V AC	modes and test method *
Peak (On-r	max)	65 W	65 W	65 W	Full load
Category	<u>y 1</u>				
Short Idle Enabled	State - WOL	<b>5.21</b> W	5.15 W	5.20 W	Use for ENERGY STAR V7.0 registration (P <sub>idle</sub> )
Long Idle S Enabled	State - WOL	4.40 W	4.32 W	4.34 W	Use for ENERGY STAR V7.0 registration (Ptdle)
Sleep (S3)	- WOL Enabled	<b>0.42</b> W	<b>0.40</b> W	0.40 W	Use for ENERGY STAR V7.0 registration(P <sub>sleep</sub> )
Sleep (S3)	- WOL Disabled	<b>0.42</b> W	<b>0.40</b> W	0.40 W	Reference
Off (S5) - V	VOL Enabled	<b>0.21</b> W	<b>0.21</b> W	<b>0.21</b> W	Use for ENERGY STAR V7.0 registration(P <sub>off</sub> )
Off (S5) - V	VOL Disabled	<b>0.21</b> W	<b>0.21</b> W	0.21 W	Use for ErP
EPS No-loa (External power si wall outlet but disc	ad upply / charger plugged in the connected from the product.)	0.107 W	0.108 W	0.108 W	
PTEC *	ergy Consumption	24.66 W	<b>24.66</b> W	<b>24.66</b> W	
ETEC *	ergy Consumption	19.29 kWh/year	<b>19.00</b> kWh/year	<b>19.15</b> kWh/year	E <sub>TEC</sub> = (8760/1000) x (P <sub>off</sub> x 0.25 + P <sub>sleep</sub> x 0.35 + P <sub>long_ldle</sub> x 0.10+ P <sub>short Idle</sub> x 0.30)
					ed; Pidle: Idle State - WOL Enabled
External Po	ower Supply Efficier	ncy Level (Internationa	l Efficiency Marking Pr	otocol) * : VI	
Display res	olution * : 1920*10	80 megapixels			
Default time	e to enter energy sa	ave mode: 10 minutes			
P9.2*	Information about	the energy save funct	ion is provided with the	product.	
P9.3	Energy efficiency	class (monitors only):			
P10	Emissions				
	Noise emission -	<ul> <li>Declared according t</li> </ul>	o ISO 9296 (See NOTI	E B9)	
P10.1		Mode description			it A-weighted sound power level, L <sub>WA,c</sub> (B)
	Idle *	HDD:Idle		* 2.7	<u>_</u> _
	Operation *	HDD: Operating		* 3.0	
	Other mode	Declared A-weighted sour	od pressure level (dB) $L_{p m Al}$	n 18.7 (operator posi	ition desktop – idle)
	Other mode	Declared A-weighted sour	ad pressure level (dB) $L_{p m Al}$	20.1 (operator posi	ition desktop – operating)
	Measured accordi	ng to: ISO 7779 Other	ECMA-74  (only if not covered by		

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Model nu	mber *	81K5				Logo	Lenc	110	
Issue date	e *	2019-3-19					Lenc		тм
Product	environn	nental attributes	- Market requirements (	continued)			Require	ment	met
Item			•	•			Yes	No	n.a.
	Electron	magnetic emission	s						
P10.4		er display meets the (s): MPR-II(3 pin A	requirement for low frequence C adapter only)	cy electromagnetic fields	s of the follo	wing voluntary	y		
P12		mics for computing							
P12.1*	The disp	lay meets the ergor	nomic requirements of ISO 92	41-307 for visual displa	y technolog	ies.	$\boxtimes$		
P12.2*	The phys	sical input device m	eets the requirements of ISO	9995 and ISO 9241-410	0.				
P13		ing and documenta							
P13.1*	Product Product		type(s): <i>paper(manual)</i> type(s): <i>corner paper</i> weight	(kg): 0.303 weight (kg): 0.045 (kg): 0.038 (kg): 0.072					
P13.2*	Product	plastic primary pack	aging is free from PVC.				$\square$		П
P13.3*		duct primary corrugater recovered fiber co	ated fiberboard packaging, sontent: <b>100</b> %	specify the contained p	ercentage	of minimum p	ost-		
P13.4*		media for user and p ic 🔲, Paper 📐, O	product documentation (tick better	ox):					
P13.5	Ùser and		tem if paper documentation us ation on paper media is chlori						
	Element	chlorine-free al chlorine-free ed chlorine-free							
P14		ry programs							
P14.1	ENERG'	duct meets the requi Y STAR® el: <i>EPEAT</i>	irements of the following voluitoriteria version: 7.0 Criteria version:	ntary program(s):  Date: 2018/11/16  Date:	Product ca				
	Eco-labe	<del>ર્</del> ગા:	Criteria version:	Date:	Product ca	ategory:			
P15		nal information (Se							
P9			pecific configuration may va						
	informati knowled provided informati	ion contained in this ge available at the t I here is approximation.	epresentations, guarantees, a document. All information pro- ime of completion, and suppli e and provided for information	ovided by supplier in thi er shall have no obligat nal purposes only. See a	s document ion to updat a Lenovo A	is provided bate such information	ased on suppation. The in	plier's format	tion
P9			lotebooks & Tablet Computer and ex.cfm?fuseaction=find a g			ode=CO			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) *  * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

# **Lenovo ErP Lot3 Information Sheet** - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

### **Products scope of this sheet:**

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo V140-14IWL	Logo	
Model number *	81K5		Lonovo
Issue date *	2019-3-19		Lenovo.
Additional information			

d)	Year of manufacture:				2019
e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with Etec value (kWh) per ErP Lot 3 Categor	n switchable graphics r	node with UMA driving	the display.	, ,
,	enable	Category A	Category B	Category C	Category D
	Memory over base [GB]	(according to ErP Lot 3)	(according to ErP Lot 3)	(according to ErP Lot 3)	(according to ErP Lot 3)
			-		
sting	Additional internal storage	Yes (Yes / No)	Yes (Yes / No)	(Yes / No)	(Yes / No)
adjustn ring te	Discrete television tuner	No (Yes / No)	No (Yes / No)	(Yes / No)	(Yes / No)
capability adjustments applied during testing	Discrete Audio Card	No (Yes / No)	No (Yes / No)	(Yes / No)	(Yes / No)
app	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	Yes #: 1 (Yes / No)	#: (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)		G3		
saults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	13.02			
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled		12.86		
<b>J</b> )	Idle state power demand (Watts);	1	1	1	A : 4.17 ; B:4.34
1)	Sleep mode power demand (Watts);				A : 0.49 ; B:0.40
)	Sleep mode with WOL enabled power do	emand (Watts) (where	enabled);		A : 0.49 ; B:0.40
)	Off mode power demand (Watts);				A : 0.31 ; B:0.21
k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		A: 0.31; B:0.21
)	Internal power supply efficiency at 10 %,	, 20 %, 50 % and 100 °	% of rated output pow	er (if applicable):	
	10% 20% 50%	100% Avera	age		
n)	External power supply efficiency (if appli	cable)*:			
	Average active efficiency: 88.62%				
o)	*internal note: show values for all available external power supplies  Minimum number of loading cycles that the batteries can withstand (applies only to notebook computers):  300CYC				
p-1)	Measurement methodology used to dete	ermine information mer	ntioned in points (I) – in	nternal PSU efficiency:	<u> </u>

(p-2)		dology used to determine information mentioned in p d for calculating the Energy Eifficiency of Single AC Power Suppler " dated August 11,	e-Voltage External AC-DC and AC-		
(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries:  IEC61916 measurement methodology				
(p-4)	D-4) Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:  IEC62321/IEC EN50564:2011 measurement methodology				
(q)	Sequence of steps for achieving a stable condition with respect to power demand:  IEC62321/IEC EN50564:2011 measurement methodology				
(r)	r) Description of how sleep and/or off mode was selected or programmed: refer to power management, sleep mode: ACPI system level G1/S3 (suspend to RAM) state; off mode: ACPI system level G2/S5 ('soft off') state				
(s)	Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:  *refer to power management, 30mins automatically reaches sleep mode*				
(t)	Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):				
(u)	(u) Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):			NA	
(v)				10	
(w) Information on the energy-saving potential of power management functionality:  refer to user manual					
(x)	User information on how to enable the power management functionality:  refer to user manual				
(z)	Test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing:  230V50HZ-2%-Edition 2.0, 2011-01, Section 4, IEC62301				
Addition	nal Notebook Batter			<u> </u>	
		Battery[ies] <u>not</u> user replaceable  The battery[ies] in this product cannot be easily replaced by users themselves. 1)	Battery[ies] user replaceable	n/a	
Internal/built-in Battery					
External/detachable Battery					
Bios Backup Battery					
Other:					
Addition	al information				
<u></u>					
) 					

The battery[ies] in this product cannot be easily replaced by users themselves

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители. Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios.

Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.
Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes.

Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente. Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti.

A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni. II-batterija/batteriji f'dan iI-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar. Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înşişi. Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ.

Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa. Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.