



## Product environmental attributes - THE ECO DECLARATION

Brand *	Lenovo IdeaPad U110	Logo
Company name *	Lenovo	_
Contact information *	Alvin L Carter	
	1009 Think Place	lenovo
	Building 2 / 5J3	
	Morrisville, North Carolina 27560	
	alcarter@us.lenovo.com	
Internet site *	www.pc.ibm.com/ww/lenovo/about/environment	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Portable PC			
Commercial name *	Lenovo IdeaPad U110			
Model number *	Model number * M/T: 11306, 2304			
Issue date *	2008,April.3			
Intended market *	☐ Global ☐ Europe ☐ Japan ☐ U.S. ☐ Other			
Additional information	ENERGY STAR® 4.0 Qualified; GREENGUARD Certification			

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

The declaration may be published only when all rows and/or fields marked with a \* are filled-in (n.a. for not applicable).

Quality C	ontrol Requirement met		
Item	Additional information regarding each item may be found under P14.	Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	$\boxtimes$	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).		

Model number *	Lenovo IdeaPad U110 M/T: 11306,2304	<del>1</del>	
Issue date *	2008, April.3	Logo	lenovo

Product environmental attributes - Legal requirements Requirement met							
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.			
P1	Hazardous substances and preparations						
P1.1*	Products do not contain lead, cadmium, mercury, hexavalent chromium, polybrominated biphenyl (PBB) and polybrominated diphenyl ether (PBDE) as specified in <i>EU 2002/95/EC and its amendments</i>		Ш				
P1.2*	Products do not contain Asbestos (EU 76/769/EEC, amendment 1999/77/EC)	$\boxtimes$					
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide ( <i>EU : Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000</i> )						
P1.4*	Products do not contain polychlorinated biphenyl (PCB), polychlorinated terphenyl (PCT), (EU 76/769/EEC)	$\boxtimes$					
P1.5*	Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP as specified in <i>Norwegian regulation relating to restrictions</i> on the use of certain dangerous chemicals 20.12.2002						
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (EU 76/769/EEC)						
P1.7*	Textile and leather parts with direct skin contact do not contain Azo colourants that split aromatic amines as specified in EU 76/769/EEC, amendment 2003/3/EC			$\boxtimes$			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (EU 76/769/EEC)						
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations higher than specified in 76/769/EEC, amendment 94/27/EEC						
P2	Batteries						
P2.1*	If hazardous batteries (as defined in 91/157/EEC) are used in the product they are easily removable and labelled with the disposal and the substance logo (as defined in 91/157/EEC, 93/86/EEC)						
P2.2*	If batteries are used in the product they do not contain mercury in concentrations higher than specified in 91/157/EEC						
P2.3*	If batteries are permanently installed in the product, information on the environmentally hazardous substances and safe removal method is listed in the user manual (91/157/EEC)						
P3	Electrical safety, EMC and connection to the telephone network						
P3.1*	The product meets the Low Voltage Directive (LVD) regarding electrical safety (73/23/EEC & 93/68/EEC)	$\boxtimes$					
P3.2*	The product meets the EMC Directive regarding electromagnetic compatibility (89/336/EEC / 2004/108/EEC after June, 20 <sup>th</sup> 2007						
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it meets the EU R&TTE Directive (1999/5/EC)						
P3.4*	The product is CE-marked and a Declaration of Conformity is available (93/68/EEC)	$\boxtimes$					
P4	Consumable materials						
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)						
P4.2*	If ink/toner is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)						
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to EU Directive 1999/45/EC, and as amended, the product/packaging is labelled and a Material Safety Data Sheet (MSDS) in accordance with (99/45/EC & 2001/58/EC) is available.						
P5	Product packaging						
P5.1*	The sum of the concentration levels of lead, cadmium, mercury, and hexavalent chromium present in packaging or packaging components does not exceed 0,01% by weight (94/62/EC).						
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043.(97/129/EEC)	$\boxtimes$					
P5.3*	The product packaging material is free from CFC/HCFC.						
P6	Treatment information						
P6.1*	Information for recyclers/treatment facilities (e.g. as requested by 2002/96/EC) is available.	$\boxtimes$					

Model number *	Lenovo IdeaPad U110 M/T: 11306,2304	1	
Issue date *	2008, April.3	Logo	lenovo

Product environmental attributes - Market requirements - Environmental conscious design Requirement met						
Item	*=mandatory to f		ation regarding each item may be found under P14.	Yes	No	n.a.
P7	Design Disassembly, recycling					
P7.1*	Parts that have to be treated separately are easily separable				П	
P7.2*	Plastic materials in covers/housing have no surface coating.				Ħ	Ħ
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.				Ħ	Ħ
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.				П	$\overline{\Box}$
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.					
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).				Ħ	T
	Product lifetime	l .				
P7.7*	Upgrading can be	e done e.g. with proces	ssor, memory, cards or drives	$\boxtimes$		
P7.8*		e done using commonly		$\boxtimes$		
P7.9.	Spare parts are a	available after end of pr	roduction for: 5 years			
P7.10	Service is availab	ole after end of product	ion for: <b>5</b> years			
		ostance requirements	5			
P7.11*		using material type:	Material true			
P7.12*	Material type: PC		Material type: Material type: wer cables are halogen free (including PVC)		$\square$	$\overline{}$
P7.13*			gnal cables are halogen free (including PVC)		$\overline{X}$	+
P7.14		plastic parts >25g are	, , , ,		$\frac{\square}{\square}$	-
P7.15			onents) >25g are halogen free			$\vdash$
P7.16					X	+
	Chemical specifications of flame retardants in cover / housing plastic parts >25g according ISO 1043-4: ISO FR(40):Halogen-free organic phosphorus compounds				<u> </u>	
P7.17	Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: <b>Brominated Epoxy Resin See P14</b>				Ш	
P7.18	Weight of recycled material in plastic parts is 0 g  Plastic parts >25g are free from flame retardant substances/preparations above 0.1% classified as R45/46					
P7.19	R50/51/53 and R	60/61 <i>(67/548/EEC)</i>	etardant substances/preparations above 0.1% classified as R45/46,			
P7.20		e free from mercury d specify: Number of la	mps: and max. mercury content per lamp: mg			
P8	Batteries			_		
P8.1*	Product does not contain batteries defined as hazardous according to 91/157/EEC					
P8.2*	Battery chemical composition: Lithium Ion/Lithium Manganese Dioxide					
P8.3	Batteries meet the requirements of the following voluntary program/s:					$\boxtimes$
P9	Energy consum		de la companya de la			
9.1 Mode	Power level at	Time (s) to <mode></mode>	els or energy consumptions have been measured:  Mode description	Reference	re/	n.a.
WOOC	* <b>230</b> Volts	Time (3) to amode	wode description	Standard		m.a.
On-max	<i>65</i> W		* Full load	*See P1	4	
On- normal	* W	to	*	*See P1	4	
On-idle	<i>12. 179</i> W	to	* Idle State (Category B) for Energy Star V4	*		$\Box$
Save 1	* 1. 4W	to	* Sleep w/ WOL Enable for Energy Star V4	*See P1	4	
Save 2	1. 3 W	to	* Sleep w/ WOL Disable for Energy Star V4	*		Ħ
Off 1	* 0.5W	to	* Stanby (Off Mode) w/ WOL Enable for Energy Star V4	*See P1	4	
Off 2	W	to	*	*		
No load	* 0.4 W External power supplies/charger plugged in but disconnected		External power supplies/charger plugged in but disconnected from the product	*See P1	4	
TEC	* kWh/v -	Typical Energy Consum		*		
P9.2*	Information about the energy save function is provided with the product.					
P9.3			ents of the following voluntary program/s:			
. 0.0	ENERGY STAR	® MOU V4	of External Power Supplies, max 0.5W at no load			

Model number *	Lenovo IdeaPad U110M/T: 11306,2304		
Issue date *	2008, April.3	Logo	lenovo

Product 6	nvironmental att	ributes - Market requirements (continue	d) Pequirement n	net		
Item	t environmental attributes - Market requirements (continued) Requirement met  *=mandatory to fill in. Additional information regarding each item may be found under P14.  Yes No n.a.					
P10	Emissions					ma.
	Noise emission	- Declared according to ISO 9296				
P10.1	Mode	Mode description	Declared	Declared A-weight		
			A-weighted	sound pressure level L	<sub>pAm</sub> (dB)	
	sound power level L <sub>WAd</sub> (B) Operator position Bys				nder positions	
			level L <sub>WAd</sub> (D)	NA (anh. if		
	Desktop (only if product is no operator attended operator)					
				or Deskside		
	Idle	* HDD:Idle, Fan: Optimize Speed	* 2.5	25		Ш
	Operation	* HDD:Operating, Fan: Optimize	* 3.4	34		$\vdash$
	operane	Speed				ш
	Other mode					
	Measured accord	ding to: 🔀 ISO 7779 🔲 ECMA-74				
				h L <sub>pAm</sub> measurement distance	m)	
P10.2	•	ets the acoustic noise requirements of the fo	llowing voluntary	program/s:		$\boxtimes$
		ions from printing products				
P10.3*	Test performed a	according to ECMA-328 standard, other	specify:	_		$\boxtimes$
	The test covers:	Dust Ozone Styrene				
P10.4	The product meets the chemical emission requirements of the following voluntary program/s:					
	Electromagnetic emissions					
P10.5		y meets the requirement for low frequency of	electromagnetic fie	elds of the following voluntary		$\boxtimes$
P11	program/s:	aterials for printing products				
P11.1*			/toner preparation	even if not legally required		
	(see P4.3).					
P11.2*	Paper containing recycled fibres that meets the requirements of EN12281 can be used.					
P11.3*	2-sided (duplex) printing/copying is an integrated product function.					
P12	Ergonomics for computing products					
P12.1*						
P12.2*		poard meets the requirements of ISO 9995	and EN 29241-4.		$\square$	П
P12.3*	<u> </u>	out device meets the requirements of ISO 9				H
P13	Packaging and	•				
P13.1*		ng material type(s): Corrugated cardboard	weight (kg):	0.57		
		ng material type(s): <i>Polystylene</i>	weight (kg):	0.09		
D42.0*	Draduat plactic p	calcacing in hologon from (including DVC)				
P13.2* P13.3*		ackaging is halogen free (including PVC)				<u> </u>
P13.3	· ·	t documentation do not contain chlorine ble t documentation contain recycled paper	acried paper			<u> </u>
		, , , ,				
P14	Additional infor	mation er makes no representations, guarantees, a	ecurances or warr	anties whether express or impli	ed regarding	the
		ained in this document. All information provi				
	knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information					
	provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more					
D7 47	information.					
P7.17 P9.1	Product does not contain free TBBPA in printed circuit boards(without components)>25g.  Lenovo Internal Standard					
P12.1		gned to meet the subject ISO Standard 1	3406-2, but is no	t confirmed through formal te	st methods	