

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo
Company name *	Lenovo	
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5J3 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo.
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	t.html
Additional information	http://www.lenovo.com/social_responsibility/us/en/datasheets_i	notebooks.html

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	otebook PC			
Commercial name *	enovo IdeaPad U530 Touch			
Model number *	0289;80AS			
Issue date *	2013-8-9			
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality (Control	Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality controsuch as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🖂	

Model number *	Lenovo IdeaPad U530 Touch		
Issue date *	2013-8-9	Logo	lenovo.

Product	environmental attributes - Legal requirements	Require	men	t met
Item	<u> </u>	Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	\boxtimes		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),			
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\boxtimes		
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/ThinkGreen_products.html#environment			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)			
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\boxtimes		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).	\boxtimes		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).	S		
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	X		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			\boxtimes
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			X
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium an hexavalent chromium by weight of these together.	d 🔀		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	al 🔀		
i	Commonic Ecgai reference has no maximum concentration values.			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	Lenovo IdeaPad U530 Touch		
Issue date *	2013-8-19	Logo	lenovo.

Product	t environmental attributes - Market requirements - Environmental conscious design	quire	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes		
P7	Design Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	\square	П	П
P7.2*	Plastic materials in covers/housing have no surface coating.		Ħ	Ħ
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.		Ħ	∺
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.			$\overline{}$
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		Ħ	Ħ
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).		П	一一
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\square	П	П
P7.8*	Upgrading can be done using commonly available tools		Ħ	╁
P7.9.	Spare parts are available after end of production for: 5 years			Ħ
P7.10	Service is available after end of production for: 5 years			Ħ
	Material and substance requirements			
P7.11*	Product cover/housing material type:			
	Material type: <i>PC+ABS-FR(40)</i> Material type: Material type:			
P7.12	Electrical cable insulation materials of power cables are PVC free.		\boxtimes	
P7.13	Electrical cable insulation materials of signal cables are PVC free			
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.			$\overline{\Box}$
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Note B2)			
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking: FR(40)			
P7.17	Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive) , TBBPA (reactive) , Other; chemical name: , CAS #:			
	Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: <i>Brominated Epoxy Resin See P14</i>			
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%:			
	Comment: No legal limits exist, this is a market requirement. Provide a list of all used flame retardants including MSDS for each flame retardant. The list must contain complete chemical name, CAS number and supplier. 1. Chemical name: , CAS #: , Supplier: 2. Chemical name: , CAS #: , Supplier:			
	3. Chemical name: , CAS #: , Supplier: Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4: FR(40)			
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)			
P7.20	Of total plastic parts' weight >25g, recycled material content is 0.8%.			
P7.21	Of total plastic parts' weight >25g, biobased material content is 0%.			
P7.22	Light sources are free from mercury	\boxtimes		
P8	Batteries			
P8.1*	Battery chemical composition: Lithium lon/Lithium Manganese Dioxide			
P8.2	Batteries meet the requirements of the following voluntary program/s: US RBRC			

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	Lenovo IdeaPad U530 Touch		
Issue date *	2013-8-9	Logo	lenovo.

Product environmenta	roduct environmental attributes - Market requirements (continued) Requirement r			t met	
Item				n.a.	
	•				
	t the following power lev shipped w/ WOL Enable		mptions are reporte	ed: See P14	
Energy mode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard for energy modes and test method *	
Peak (On-max)	<i>65</i> W	<i>65</i> W	<i>65</i> W	Full load	
Category B					
Idle State - WOL Enabled	3.8W	<i>3.8</i> W	3.9 W	Use for Energy Star V5 registration(P _{idle})	
Sleep (S3) - WOL Enable	od 0.54 W	0.54 W	0.56 W	Use for Energy Star V5 registration(P _{sleep})	
Sleep (S3) - WOL Disable	ed 0.53 W	0.53 W	0.550 W	Reference	
Off (S5) - WOL Enabled	0.21 W	0.21 W	0.24 W	Use for Energy Star V5 registration(Poff)	
Off (S5) - WOL Disabled	0.21 W	0.21 W	0.24 W	Use for EuP	
EPS No-load (External power supply / charger plugged in the wa outlet but disconnected fro the product.)		0.77 W	0.115 W		
TEC Typical Energy Consumpti	kWh/week	kWh/week	kWh/week		
ETEC * Annual Energy Consumpti	on 11.554 kWh/year	11.554 kWh/year	11.992 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.6 + P_{sleep} \times 0.1 + P_{idle} \times 0.3)$	
	P _{off} : Off Mode(S5) -	WOL Enabled; P _{sleep} : S	Sleep Mode(S3) - WOL	Enabled; P _{idle} : Idle State - WOL Enabled	1
Display resolution : 1280	7*800 Megapixels				
Print Speed :	Images per minu	ite			
Default time to enter energ	gy save mode: 25 minute	es			
P9.2* Information ab	out the energy save fund	ction is provided with	the product.		
ENERGY STA Others specify	eets the energy requirer R® version: <i>Version 5.</i> : <i>Energy Star for Exter</i>	0 dated July 1, 200	9 Product category:	A 🔲	
P10 Emissions	on – Declared according	to ISO 9296			
P10.1 Mode	Mode description	10 00 3230	Declared A-weighted sound power level L_{WAd} (B)	Declared A-weighted sound pressure level $L_{p{\rm Am}}$ (dB) Operator position Bystander positions	
Idle	* HDD: Idle		* 2.86	or Desk side (only if product is not operator attended)	
Operation	* HDD: Operating		* 3.15	23.7	┧붜
Other mode			00	20	┧╙
Measured acc	ording to: X ISO7779	ECMA-74			
	Other			h L _{pAm} measurement distance m)	<u> </u>
P10.2 The product m	P10.2 The product meets the acoustic noise requirements of the following voluntary program/s:				

Model number *	Lenovo IdeaPad U530 Touch		
Issue date *	2013-8-9	Logo	lenovo.

Product	environmental attributes - Market requirements (continued)	Require	ment	met		
Item		Yes	No	n.a.		
	Chemical emissions from printing products					
P10.3*	Test performed according to ECMA-328 (ISO/IEC 28360) standard , other specify:			\boxtimes		
P10.4	Typical emission rate (print phase) is (mg/h):			\boxtimes		
	Dust Ozone Styrene Benzene TVOC			_		
P10.5	Chemical emission requirements of the following voluntary program/s are met for :			\boxtimes		
	Dust Ozone Styrene Benzene TVOC					
	Electromagnetic emissions					
P10.6	program/s: MPR-II					
P11	Consumable materials for printing products					
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).			\boxtimes		
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.					
P11.3*	2-sided (duplex) printing/copying is an integrated product function.			\boxtimes		
P12	Ergonomics for computing products					
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.	\boxtimes				
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.					
P13	Packaging and documentation					
P13.1*	Product packaging material type(s): <i>Corrugated Carton</i> weight (kg): <i>0.508</i> Product packaging material type(s): <i>Polyethylene Cushions</i> weight (kg): <i>0.145</i> Product packaging material type(s): <i>Others</i> weight (kg): <i>0.363</i>					
P13.2*	Product plastic packaging is free from PVC.					
P13.3*	Specify media for user and product documentation (tick box):			П		
	Electronic , Paper , Other					
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: 0% (Japan only 70%)					
P14	Additional information (See Note B4)					
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implier information contained in this document. All information provided by supplier in this document is provided base knowledge available at the time of completion, and supplier shall have no obligation to update such information provided here is approximate and provided for informational purposes only. See a Lenovo Account Represent information.	d on sup n. The in	plier's format			
P7.17	Product does not contain free TBBPA in printed circuit boards(without components)>25g.					
P9	See Energy Star Qualified (insert appropriate Product type; i.e. Desktop, Notebook, etc.) for the latest http://downloads.energystar.gov/bi/qplist/laptops_prod_list.xls (insert appropriate web url)	informat	ion:			

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19

Lenovo ErP Lot3 Information Sheet

- PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo IdeaPad U530 Touch	Logo
Model Number	20289, 80AS	_
Issue Date	2014/6/20	lenovo.
Additional information		

(d)	year of manufacture:							2013	
(e)	E TEC value (kWh) and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display:							12.68	
(f)	E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are enabled:								
	Cat. B	12.12							
g)	idle state power demand (Watts);							4.1	
h)	sleep mode power demand (Watts);							0.62	
i)	sleep mode with WOL enabled power demand (Watts) (where enabled);						0.62		
)	off mode power demand (Watts);						0.26		
k)	off mode with WOL enabled power demand (Watts) (where enabled);						0.26		
(I)	internal p	internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable): N/A							
	10%	20%	50%	100%	Average				
m)	external power supply efficiency (if applicable):								
	10%	20%	50%	100%	Average	;			
	or level:								
(o)	the minir	num number of	loading cycle	s that the batte	eries can withstar	d (applies only	to notebook computers):	500 cycles	
(f)	the elect		tem, — inforr				I harmonic distortion of ion, set-up and circuits		
	test voltage in V and frequency in Hz 230V/50Hz total harmonic distortion of the electricity supply system≤2% Information and documentation on the instrumentation, set-up and circuits used for electrical testing								
	Instr.	Instrument	Instrume		Range Use		Make and Model **		
	Code	I.D.	Туре		Or ***		I Wake and Woder		

	1	980800	0014	CHROMA	100-300VAC 50-60Hz 400Hz, 5A, 500 ,	61502			
	2	990800	0321	YOKOGAWA	600V, 10A, 5KW	WT 210			
	3	990105	5548	ISUZU	20-28 degree C 30-80%	TH-27R			
	4	710Q0	03R	CASIO	Full Range	HS-3V			
	5	99010	5627	TECPEL	0~20(m/sec)	AVM-714			
(p-1)	the meefficier		t metho	odology used to	determine information mentioned in po	oints (I) – internal P	SU		
(p-2)	the mo		t metho	dology used to o	determine information mentioned in poi	nts (m) – external P	SU		
(p-3)	p-3) the measurement methodology used to determine information mentioned in points (o) – loadingcycles batteries: Charge battery with standard charge method and discharge battery with 0.5Cmin discharging current until battery voltage reaches 3.0V								
(p-4)	(p-4) the measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration: EN62623								
(q)	sequer	nce of steps	s for ach	nieving a stable co	ndition with respect to power demand::				
	Power on -> Wait 5 minutes -> Stable condition								
(r)	descrip	otion of how	sleep a	and/or off mode wa	as selected or programmed:				
				Begin menu ->	> Power -> Select sleep or off mode				
(s)	off mode:								
(t)	the du	ration of id	llo etate		estore default settings for this plan the the computer automatically reaches s	eleen mode, or anoth	or		
(1)					able power demand requirements for slee				
(u)	(u) the length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes): N/A								
(v)	the length of time before the display sleep mode is set to activate after user inactivity (in minutes): 10 minutes								
(w)	informa	ation on the	energy	-saving potential c	of power management functionality:				
N/A									
(x)	(x) user information on how to enable the power management functionality:								
Refer to User Guide									
(z) test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing:									
230V/50Hz									
Addition Yes		n/a			operated by battery/ies that cannot be a	ccessed and replaced	d by a non-professional		
		us	ser.	·	is product cannot be easily rep	·	,		
Addition	nal inform				product summer so outing top				