

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Lenovo Logo			
Company name *	Lenovo			
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560 alcarter@lenovo.com			
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html			
Additional information	The latest version of this document can be found at http://www.lenovo.com/social_responsibility/us/en/datasheets_notebooks.html			

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	lotebook PC				
Commercial name *	Lenovo Yoga 2 11				
Model number *	20428;80GB,20332;80CX				
Issue date *	2014-09-04				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Control F	Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).		

Model number *	Lenovo Yoga 2 11 Lenovo Yoga 2 11 20428;80GB,20332;80CX	1	
Issue date *	2014-09-042014-09-04	Logo	lenovo.

Product	environmental attributes - Legal requirements	Requirement met			
Item		Yes	No	n.a.	
P1	Hazardous substances and preparations				
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)				
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.				
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-	\boxtimes			
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.				
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).				
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).				
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference).				
P1.7*	Comment: Legal reference has no maximum concentration values. Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split				
D4 0*	aromatic amines. (See legal reference and Note B1)				
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference).	Ш			
P1.9*	Comment: Legal reference has no maximum concentration values. Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5		$\overline{}$		
F1.9	microgram/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.		Ш	Ш	
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):				
	http://www.lenovo.com/social_responsibility/us/en/materials.html				
P2	Batteries				
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be	\bowtie	Ш		
	marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is				
P2.2*	provided in user manual. (See legal reference) Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or				
P2.3*	accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference) Batteries and accumulators are easily removable by either users or service providers (as dependent on the	e 🔀			
1 2.0	design of the product). Exception: Batteries that are permanently installed for safety, performance, medica or data integrity reasons do not have to be "easily removable". (See legal reference)			ш	
P3	Safety, EMC connection to the telephone network and labeling				
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\boxtimes			
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).				
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).	S 🔀			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\boxtimes			
P4	Consumable materials				
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			\boxtimes	
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\boxtimes	
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).				
P5	Product packaging				
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium an hexavalent chromium by weight of these together.	d 🔀			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea				
	Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.		_	_	

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	Lenovo Yoga 2 11	20428;80GB,20332;80CX		
Issue date *	2014-09-042014-09-04	Log	go	lenovo.

Produc	Product environmental attributes - Market requirements - Environmental conscious design Requirement met						
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.			
P6	Treatment information						
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes					
P7	Design						
D7 1*	Disassembly, recycling Details that have to be treated apparetally are positive energiable.		_				
P7.1*	Parts that have to be treated separately are easily separable		<u> </u>	- -			
P7.2*	Plastic materials in covers/housing have no surface coating.			Щ			
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.		Щ	<u> </u>			
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.	\boxtimes					
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes					
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes					
	Product lifetime						
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes					
P7.8*	Upgrading can be done using commonly available tools	\boxtimes					
P7.9.	Spare parts are available after end of production for: 5 years						
P7.10	Service is available after end of production for: 5 years						
	Material and substance requirements						
P7.11*	Product cover/housing material type:						
	Material type: PC+ABS-FR(40) Material type: Material type:						
P7.12	Electrical cable insulation materials of power cables are PVC free.	<u>Ц</u>	\boxtimes				
P7.13	Electrical cable insulation materials of signal cables are PVC free		\boxtimes				
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.	\boxtimes					
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See		\boxtimes				
	Note B2)						
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking: FR(40)						
P7.17	Alt. 1						
	Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive) , TBBPA (reactive) , Other; chemical name: , CAS #:	Ш					
	TBBPA (additive) , TBBPA (reactive) , Other; chemical name: , CAS #:						
	Alt. 2						
	Chemical specifications of flame retardants in printed circuit boards (without components) >25g according						
	ISO 1043-4: Brominated Epoxy Resin See P14						
P7.18	Alt. 1						
	Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%:	Ш					
	Comment: No legal limits exist, this is a market requirement.						
	1. Chemical name: , CAS #:						
	2. Chemical name: , CAS #:						
	3. Chemical name: , CAS #:						
	Alt. 2						
	Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:	\square					
P7.19	FR(40) Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45,	$\frac{\square}{\square}$	∺	∺			
1 7.10	R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)	ш	ш	Ш			
P7.20	Of total plastic parts' weight >25g, recycled material content is 0.0%.						
P7.21	Of total plastic parts' weight >25g, biobased material content is 0 %.						
P7.22	Light sources are free from mercury	\boxtimes					
	If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg						
P8	Batteries District August 2011			_			
P8.1*	Battery chemical composition: Lithium lon/Lithium Manganese Dioxide			Щ			
P8.2	Batteries meet the requirements of the following voluntary program/s: US RBRC						

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	Lenovo Yoga 2 11	20428;80GB,20332;80CX		
Issue date *	2014-09-04	L	.ogo	lenovo.

	Product environmental attributes - market requirements (continued)									
Item	_							Yes	No	n.a.
P9	Energy consum									
9.1	For the product the	ne follow	ving power levels or	energy consump	tions are reporte					
Energy mo	de *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC		ference / Standard for e thod *	nergy modes and	test t	
Peak (On-	max)		45 W	45 W	45 W	Fu	ull load			
Categor	v I1									
_	State - WOL Enal	hled	5.44 W	<i>5.30</i> W	5.84 W	Her	e for ENERGY STAR V	/6 registration /P	2 1	
			3.01 W	3.05 W	3.37 W		e for ENERGY STAR V			ш
	State - WOL Enal	oiea								
	- WOL Enabled		NA W	NA W	<i>NA</i> W		e for ENERGY STAR V	6 registration(P₅	sleep)	Ш
	- WOL Disabled		0.50 W	<i>0.50</i> W	0.52 W	Ref	ference			
Off (S5) - 1	WOL Enabled		<i>NA</i> W	<i>NA</i> W	<i>NA</i> W	Use	e for ENERGY STAR V	'6 registration(P	off)	
Off (S5) - 1	WOL Disabled		0.31 W	0.31 W	0.33 W	Use	e for EuP			
Categor	y D 1/2					•				
Short Idle	State - WOL Enal	bled	<i>NA</i> W	<i>NA</i> W	<i>NA</i> W	Use	e for ENERGY STAR V	6 registration (P	idle)	
Long Idle	State - WOL Enal	bled	NA W	NA W	NA W	Use	e for ENERGY STAR V	6 registration (P	idle)	
Sleep (S3)	- WOL Enabled		NA W	NA W	NA W	Use	e for ENERGY STAR V	6 registration (P	sleep)	П
Sleep (S3)	- WOL Disabled		NA W	NA W	NA W	Ret	ference			Ħ
Off (S5) - 1	WOL Enabled		<i>NA</i> W	NA W	NA W	Use	e for ENERGY STAR V	6 registration(P	off)	Ħ
Off (S5) - 1	WOL Disabled		NA W	NA W	NA W	Use	e for EuP			Ħ
EPS No-loa			0.066 W	0.068 W	0.068 W	1				H
	ower supply / char the wall outlet but	rger								
	ed from the produc	ct.)								
PTEC *			W	W	W					
Typical En	ergy Consumption									
TEC *			kWh/week			-				
	ergy Consumption		KVVII/Week	kWh/week	kWh/week					
ETEC *			19.14 kWh/year	18.80	20.60	F	$EC = (8760/1000) \times (P_{off})$	x 0.25 + Palean X	0.35	\vdash
	ergy Consumption		Torr Kiving Joan	kWh/year	kWh/year		Short idle X 0.3+ Plong idle		0.00	
		•	P _{off} : Off Mode(S5) - 1	WOL Enabled; P _{slee}	: Sleep Mode(S3)) - WO	OL Enabled; P _{idle} : Idle Stat	te - WOL Enabled		
Display res	solution* : 1280*86	00 Mega			•					
Print Speed	d* : I	mages i	per minute							
Default tim	e to enter energy s	save mo	nde: 25 minutes							
P9.2*			ergy save function is	s provided with the	e product				$\overline{}$	H
P9.3*			nergy requirements		<u> </u>	0/0:				Ш
1 9.5	ENERGY STAR®	versio	n: <i>Version 6.0</i> Tie Star for External P	er: Produc	t category: 11		eion 2			
P10	Emissions	illergy c	Jan 101 External 1	ower Supplies El	igionity Oriteria	a ver.	31011 2			
		- Decla	red according to IS	O 9296						
P10.1	Mode		description		Declared		Declared A			
					A-weighted sound power		sound pressure le	evel $L_{p{\sf Am}}$ (dB)		
					level L_{WAd} (Operator position	Bystander posi	itions	
					WAU	(-)	Desktop 🔀			
							or Desk side	(only if product i operator atter		
	Idle	* HDE	D:Idle		* 2.48		21.			
	Operation	* HDE	D: Operating		* 2.52		21.	.3		
	Other mode						Energy Star for Exter	rnal Power Supp	olies]
	Measured accord	ling to:	X ISO7779 ☐ EC	MA-74					·	
							m measurement distance	e m)		<u> </u>
P10.2	The product meets the acoustic noise requirements of the following voluntary program/s:									

Model number *	Lenovo Yoga 2 11		
Issue date *	2014-09-04	Logo	lenovo.

Product	environmental attributes - Market requirements (continued)	Require	ment	met		
Item	•	Yes	No	n.a.		
	Chemical emissions from printing products					
P10.3*	Test performed according to ECMA-328 (ISO/IEC 28360) standard, other specify:			\boxtimes		
P10.4	Typical emission rate (print phase) is (mg/h):			\boxtimes		
	Dust Ozone Styrene Benzene TVOC			_		
P10.5	Chemical emission requirements of the following voluntary program/s are met for :			\boxtimes		
	Dust Ozone Styrene Benzene TVOC					
	Electromagnetic emissions					
P10.6	program/s: MPR-II					
P11	Consumable materials for printing products					
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).			\boxtimes		
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.	of		\boxtimes		
P11.3*	2-sided (duplex) printing/copying is an integrated product function.			\boxtimes		
P12	Ergonomics for computing products					
P12.1*						
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.	\boxtimes				
P13	Packaging and documentation					
P13.1*	Product packaging material type(s): Corrugated Carton weight (kg): 0.290					
	Product packaging material type(s): Polyethylene Cushions weight (kg): 0.030					
P13.2*	Product packaging material type(s): <i>Others</i> weight (kg): <i>0.123</i> Product plastic packaging is free from PVC.					
_		\boxtimes				
P13.3*	Specify media for user and product documentation (tick box): Electronic , Paper , Other			Ш		
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled			$\overline{}$		
	fiber: 0%			Ш		
P14	Additional information (See Note B4)					
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied information contained in this document. All information provided by supplier in this document is provided bas knowledge available at the time of completion, and supplier shall have no obligation to update such information provided here is approximate and provided for informational purposes only. See a Lenovo Account Represer information.	ed on suppon. The in	plier's forma			
P9	See Energy Star Qualified Notebooks & Tablet Computers for the latest information: http://www.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup&pgw_code=CC	,				
	mup.//www.energystar.gov/index.ciiii?idseaction=iiid_a_product.snow=roductGroup&pgw_code=cc	<u>*</u>				
l						

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19

Lenovo ErP Lot3 Information Sheet

- PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo Yoga 2 11	Logo
Model Number	20428, 80GB,20332,80CX	_
Issue Date	2014.5.22	lenovo.
Additional information		

P7.1.1 F	Product environmental attributes			
(d)	year of manufacture:	2014		
(e)	E TEC value (kWh) and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display:			
(f)	E TEC value (kWh) per ErP Lot 3 Category and capability adjustments enabled:	applied when all discrete graphics cards (dGfx) are		
	Category Etec			
(g)	idle state power demand (Watts);	6.57		
(h)	sleep mode power demand (Watts); 0.53			
(i)	sleep mode with WOL enabled power demand (Watts) (where enabled);	; 0.55		
(j)	off mode power demand (Watts); 0.41			
(k)	off mode with WOL enabled power demand (Watts) (where enabled); 0.44			
(l)	internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable):			
	10% 20% 50% 100% Average			
(m)	external power supply efficiency (if applicable):			
	10% 20% 50% 100% Average	;		
	or level: 5			
(0)	the minimum number of loading cycles that the batteries can withstand (applies only to notebook computers): 800cycles			
(f)	test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing:			
	YES			
(p-1)	the measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency:			
(p-2)	the measurement methodology used to determine information ment efficiency:	ioned in points (m) – external PSU		