

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo
Company name *	Lenovo	
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5J3 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo.
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	t.html
Additional information	http://www.lenovo.com/social_responsibility/us/en/datasheets_i	notebooks.html

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Notebook PC			
Commercial name *	Lenovo IdeaPad Yoga 11S			
Model number *	20246;80AB			
Issue date *	2013-3-21			
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality (Control	Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality controsuch as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🖂	

Model number *	Lenovo IdeaPad Yoga 11S		
Issue date *	2013-3-21	Logo	lenovo.

Product	environmental attributes - Legal requirements	Require	ment	t met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\boxtimes		
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/ThinkGreen_products.html#environment	\boxtimes		
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)			
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\boxtimes		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).	\boxtimes		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).	; <u></u>		
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\boxtimes		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\boxtimes
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium an hexavalent chromium by weight of these together.	d 🔀		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montree Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	al 🔀		

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	Lenovo IdeaPad Yoga 11S		
Issue date *	2013-3-21	Logo	lenovo.

Product	t environmental attributes - Market requirements - Environmental conscious design Re	quire	men	t met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes		
P7	Design Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	\square		\Box
P7.2*	Plastic materials in covers/housing have no surface coating.		一片	Ħ
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.		一片	
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.		∺	\dashv
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		+	-
			ᄴ	_#
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).			
D7 7*	Product lifetime	<u> </u>		
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives			
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		
P7.9.	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type:			
	Material type: PC/ABS +TPU Material type: PC+ABS			
P7.12	Electrical cable insulation materials of power cables are PVC free.		\boxtimes	
P7.13	Electrical cable insulation materials of signal cables are PVC free		\boxtimes	
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.	\boxtimes		
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Note B2)		X	
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking: FR(40)			
P7.17	Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive) , TBBPA (reactive) , Other; chemical name: , CAS #:			
	Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: <i>Brominated Epoxy Resin See P14</i>			
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%:			
	Comment: No legal limits exist, this is a market requirement. Provide a list of all used flame retardants including MSDS for each flame retardant. The list must contain complete chemical name, CAS number and supplier. 1. Chemical name: , CAS #: , Supplier: 2. Chemical name: , CAS #: , Supplier:			
	3. Chemical name: , CAS #: , Supplier: Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4: FR(40)			
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)			
P7.20	Of total plastic parts' weight >25g, recycled material content is 0%.			
P7.21	Of total plastic parts' weight >25g, biobased material content is 0 %.			
P7.22	Light sources are free from mercury	\boxtimes		
P8	Batteries			
P8.1*	Battery chemical composition: Lithium Ion/Lithium Manganese Dioxide			
P8 2	Batteries meet the requirements of the following voluntary program/s: US RBRC			一一

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	Lenovo IdeaPad Yoga 11S		
Issue date *	2013-3-21	Logo	lenovo.

Product environmenta	oduct environmental attributes - Market requirements (continued) Requirement me				
Item				n.a.	
P9 Energy consumption 9.1 For the product the following power levels or energy consumptions are reported: See P14					
	the following power lev shipped w/ WOL Enable		mptions are reporte	ed: See P14	
Energy mode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard for energy modes and test method *	
Peak (On-max)	45W	45 W	45 W	Full load	
Category A					
Idle State - WOL Enabled	<i>8.43</i> W	7.83 W	7.13 W	Use for Energy Star V5 registration(P _{idle})	
Sleep (S3) - WOL Enabled	0.35 W	0.34 W	<i>0.36</i> W	Use for Energy Star V5 registration(P _{sleep})	
Sleep (S3) - WOL Disable	d 0.34 W	0.34 W	0.35 W	Reference	
Off (S5) - WOL Enabled	0.26 W	0.26 W	0.28 W	Use for Energy Star V5 registration(Poff)	
Off (S5) - WOL Disabled	0.26 W	0.26 W	0.27 W	Use for EuP	
EPS No-load (External power supply / charger plugged in the wall outlet but disconnected from the product.)		0.11 W	0.16 W		
TEC Typical Energy Consumption	kWh/week	kWh/week	kWh/week		
ETEC * Annual Energy Consumption	23.84 kWh/year	22.25 kWh/year	20.51 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.6 + P_{sleep} \times 0.1 + P_{idle} \times 0.3)$	
	P _{off} : Off Mode(S5) - 1	WOL Enabled; P _{sleep} : S	Sleep Mode(S3) - WOL	Enabled; P _{idle} : Idle State - WOL Enabled	
Display resolution : 1280	*800 Megapixels				
Print Speed :	Images per minu	te			
Default time to enter energ	y save mode: 25 minute	s			
P9.2* Information abo	out the energy save fund	ction is provided with	the product.		
ENERGY STA Others specify:	eets the energy requirer R® version: <i>Version 5.2</i> Energy Star for Exter	2 dated March 21, 2	2013 Product catego	ory: A	
P10 Emissions	n - Declared according	to ISO 9296			
P10.1 Mode	Mode description	10 100 3230	$\begin{array}{c} \text{Declared} \\ \text{A-weighted} \\ \text{sound power} \\ \text{level } L_{W\text{Ad}} \left(\text{B} \right) \end{array}$		
Idle	* HDD: Idle		* 3.2	15.5	
Operation	* HDD: Operating		* 3.2	16.2	
Other mode					
Measured acco	rding to: ISO7779 Other		ed by ECMA-74 with	h L _{pAm} measurement distance m)	
P10.2 The product me	eets the acoustic noise				\square

Model number *	Lenovo IdeaPad Yoga 11S		
Issue date *	2013-3-21	Logo	lenovo.

Product	environmental attributes - Market requirements (continued)	Require	ment	met	
Item	· · · · · · · · · · · · · · · · · · ·	Yes	No	n.a.	
	Chemical emissions from printing products				
P10.3*	Test performed according to ECMA-328 (ISO/IEC 28360) standard , other specify:			X	
P10.4	Typical emission rate (print phase) is (mg/h):			X	
	Dust Ozone Styrene Benzene TVOC				
P10.5	Chemical emission requirements of the following voluntary program/s are met for :			\boxtimes	
	Dust Ozone Styrene Benzene TVOC				
	Electromagnetic emissions				
P10.6	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s: MPR-II				
P11	Consumable materials for printing products				
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).			\boxtimes	
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.			\boxtimes	
P11.3*	2-sided (duplex) printing/copying is an integrated product function.			X	
P12	Ergonomics for computing products				
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.	\boxtimes			
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.	\boxtimes			
P13	Packaging and documentation				
P13.1*	Product packaging material type(s): Corrugated Carton weight (kg): 0.384				
	Product packaging material type(s): <i>Polyethylene Cushions</i> weight (kg): <i>0.097</i>				
P13.2*	Product packaging material type(s): <i>Others</i> weight (kg): <i>0.290</i> Product plastic packaging is free from PVC.		_		
	, , , , ,				
P13.3*	Specify media for user and product documentation (tick box):			Ш	
P13.4*	Electronic , Paper , Other .				
P13.4	For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: 0% (Japan only 70%)			Ш	
P14	Additional information (See Note B4)				
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implie				
	information contained in this document. All information provided by supplier in this document is provided base				
	knowledge available at the time of completion, and supplier shall have no obligation to update such informatic provided here is approximate and provided for informational purposes only. See a Lenovo Account Represent			lion	
	information.	auve IUI I	11016		
P7.17	Product does not contain free TBBPA in printed circuit boards(without components)>25g.				
P9	See Energy Star Qualified (insert appropriate Product type; i.e. Desktop, Notebook, etc.) for the latest	informat	ion:		
	http://downloads.energystar.gov/bi/qplist/laptops_prod_list.xls (insert appropriate web url)				

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19

Lenovo ErP Lot3 Information Sheet

- PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo IdeaPad Yoga 11S	Logo
Model Number	20246;80AB	_
Issue Date	2014.6.17	lenovo.
Additional information		

P7.1.1	Product environmental attributes	
(d)	year of manufacture:	2014
(e)	E TEC value (kWh) and capability adjustments applied when all discrete graphics cards (are disabled and if the system is tested with switchable graphics mode with UMA driving the display:	
(f)	E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all disenabled:	crete graphics cards (dGfx) are
	Category N/A EtecN/A	
(g)	idle state power demand (Watts);	5.82
(h)	sleep mode power demand (Watts);	0.34
(i)	sleep mode with WOL enabled power demand (Watts) (where enabled);	0.35
(j)	off mode power demand (Watts);	0.15
(k)	off mode with WOL enabled power demand (Watts) (where enabled);	0.15
(I)	internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if ap	plicable):
	10% 20% 50% 100% Average	
(m)	external power supply efficiency (if applicable):	
	10% 20% 50% 100% Average ;	
	or level:V	
(o)	the minimum number of loading cycles that the batteries can withstand (applies only to note	book computers): 800 cycles
(f)	test parameters for measurements: — test voltage in V and frequency in Hz, — total harmor the electricity supply system, — information and documentation on the instrumentation, set-used for electrical testing: 230V50HZ	
(p-1)	the measurement methodology used to determine information mentioned in points (I) efficiency:) – internal PSU
(p-2)	the measurement methodology used to determine information mentioned in points (m) efficiency	- external PSU

	Measuring the Energy Consumption of External Power Supplies, Appendix Z to 10 CFR Part 430.			
(p-3)	the measurement methodology used to determine information mentioned in points (o) - loading cycles batteries:			
	0.5C Charge/Discharge			
(p-4)	the measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:			
	ENERGY STAR Test Method for Computers, Rev. Aug-2010			
(q)	sequence of steps for achieving a stable condition with respect to power demand::			
	Boot the computer and wait until the operating system has fully loaded. If necessary, run the initial operating system setup and allow all preliminary file indexing and other one-time/periodic processes to complete.			
(r)	description of how sleep and/or off mode was selected or programmed:			
	refer to power management, sleep mode: ACPI system level G1/S3 (suspend to RAM) state; off mode: ACPI system level G2/S5 ('soft off') state			
(s)	sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:			
	refer to power management, 30mins automatically reaches sleep mode			
(t)	the duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):	30min		
(u)	the length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):	N/A		
(v)	the length of time before the display sleep mode is set to activate after user inactivity (in minutes):	10min		
(w)	information on the energy-saving potential of power management functionality:			
	refer to user manual			
(x)	user information on how to enable the power management functionality:			
	refer to user manual			
(z)	test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing:			
230V50HZ				
Addition	n Notebook Battery Information:			
Yes	No n/a This notebook computer is operated by battery/ies that cannot be accessed and replaced by a no user.	n-professional		
	The battery[ies] in this product cannot be easily replaced by users themse	lves		
Additional information				
•				