

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo		
Company name *	Lenovo			
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5J3 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo.		
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html			
Additional information	The latest version of this document can be found at http://www.lenovo.com/social_responsibility/us/en/datasheets_notebooks.html			

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Notebook PC				
Commercial name *	Lenovo IdeaPad Z710				
Model number *	20250;80AK				
Issue date *	2013-08-07				
Intended market *	Global Europe Asia, Pacific & Japan Americas Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Control	equireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).		

Model number *	Lenovo IdeaPad Z710	MT: 20250; 80AK	
Issue date *	2013-08-07	Logo	lenovo.

Product	environmental attributes - Legal requirements	Require	men	t met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).			
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/ThinkGreen_products.html#environment			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	\boxtimes		
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\boxtimes		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).	S		
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\boxtimes		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\boxtimes
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium an hexavalent chromium by weight of these together.			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montree Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	al 🔀		

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	Lenovo IdeaPad Z710	MT: 20250; 80AK		
Issue date *	2013-08-07	Logo	o lenov	10.

Product	t environmental attributes - Market requirements - Environmental conscious design Re	quire	men	t met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes		
P7	Design Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	\square		$\overline{}$
P7.2*	Plastic materials in covers/housing have no surface coating.		$\overline{}$	一片
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.	\boxtimes	\vdash	-#
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.		井	╫
				_#
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.			_#
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).			
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives			
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		
P7.9.	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type:			
	Material type: PC+ABS-FR(40) Material type: Material type:			
P7.12	Electrical cable insulation materials of power cables are PVC free.		\boxtimes	
P7.13	Electrical cable insulation materials of signal cables are PVC free		\boxtimes	
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.			
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Note B2)		X	
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking: FR(40)			
P7.17	Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive) , TBBPA (reactive) , Other; chemical name: , CAS #:			
	Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: <i>Brominated Epoxy Resin See P14</i>			
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%:			
	Comment: No legal limits exist, this is a market requirement. Provide a list of all used flame retardants including MSDS for each flame retardant. The list must contain complete chemical name, CAS number and supplier. 1. Chemical name: , CAS #: , Supplier: 2. Chemical name: , CAS #: , Supplier:			
	3. Chemical name: , CAS #: , Supplier: Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4: FR(40)			
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)			
P7.20	Of total plastic parts' weight >25g, recycled material content is 5.4%.			
P7.21	Of total plastic parts' weight >25g, biobased material content is 0 %.			
P7.22	Light sources are free from mercury	\boxtimes		
P8	Batteries			
P8.1*	Battery chemical composition: Lithium Ion/Lithium Manganese Dioxide			
P8 2	Batteries meet the requirements of the following voluntary program/s: US RRRC			一百

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	Lenovo IdeaPad Z710	MT: 20250; 80AK		
Issue date *	2013-08-07		Logo	lenovo.

Product environme	Product environmental attributes - Market requirements (continued) Requirement met						
Item						Yes No	n.a.
P9 Energy co							
		e following power lev oped w/ WOL Enable		mptions are reporte	ed: <i>See P14</i>		
Energy mode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard and test method *	d for energy modes	
Peak (On-max)		<i>90</i> W	<i>90</i> W	<i>90</i> W	Full load		
Category A					•		
Idle State - WOL Ena	bled	7.6884W	7.6620 W	7.8300 W	Use for Energy Star	V5 registration(P _{idle})	
Sleep (S3) - WOL End	abled	0.8244 W	0.8256 W	<i>0.8700</i> W	Use for Energy Star	V5 registration(P _{sleep})	
Sleep (S3) - WOL Dis	abled	<i>0.8256</i> W	0.8268 W	<i>0.8700</i> W	Reference		
Off (S5) - WOL Enabl	led	<i>0.296</i> W	0.299 W	<i>0.336</i> W	Use for Energy Star	V5 registration(P _{off})	
Off (S5) - WOL Disab	led	0.2964W	0.2988 W	0.3360 W	Use for EuP		
EPS No-load (External power supply charger plugged in the outlet but disconnecte the product.)	wall	0.134 W	0.139 W	0.177 W			
TEC Typical Energy Consu	mption	kWh/week	kWh/week	kWh/week			
ETEC * Annual Energy Consu	mption	22.49 kWh/year	22.43 kWh/year	23.11 kWh/year	$E_{TEC} = (8760/1000) x$ 0.1 + $P_{idle} x 0.3$)	$(P_{off} \times 0.6 + P_{sleep} \times$	
		P _{off} : Off Mode(S5) - 1	WOL Enabled; P _{sleep} : S	Sleep Mode(S3) - WOL	Enabled; P _{idle} : Idle State	- WOL Enabled	
Display resolution :	1920*10	80 Megapixels					
Print Speed :		Images per minu	te				
Default time to enter e	nergy sa	ave mode: 25 minute	es .				
P9.2* Informatio	n about	the energy save fund	ction is provided with	the product.			
ENERGY Others spe	STAR® ecify: <i>Er</i>	s the energy requirer version: <i>Version 5.</i> nergy Star for Exter	0 dated July 1, 2009	Product category:	A		
P10 Emission		Declared according	to ISO 0206				
P10.1 Mode		Mode description	100 3230	$\begin{array}{c} \text{Declared} \\ \text{A-weighted} \\ \text{sound power} \\ \text{level} \ L_{\text{WAd}} \left(\text{B} \right) \end{array}$	Declared A-sound pressure le Operator position Desktop		
Idle		* HDD: Idle		* 3.0	or Desk side	(only if product is not operator attended)	_
Operation	,	HDD: Idle HDD: Operating		* 3.0	23. 26.		┧붜
Other mod					20.	•	┧╙
Measured	accordi	ng to: 🔀 ISO7779 [ECMA-74	1			1
		Other			h L _{pAm} measurement dis	stance m)	<u> </u>
P10.2 The produ	ct meets	the acoustic noise	requirements of the	following voluntary p	orogram/s:		

Model number *	Lenovo IdeaPad Z710	MT: 20250; 80AK	
Issue date *	2013-08-07	Logo	lenovo.

Product	roduct environmental attributes - Market requirements (continued) Requirement met					
Item					Yes No	n.a.
P9	Energy consump					
9.1		e following power level oped w/ WOL Enable		mptions are reporte	ed: See P14	
Energy mo	ode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard for energy modes and test method *	
Peak (On-	max)	<i>135</i> W	135 W	135 W	Full load	
Categor	<u>y B</u>					
Idle State	- WOL Enabled	4.8996W	4.7460 W	4.8588 W	Use for Energy Star V5 registration(P _{idle})	
Sleep (S3)	- WOL Enabled	0.7356 W	<i>0.7392</i> W	<i>0.8076</i> W	Use for Energy Star V5 registration(P _{sleep})	
Sleep (S3)	- WOL Disabled	0.7344 W	<i>0.7392</i> W	<i>0.8076</i> W	Reference	
Off (S5) -	WOL Enabled	0.251 W	0.256 W	0.323 W	Use for Energy Star V5 registration(Poff)	
Off (S5) -	WOL Disabled	0.2508 W	0.2556 W	0.3228 W	Use for EuP	
charger plu	power supply / ugged in the wall disconnected from	0.112 W	0.118 W	0.178 W		
TEC Typical En	ergy Consumption	kWh/week	kWh/week	kWh/week		
ETEC * Annual En	ergy Consumption	14.84 kWh/year	14.46 kWh/year	15.17 kWh/year	$E_{TEC} = (8760/1000) \ x \ (P_{off} \ x \ 0.6 + P_{sleep} \ x \ 0.1 + P_{idle} \ x \ 0.3)$	
		P _{off} : Off Mode(S5) - V	VOL Enabled; P _{sleep} : S	Gleep Mode(S3) - WOL	Enabled; P _{idle} : Idle State - WOL Enabled	
Display res	solution : 1920*10	80 Megapixels				
Print Spee	d :	Images per minu	te			\boxtimes
Default tim	e to enter energy sa	ave mode: 25 minute	S			
P9.2*	Information about	the energy save fund	tion is provided with	the product.		
P9.3*	ENERGY STAR® Others specify: Er	s the energy requiren version: <i>Version 5.0</i> vergy Star for Extern	dated July 1, 2009	Product category:	B	
P10	Emissions Noise emission -	Declared according	to ISO 9296			
P10.1		Mode description	100 0200	$\begin{array}{c} \text{Declared} \\ \text{A-weighted} \\ \text{sound power} \\ \text{level } L_{W\text{Ad}} \left(\text{B} \right) \end{array}$		
		HDD: Idle		* 3.0	23.7	
	Operation '	HDD: Operating		* 3.0	26.1	
	Other mode					
	Measured according	ng to: ISO7779 Other		ed by ECMA-74 with	h L _{pAm} measurement distance m)	
P10.2	The product most	the acquetic noise r	<u> </u>	•		

Model number *	Lenovo IdeaPad Z710	MT: 20250; 80AK		
Issue date *	2013-08-07		Logo	lenovo.

Product 6	environmental attributes - Market requirements (continued)	Require	ment	met
Item	, , , ,	Yes	No	n.a.
	Chemical emissions from printing products			
P10.3*	Test performed according to ECMA-328 (ISO/IEC 28360) standard , other specify:			\boxtimes
P10.4	Typical emission rate (print phase) is (mg/h):			\boxtimes
	Dust Ozone Styrene Benzene TVOC			
P10.5	Chemical emission requirements of the following voluntary program/s are met for :			\boxtimes
	Dust Ozone Styrene Benzene TVOC			
	Electromagnetic emissions			
P10.6	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s: MPR-II			Ш
P11	Consumable materials for printing products			
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).			\boxtimes
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.			\boxtimes
P11.3*	2-sided (duplex) printing/copying is an integrated product function.			\boxtimes
P12	Ergonomics for computing products			
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.	\boxtimes		
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.	\boxtimes		
P13	Packaging and documentation			
P13.1*	Product packaging material type(s): Corrugated Carton weight (kg): 0.440			
	Product packaging material type(s): <i>Polyethylene Cushions</i> weight (kg): <i>0.125</i>			
P13.2*	Product packaging material type(s): <i>Others</i> weight (kg): <i>0.123</i> Product plastic packaging is free from PVC.	\boxtimes		
P13.3*	Specify media for user and product documentation (tick box):			\vdash
F13.3	Electronic , Paper , Other			Ш
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled			
1 10.4	fiber: 0% (Japan only 70%)			Ш
P14	Additional information (See Note B4)			
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied)
	information contained in this document. All information provided by supplier in this document is provided base			
	knowledge available at the time of completion, and supplier shall have no obligation to update such information provided here is approximate and provided for informational purposes only. See a Lenovo Account Represent			ion
	information.	20,40,101,1		
P7.17	Product does not contain free TBBPA in printed circuit boards(without components)>25g.			
P9	See Energy Star Qualified (insert appropriate Product type; i.e. Desktop, Notebook, etc.) for the latest	nformat	ion:	
	http://downloads.energystar.gov/bi/qplist/laptops_prod_list.xls (insert appropriate web url)			

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19

Lenovo ErP Lot3 Information Sheet

- PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo IdeaPad Z710	Logo
Model Number	20250, 80AK	_
Issue Date	2014-06-19	lenovo.
Additional information		

P7.1.1	Product environmenta	l attributes							
(d)	year of manufacture:						2014		
(e)	E TEC value (kWh) and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display:								
(f)	E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are enabled:								
	Category N/A	Etec N/A							
(g)	idle state power demar	nd (Watts);					7.8300		
(h)	sleep mode power den	nand (Watts);					0.8700		
(i)	sleep mode with WOL	enabled power	demand (Wat	ts) (where enable	ed);		0.8700		
(j)	off mode power demar	id (Watts);					0.3360		
(k)	off mode with WOL enabled power demand (Watts) (where enabled);						0.3360		
(l)	internal power supply e	efficiency at 10 °	%, 20 %, 50 %	and 100 % of ra	ated output p	ower (if applicable):			
	10% 20%	50%	100%	Average					
(m)	external power supply	efficiency (if app	olicable):						
	10% 20%	50%	100%	Average	;				
	or level: V								
(o)						only to notebook computers	500		
(f)		/stem, — inform				otal harmonic distortion of tation, set-up and circuits			
			23	0V/50Hz					
(p-1)	the measurement me efficiency:	thodology use	d to determin	ne information n	mentioned in	n points (I) – internal PS	SU		
(p-2)	efficiency:	ernal a.c.—d.c.	and a.c.—a.c		es — Detern	points (m) - external Ps			

(p-3)	batte	ries:	nent methodology used to determine information mentioned in points (o) - loading cycles						
			2011 Secondary cells and batteries containing alkaline or other non-acid electrolytes — lithium cells and batteries for portable applications: 7.6.1 General; 7.6.3 Endurance in cycles (accelerated test procedure).						
(p-4)	the measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:								
	EN		013 — Desktop and notebook computers — Measurement of energy consumption: 5.2.; .; 5.8.; Annex E.2 (informative) ENERGY STAR® V5 compliant testing methodology.						
(q)	seque	ence of st	teps for achieving a stable condition with respect to power demand::						
			013 — Desktop and notebook computers — Measurement of energy consumption: 5.2. ; 5.3.2. Measuring off mode; 5.3.3. Measuring sleep mode; 5.3.4. Measuring long idle mode.						
(r)	descr	iption of I	how sleep and/or off mode was selected or programmed:						
			Yes						
(s)	seque off m		vents required to reach the mode where the equipment automatically changes to sleep and/or						
			Yes						
(t)			of idle state condition before the computer automatically reaches sleep mode, or another the does not exceed the applicable power demand requirements for sleep mode (in minutes):	25 min					
				25 111111					
(u)		•	time after a period of user inactivity in which the computer automatically reaches a that has a lower power demand requirement than sleep mode (in minutes):	N/A					
(v)	the le	ength of t	time before the display sleep mode is set to activate after user inactivity (in minutes):	10 min					
(w)	inforn	nation on	the energy-saving potential of power management functionality:						
			Yes						
(x)	user	nformatio	on on how to enable the power management functionality:						
			Yes						
(z)	the e	ectricity s	s for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of supply system, — information and documentation on the instrumentation, set-up and circuits ical testing:						
			230V/50Hz						
Δdditio	n Notebo	ok Ratte	ry Information:						
Yes	No	n/a	This notebook computer is operated by battery/ies that cannot be accessed and replaced by a	non-professional					
			user.						
			The battery[ies] in this product cannot be easily replaced by users thems	selves					

Lenovo ErP Lot3 Information Sheet

- PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo IdeaPad Z710	Logo
Model Number	20250, 80AK	_
Issue Date	2014-06-19	lenovo.
Additional information		

(d)	year of manufa	cture:							2014
(e)	E TEC value (kWh) and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display:							N/A	
(f)	E TEC value (lenabled:	kWh) per	ErP Lot 3 Cat	tegory and cap	ability adjustme	ents applie	ed when all discrete g	jraphics cai	rds (dGfx) are
	Category B		Etec 15.17						
(g)	idle state powe	r deman	d (Watts);						7.8300
(h)	sleep mode po	wer dem	and (Watts);						0.8700
(i)	sleep mode wit	th WOL 6	enabled power	demand (Wat	ts) (where enab	led);			0.8700
(j)	off mode power demand (Watts);							0.3360	
(k)	off mode with WOL enabled power demand (Watts) (where enabled);						0.3360		
(I)	internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable):								
	10% 2	20%	50%	100%	Average				
(m)	external power supply efficiency (if applicable):								
	10% 2	20%	50%	100%	Average	;			
	or level: V								
(0)	the minimum n	umber of	f loading cycle	s that the batte	eries can withsta	and (appli	ies only to notebook co	omputers):	500
(f)		upply sy	stem, — inforr				— total harmonic distomentation, set-up and		
				23	0V/50Hz				
(p-1)	the measurem efficiency:	ent met	hodology use	d to determin	ne information	mentione	ed in points (I) - inte	ernal PSU	
(p-2)	efficiency:		rnal a.c.—d.c.	and a.c.—a.c		ies — Dei	d in points (m) – extermination of no-loa		

(p-3)	the n		nent methodology used to determine information mentioned in points (o) - loading cycles	
	E٨	l 61960:2	011 Secondary cells and batteries containing alkaline or other non-acid electrolytes — lithium cells and batteries for portable applications: 7.6.1 General; 7.6.3 Endurance in cycles (accelerated test procedure).	
(p-4)			ent methodology used to determine information mentioned in maximum, idle, sleep, off mode ed in Point P9.1 in the Product IT Eco Declaration:	
	EN		013 — Desktop and notebook computers — Measurement of energy consumption: 5.2.; ; 5.8.; Annex E.2 (informative) ENERGY STAR® V5 compliant testing methodology.	
(q)	seque	ence of st	eps for achieving a stable condition with respect to power demand::	
			013 — Desktop and notebook computers — Measurement of energy consumption: 5.2.; 5.3.2. Measuring off mode; 5.3.3. Measuring sleep mode; 5.3.4. Measuring long idle mode.	
(r)	descr	ription of h	now sleep and/or off mode was selected or programmed:	
			Yes	
(s)	seque off m		vents required to reach the mode where the equipment automatically changes to sleep and/or	
			Yes	
(t)			if idle state condition before the computer automatically reaches sleep mode, or another in does not exceed the applicable power demand requirements for sleep mode (in minutes):	25 min
(u)		•	ime after a period of user inactivity in which the computer automatically reaches a hat has a lower power demand requirement than sleep mode (in minutes):	N/A
(v)	the le	ength of t	ime before the display sleep mode is set to activate after user inactivity (in minutes):	10 min
(w)	inforn	nation on	the energy-saving potential of power management functionality:	
			Yes	
(x)	user	informatio	on on how to enable the power management functionality:	
			Yes	
(z)	the e	lectricity s	s for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of supply system, — information and documentation on the instrumentation, set-up and circuits ical testing:	
			230V/50Hz	
Addition	n Notebo	ok Batte	ry Information:	
Yes	No	n/a	This notebook computer is operated by battery/ies that cannot be accessed and replaced by a user.	non-professional
			The battery[ies] in this product cannot be easily replaced by users them	selves
Addition	nal inform	nation		