

## Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo
Company name *	Lenovo	
Contact information * Lenovo Global Environmental Affairs		lenovo.
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environmen	t.html
Additional information		

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.			
Type of product *	blet PC			
Commercial name *	Lenovo B6000-F			
Model number *	M/T: 60043			
Issue date *	2013-9-1			
Intended market *	🔀 Global 📃 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality Control Revealed Strength Revealed Stren				
Item		Yes	No	
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	$\boxtimes$		
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	$\square$		

Model number *	Lenovo B6000-F	M/T: 60043		
Issue date *	2013-9-1		Logo	lenovo

Product	t environmental attributes - Legal requirements	Require	ment	met
ltem		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	$\boxtimes$		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	$\boxtimes$		
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	$\boxtimes$		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			$\boxtimes$
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm <sup>2</sup> /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/ThinkGreen_products.html#environment			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	$\boxtimes$		
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medica or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	$\square$		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).	s 🔀		
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	$\square$		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			$\boxtimes$
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium an hexavalent chromium by weight of these together.	d 🔀		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	$\boxtimes$		
	The product packaging material is free from ozone depleting substances as specified in the Montrea			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model n	umber *	Lenovo B6000-F M/T: 60043			
Issue da	ate *	2013-9-1 Logo	lenc	DVC	
Produc	t environ	mental attributes - Market requirements - Environmental conscious design	Require	ment	met
Item		atory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P6		nt information		-	
P6.1*	Informat	on for recyclers/treatment facilities is available (see legal reference).	$\square$		
P7	Design	mbly, recycling			
P7.1*		t have to be treated separately are easily separable			
P7.2*		naterials in covers/housing have no surface coating.			H
P7.3*		arts >100g consist of one material or of easily separable materials.			H
P7.4*	•	arts >25g have material codes according to ISO 11469 referring ISO 1043.		- #	H
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly available tools.			╞
P7.6*					⊢⊢
P7.6		re easily separable. (This requirement does not apply to safety/regulatory labels).			
P7.7*	Product			_	
		ig can be done e.g. with processor, memory, cards or drives		<u> </u>	<u> </u>
P7.8*		g can be done using commonly available tools			<u> </u>
P7.9.		rts are available after end of production for: <b>5</b> years			
P7.10		s available after end of production for: 5 years			
		and substance requirements			
P7.11*		cover/housing material type:			
D7 10		type: PC+GF Material type: PC Material type:			
P7.12		I cable insulation materials of power cables are PVC free.	<u> </u>		<u> </u>
P7.13		I cable insulation materials of signal cables are PVC free		$\square$	
P7.14		/housing plastic parts >25g are free from chlorine and bromine.	$\square$		
P7.15	Note B2		e 🗌	$\square$	
P7.16	Marking:	tarded plastic parts >25g in covers / housings are marked according ISO 1043-4:			
P7.17		I specifications of flame retardants in printed circuit boards >25g (without components): additive) , TBBPA (reactive) , Other; chemical name: , CAS #:			
	ISO 104	I specifications of flame retardants in printed circuit boards (without components) >25g according 3-4: <i>Brominated Epoxy Resin See P14</i>			
P7.18		etarded plastic parts >25g contain the following flame retardant substances/preparations i ations above 0.1%:	in 🗌	$\boxtimes$	
	Provide complete 1. Chem	nt: No legal limits exist, this is a market requirement. a list of all used flame retardants including MSDS for each flame retardant. The list must contai e chemical name, CAS number and supplier. ical name: , CAS #: , Supplier: ical name: , CAS #: , Supplier:	in		
	Alt. 2	ical name: , CAS #: , Supplier: Il specifications of flame retardants in plastic parts >25g according ISO 1043-4:			
P7.19		arts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, 5, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)			
P7.20	Of total p	plastic parts' weight >25g, recycled material content is 0%.			
P7.21	Of total p	plastic parts' weight >25g, biobased material content is 0%.			
P7.22	Light sou	Irces are free from mercury	$\square$		
P8	Batterie				
P8.1*	Battery c	hemical composition: Lithium Ion			
P8.2	Batteries	meet the requirements of the following voluntary program/s: US RBRC			

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model num	<sup>number*</sup> Lenovo B6000-F M/T: 60043							
Issue date	*	2013-9-1				Logo	lenovo	
Product onvironmental attributes Market requirements (continued)								mot
Item	Product environmental attributes - Market requirements (continued)  Requirement me Yes No n.a							
P9	Energy	consumpt	tion				100 110	ind.
9.1	9.1 For the product the following power levels or energy consumptions are reported: See P14							
Energy mode *			Power level at 100 V AC		Power level at 230 V AC	Reference / Stanc and test method *	lard for energy modes	
Peak (On-	max)		N/AW	<b>N/A</b> W	N/A W	N/A		$\boxtimes$
Categor	<u>у В</u>				I	1		
Idle State	- WOL En	abled	N/AW	N/AW	N/A W	Use for Energy Sta	ar V5 registration(P <sub>idle</sub> )	$\square$
Sleep (S3)	- WOL EI	nabled	<b>N/A</b> W	<b>N/A</b> W	N/AW	Use for Energy Sta	ar V5 registration(P <sub>sleep</sub> )	$\square$
Sleep (S3)	- WOL D	isabled	<b>N/A</b> W	<b>N/A</b> W	<b>N/A</b> W	Reference		$\square$
Off (S5) - 1	WOL Enal	bled	<b>N/A</b> W	<b>N/A</b> W	<b>N/A</b> W	Use for Energy Sta	ar V5 registration(P <sub>off</sub> )	$\boxtimes$
Off (S5) - 1		bled	N/AW	<b>N/A</b> W	N/A W	Use for EuP		
EPS No-load (External power supply / charger plugged in the wall outlet but disconnected from the product.)		ne wall	<i>N/A</i> W	<i>0.069</i> W	<i>0.09</i> W			
TEC Typical Ene	ergy Cons	umption	kWh/week	kWh/week	kWh/week			
ETEC * Annual Ene	ergy Cons	umption	N/A kWh/year	N/A kWh/year	N/A kWh/year	$E_{TEC} = (8760/1000) \\ 0.1 + P_{idle} \times 0.3)$	) $x (P_{off} \times 0.6 + P_{sleep} \times 0.6)$	
			Poff: Off Mode(S5) - V	VOL Enabled; P <sub>sleep</sub> : S	Sleep Mode(S3) - WOL	Enabled; P <sub>idle</sub> : Idle St	ate - WOL Enabled	
Display res	olution :	1280x80	0 Megapixels					
Print Speed	d :		Images per minu	te				
Default tim	e to enter	energy sa	ave mode: 0.5 minute	es				
P9.2*	Informati	on about t	the energy save fund	tion is provided with	the product.	•		
P9.3*	ENERGY Others s	/ STAR® pecify:	the energy requiren version: Proc	nents of the following duct category:	g voluntary program	/s:		
P10	Emissio		Declared seconding	to ISO 0206				
		Declared according Mode description		Declared A-weighted sound power level <i>L</i> <sub>WAd</sub> (B)		A-weighted e level $L_{pAm}$ (dB) Bystander positions (only if product is not operator attended)		
	Idle	*			*			
	Operation Other mo							
		d accordir	ng to: ISO7779	ECMA-74	1			
	wicasure		Other		ed by ECMA-74 with	n L <sub>pAm</sub> measurement	distance m)	
P10.2	The prod	uct meets	the acoustic noise r					$\square$

Model nu	mber *	Lenovo B6000-F M/T: 60043				
Issue date *		2013-9-1 Logo	le	ΠΟ	10	2
Product	environr	nental attributes - Market requirements (continued)	Be	quiren	nent	met
Item				Yes	No	n.a.
	Chemic	al emissions from printing products			-	
P10.3*	Test per	formed according to ECMA-328 (ISO/IEC 28360) standard , other specify:				$\square$
P10.4		emission rate (print phase) is (mg/h):				
	• •	Dust Ozone Styrene Benzene TVOC				
P10.5		al emission requirements of the following voluntary program/s are met for : Dust Ozone Styrene Benzene TVOC				$\square$
	Electror	nagnetic emissions				
P10.6	Compute program	er display meets the requirement for low frequency electromagnetic fields of the following s/s:	voluntary			$\square$
P11		nable materials for printing products				
P11.1*	A Safety	Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see	ee P4.3).			$\boxtimes$
P11.2*	Paper c EN1228	ontaining post-consumer recycled fibers can be used, provided that it meets the requ	irements of			$\boxtimes$
P11.3*	2-sided	(duplex) printing/copying is an integrated product function.				$\boxtimes$
P12		nics for computing products				
P12.1*	The disp	lay meets the ergonomic requirements of ISO 9241-307 for visual display technologies.		$\boxtimes$		
P12.2*	The phy	sical input device meets the requirements of ISO 9995 and ISO 9241-410.		$\boxtimes$		
P13		ng and documentation				
P13.1*	Product	packaging material type(s): <i>paper</i> weight (kg): <i>0.95kg</i> packaging material type(s): <i>plastic</i> weight (kg): <i>0.006kg</i> packaging material type(s): weight (kg):				
P13.2*		plastic packaging is free from PVC.		$\boxtimes$		
P13.3*		media for user and product documentation (tick box): ic 🔯, Paper 🔯, Other 📃				
P13.4*		er user and product documentation, please specify contained percentage of post-consume % (Japan only 70%)	er recycled			
P14		nal information (See Note B4)				
	informat knowled provided informat		ovided based h information.	on supp The info	lier's ormat	
P7.17		t does not contain free TBBPA in printed circuit boards(without components)>25g.				
P9		ergy Star Qualified (insert appropriate Product type; i.e. Desktop, Notebook, etc.) for ownloads.energystar.gov/bi/qplist/laptops_prod_list.xls (insert appropriate web url)		formatio	on:	

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19