

Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo
Company name *	Lenovo	
Contact information *	Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo
Internet site *	www.lenovo.com/environment	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Monitor			
Commercial name *	Lenovo L2230x Wide			
Model number *	M/T: 5453-H*1			
Issue date *	2010, July 9			
Intended market *	🛛 Global 📃 Europe 🗌 Asia, Pacific & Japan 📃 Americas 📃 Other			
Additional information	ENERGY STAR® Qualified; EPEAT Gold Rating, GREENGUARD Certification			

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality Control			Requirement met	
Item		Yes	No	
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes		
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).			

Product of Item P1.1* P1.2* P1.3*	Hazardo Products 0.1% pol reference Products Commer Products hydrobro	mental attributes - Legal requirements F pus substances and preparations a do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, lybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal e and Note B1) a do not contain Asbestos (see legal reference). ht: Legal reference has no maximum concentration value.	Require Yes					
Item P1 P1.1* P1.2*	Hazardo Products 0.1% pol referenco Products Commer Products hydrobro	bus substances and preparations a do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, hybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal e and Note B1) a do not contain Asbestos (see legal reference). ht: Legal reference has no maximum concentration value.	Yes					
Item P1 P1.1* P1.2*	Hazardo Products 0.1% pol referenco Products Commer Products hydrobro	bus substances and preparations a do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, hybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal e and Note B1) a do not contain Asbestos (see legal reference). ht: Legal reference has no maximum concentration value.	Yes					
P1 P1.1* P1.2*	Products 0.1% pol reference Products Commer Products hydrobro	a do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, hybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal e and Note B1) a do not contain Asbestos (see legal reference). ht: Legal reference has no maximum concentration value.						
P1.2*	Products 0.1% pol reference Products Commer Products hydrobro	a do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, hybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal e and Note B1) a do not contain Asbestos (see legal reference). ht: Legal reference has no maximum concentration value.						
	Products Commer Products hydrobro	o do not contaín Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.	\square					
P1.3*	hydrobro	do not contain Ozone Depleting Substances: Chlorofluorocarbons (CEC)						
		Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.						
P1.4*	terpheny	do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated I (PCT) in preparations (see legal reference).	\square					
P1.5*		to not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	\boxtimes					
P1.6*	Tris-(aziı	nd leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), ridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). ht: Legal reference has no maximum concentration values.						
P1.7*	Textile a	nd leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split amines. (See legal reference and Note B1)			\boxtimes			
P1.8*	Wooden pentachl	parts do not contain arsenic and chromium as a wood preservation treatment as well as orophenol and derivatives (see legal reference). ht: Legal reference has no maximum concentration values.			\square			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5							
P1.10*	Comment: Max limit in legal reference when tested according to EN1811:1998. REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/environment.html							
P2	Batterie	S						
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)							
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)				\square			
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)							
P3	Safety, B	EMC connection to the telephone network and labeling						
P3.1*	The proc	luct complies with legally required safety standards as specified (see legal reference).	\boxtimes					
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference)							
P3.3*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).							
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).							
P4		able materials						
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see							
P4.2*	If ink/ton	er is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\boxtimes			
P4.3*	product/p	/toner formulation/preparation is classified as hazardous according to applicable regulations, the packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these tents is available (see legal reference).						
P5		packaging						
P5.1*	hexavale	ng and packaging components do not contain more than 0.01% lead, mercury, cadmium and ant chromium by weight of these together.						
P5.2*	Plastic p	ackaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes					
P5.3*	Protocol	duct packaging material is free from ozone depleting substances as specified in the Montreal (see legal reference). nt: Legal reference has no maximum concentration values.						

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Item * P6 T P6.1* In P7 E P7.1* F P7.2* F P7.3* F P7.4* F P7.6* L P7.7* L P7.7* L P7.8* L P7.9. S P7.10 S	nvironmental attributes - Market requirements - Environmental conscious design F =mandatory to fill in. Additional information regarding each item may be found under P14. F Treatment information Information for recyclers/treatment facilities is available (see legal reference). Design Disassembly, recycling Parts that have to be treated separately are easily separable Plastic materials in covers/housing have no surface coating. Plastic parts >100g consist of one material or of easily separable materials. Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043. Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools. abels are easily separable. (This requirement does not apply to safety/regulatory labels). Product lifetime Jpgrading can be done e.g. with processor, memory, cards or drives Jpgrading can be done using commonly available tools Spare parts are available after end of production for: 5 years Service is available after end of production for: 5 years Service is available after end of production for: 5 years			
Item * P6 T P6.1* In P7 E P7.1* F P7.2* F P7.3* F P7.4* F P7.6* L P7.7* L P7.7* L P7.8* L P7.9. S P7.10 S	 =mandatory to fill in. Additional information regarding each item may be found under P14. Treatment information Information for recyclers/treatment facilities is available (see legal reference). Design Disassembly, recycling Parts that have to be treated separately are easily separable Plastic materials in covers/housing have no surface coating. Plastic parts >100g consist of one material or of easily separable materials. Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043. Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools. abels are easily separable. (This requirement does not apply to safety/regulatory labels). Product lifetime Jpgrading can be done e.g. with processor, memory, cards or drives Jpgrading can be done using commonly available tools Spare parts are available after end of production for: 5 years Service is available after end of production for: 5 years Material and substance requirements 	Yes		
Item * P6 T P6.1* In P7 E P7.1* F P7.2* F P7.3* F P7.4* F P7.6* L P7.7* L P7.7* L P7.8* L P7.9. S	 =mandatory to fill in. Additional information regarding each item may be found under P14. Treatment information Information for recyclers/treatment facilities is available (see legal reference). Design Disassembly, recycling Parts that have to be treated separately are easily separable Plastic materials in covers/housing have no surface coating. Plastic parts >100g consist of one material or of easily separable materials. Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043. Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools. abels are easily separable. (This requirement does not apply to safety/regulatory labels). Product lifetime Jpgrading can be done e.g. with processor, memory, cards or drives Jpgrading can be done using commonly available tools Spare parts are available after end of production for: 5 years Service is available after end of production for: 5 years Material and substance requirements 	Yes		
P6 T P6.1* III P7 I P7.1* F P7.2* F P7.3* F P7.4* F P7.5 F P7.6* L P7.7* L P7.8* L P7.9. S P7.10 S	Treatment information Information for recyclers/treatment facilities is available (see legal reference). Design Disassembly, recycling Parts that have to be treated separately are easily separable Plastic materials in covers/housing have no surface coating. Plastic parts >100g consist of one material or of easily separable materials. Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043. Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools. .abels are easily separable. (This requirement does not apply to safety/regulatory labels). Product lifetime Jpgrading can be done e.g. with processor, memory, cards or drives Jpgrading can be done using commonly available tools Spare parts are available after end of production for: 5 years Service is available after end of production for: 5 years Material and substance requirements			
P6.1* II P7 [P7.1* F P7.2* F P7.3* F P7.3* F P7.4* F P7.5 F P7.6* L P7.6* L P7.7* U P7.8* U P7.9. S P7.10 S	Information for recyclers/treatment facilities is available (see legal reference). Design Disassembly, recycling Parts that have to be treated separately are easily separable Plastic materials in covers/housing have no surface coating. Plastic parts >100g consist of one material or of easily separable materials. Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043. Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools. abels are easily separable. (This requirement does not apply to safety/regulatory labels). Product lifetime Upgrading can be done e.g. with processor, memory, cards or drives Upgrading can be done using commonly available tools Spare parts are available after end of production for: 5 years Service is available after end of production for: 5 years Material and substance requirements			
P7.1* F P7.2* F P7.3* F P7.4* F P7.5 F P7.6* L P7.7* L P7.8* L P7.9. S P7.10 S	Disassembly, recycling Parts that have to be treated separately are easily separable Plastic materials in covers/housing have no surface coating. Plastic parts >100g consist of one material or of easily separable materials. Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043. Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools. cabels are easily separable. (This requirement does not apply to safety/regulatory labels). Product lifetime Upgrading can be done e.g. with processor, memory, cards or drives Upgrading can be done using commonly available tools Expare parts are available after end of production for: 5 years Exprice is available after end of production for: 5 years Material and substance requirements			
P7.1* F P7.2* F P7.3* F P7.4* F P7.5 F P7.6* L P7.6* L P7.7* L P7.8* L P7.9. S P7.10 S	Parts that have to be treated separately are easily separable Plastic materials in covers/housing have no surface coating. Plastic parts >100g consist of one material or of easily separable materials. Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043. Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools. abels are easily separable. (This requirement does not apply to safety/regulatory labels). Product lifetime Jpgrading can be done e.g. with processor, memory, cards or drives Jpgrading can be done using commonly available tools Spare parts are available after end of production for: 5 years Service is available after end of production for: 5 years Material and substance requirements			
P7.2* F P7.3* F P7.4* F P7.5 F P7.6* L P7.6* L P7.7* L P7.8* L P7.9. § P7.10 §	Plastic materials in covers/housing have no surface coating. Plastic parts >100g consist of one material or of easily separable materials. Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043. Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools. abels are easily separable. (This requirement does not apply to safety/regulatory labels). Product lifetime Jpgrading can be done e.g. with processor, memory, cards or drives Jpgrading can be done using commonly available tools Spare parts are available after end of production for: 5 years Service is available after end of production for: 5 years Material and substance requirements			
P7.3* F P7.4* F P7.5 F P7.6* L P7.7* L P7.7* L P7.8* L P7.9. s P7.10 s	Plastic parts >100g consist of one material or of easily separable materials. Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043. Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools. cabels are easily separable. (This requirement does not apply to safety/regulatory labels). Product lifetime Jpgrading can be done e.g. with processor, memory, cards or drives Jpgrading can be done using commonly available tools Spare parts are available after end of production for: 5 years Service is available after end of production for: 5 years Material and substance requirements			
P7.4* F P7.5 F P7.6* L P7.7* L P7.7* L P7.8* L P7.9. S P7.10 S	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043. Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools. Labels are easily separable. (This requirement does not apply to safety/regulatory labels). Product lifetime Jpgrading can be done e.g. with processor, memory, cards or drives Jpgrading can be done using commonly available tools Spare parts are available after end of production for: 5 years Service is available after end of production for: 5 years Material and substance requirements			
P7.5 F P7.6* L P7.7* L P7.7* L P7.8* L P7.9. s P7.10 s	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools. abels are easily separable. (This requirement does not apply to safety/regulatory labels). Product lifetime Jpgrading can be done e.g. with processor, memory, cards or drives Jpgrading can be done using commonly available tools Spare parts are available after end of production for: 5 years Service is available after end of production for: 5 years Material and substance requirements			
P7.6* L P7.7* L P7.8* L P7.9. <u>s</u> P7.10 s	Abels are easily separable. (This requirement does not apply to safety/regulatory labels). Product lifetime Jpgrading can be done e.g. with processor, memory, cards or drives Jpgrading can be done using commonly available tools Spare parts are available after end of production for: 5 years Service is available after end of production for: 5 years Material and substance requirements			
P7.7* L P7.8* L P7.9. S P7.10 S	Product lifetime Jpgrading can be done e.g. with processor, memory, cards or drives Jpgrading can be done using commonly available tools Spare parts are available after end of production for: 5 years Service is available after end of production for: 5 years Material and substance requirements			
P7.7* L P7.8* L P7.9. <u>s</u> P7.10 s	Jpgrading can be done e.g. with processor, memory, cards or drives Jpgrading can be done using commonly available tools Spare parts are available after end of production for: 5 years Service is available after end of production for: 5 years Material and substance requirements			
P7.8* U P7.9. s P7.10 s	Jpgrading can be done using commonly available tools Spare parts are available after end of production for: 5 years Service is available after end of production for: 5 years Material and substance requirements			
P7.9. s P7.10 s	Spare parts are available after end of production for: 5 years Service is available after end of production for: 5 years Material and substance requirements			
P7.10 s	Service is available after end of production for: 5 years Material and substance requirements	-		\geq
	Aterial and substance requirements	-		
N				
P7.11* F	Product cover/housing material type:			
	Material type: ABS Material type: Material type:			
	Electrical cable insulation materials of power cables are PVC free.		_님	
	Electrical cable insulation materials of signal cables are PVC free		<u> </u>	
	All cover/housing plastic parts >25g are free from chlorine and bromine.			
	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Note B2)	•		
Ν	Tame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking:			\geq
	Nt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive), TBBPA (reactive), Other; chemical name: , CAS #:			\boxtimes
C I	Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according SO 1043-4:			
F	Nt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%:			
F c 1	Comment: No legal limits exist, this is a market requirement. Provide a list of all used flame retardants including MSDS for each flame retardant. The list must contain complete chemical name, CAS number and supplier. . Chemical name: , CAS #: , Supplier: 2. Chemical name: , CAS #: , Supplier:	1		
3 A	B. Chemical name: , CAS #: , Supplier: Mt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:			
F	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)			
	Of total plastic parts' weight >25g, recycled material content is +25%.			
	Df total plastic parts' weight >25g, biobased material content is 0%.	—		
	ight sources are free from mercury	\bowtie		
	f mercury is used specify: Number of lamps: and max. mercury content per lamp: mg Batteries	÷		
	Battery chemical composition: Batteries meet the requirements of the following voluntary program/s:			

Annex B of ECMA-370 4th edition, June 2009

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model nu	^{umber*} Lenovo L2230x Wide M/T: 5453-H*1							
Issue dat	te *	2010, Ju				Logo	lenovo	>
Product	environn	nontal at	tributes - Market	requirements (co	ontinued)		Requiremen	nt met
Item			and a contract	requirements (et	Jinnacaj		Yes No	
P9	Energy	consumpt	tion					
9.1			e following power leve	els or energy consur	mptions are reporte	d:		
Energy m	ode		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard and test method *	for energy modes	s
Peak (On	i-max)		22 W	22 W	22 W	Full load		
On-idle			14 W	14 W	15 W	On Mode/Active Power		
Save 1			0.34 W	0.34 W	0.39 W	Sleep Mode/Low Power		
Off			0.22 W	0.22 W	0.28 W	Off Mode/Standby Powe	er	
			W	W	W			$\pm \overline{\Box}$
			W	W	W			$+ \Xi$
EPS No-I	oad		W	W	W			┥岩
EPS No-load W W W (External power supply / charger plugged in the wall outlet but disconnected from the product.) W W								
PTEC * Typical Energy Consumption		W	W	W				
TEC *			kWh/week	kWh/week	kWh/week			
Typical Energy Consumption								
Display re	esolution	: 1 92 0*10	80 Megapixels					
Print Spe	ed :	: In	ages per minute					
Default tir	Default time to enter energy save mode: 10 minutes						$+\overline{-}$	
P9.2*							╷╴╴	
P9.3*								
P10	Emissio	ns						
	Noise er	mission -	Declared according	to ISO 9296				
P10.1	Mode	1	Node description)	Declared	Declared A-w	reighted	
-					A-weighted sound	sound pressure lev	0	
					power	Operator		_
					level	position 🗌		
					L_{WAd} (B)	Desktop		
						or Desk side 🗌		
	Idle	ł			*			
	Operat		*		*			
	Other r							_
	Measu	red acco	ording to: 🔀 ISO			. 1		
			Other	(only if not cover	ed by ECMA-74 wit	h L _{pAm} measurement dista	ance M)	
P10.2	The proc	duct meets	the acoustic noise r	equirements of the f	ollowing voluntary p	orogram/s:		

Model nu	mber *	Lenovo L2230x Wide M/T: 5453-H*1				
Issue date	э*	2010, July 9 Logo	leno	vo		
Product	environn	nental attributes - Market requirements (continued)	Require	ment	met	
Item			Yes	No	n.a.	
	Chemica	al emissions from printing products				
P10.3*	Test per	formed according to ECMA-328 (ISO/IEC 28360) standard 🔲, other specify:			\times	
P10.4	Typical e	emission rate (print phase) is (mg/h):			\times	
		Dust Ozone Styrene Benzene TVOC				
P10.5		al emission requirements of the following voluntary program/s are met for : Dust Ozone Styrene Benzene TVOC			\boxtimes	
	Electron	nagnetic emissions				
P10.6		er display meets the requirement for low frequency electromagnetic fields of the following voluntary /s: <i>MPR-II</i>	\boxtimes			
P11		able materials for printing products				
P11.1*	A Safety	Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).			\boxtimes	
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of D D EN12281.					
P11.3*	2-sided (duplex) printing/copying is an integrated product function.					
P12	Ergonor	nics for computing products				
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.					
P12.2*	The phys	sical input device meets the requirements of ISO 9995 and ISO 9241-410.	\boxtimes			
P13	Packagi	ng and documentation				
P13.1*	Product	packaging material type(s): LDPE weight (kg): 1.1 packaging material type(s): Corrugated weight (kg): 1.4 packaging material type(s): weight (kg): 1.4				
P13.2*	Product	plastic packaging is free from PVC.	\boxtimes			
P13.3*		nedia for user and product documentation (tick box):				
P13.4*		er user and product documentation, please specify contained percentage of post-consumer recycled %(Japan only 70%)	1			
P14		nal information (See Note B4)	÷			
	informati knowled provided informati		sed on supp tion. The in	plier's format		
P7.17		does not contain free TBBPA in printed circuit boards(without components)>25g.				
P9		ergy Star Qualified Computers for the latest information: ww.energystar.gov/index.cfm?fuseaction=find_a_product.ShowProductGroup&pgw_code=M	0			

Annex B of ECMA-370 4th edition, June 2009

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19