



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo	
Company name *	Lenovo		
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com		Lenovo.
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html	
Additional information	The latest version of this document can be found at:		
	http://www.lenovo.com/ecodeclaration		

	based on product specification or test results based obtained from sample testing), that the product of the given in this declaration.
Type of product *	NB
Commercial name *	Lenovo Legion Y740S-15/Legion Y9000X 2019
Model number *	81QA, 81TH
Issue date *	2019/9/16
Intended market *	Global Europe Asia, Pacific & Japan Americas Other
Additional information	

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model nu	mber *	81QA, 81TH	Logo	Long		
Issue dat	e *	2019/9/16		Lend) _{th}
Product	environ	mental attributes - Legal requirements		Require	men	met
Item				Yes	No	n.a.
P1	Hazardo	ous substances and preparations				
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE	£ B1)	\boxtimes		
P1.2*		do not contain Asbestos (see legal reference).		\boxtimes		
D4.0*		nt: Legal reference has no maximum concentration value.			_	
P1.3*		s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach	olovido 111	\boxtimes		
		ethane, methyl bromide (see legal reference). Comment: Legal reference has no m				
		ration values.	laximam			
P1.4*	Products	do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych	lorinated	\boxtimes		
		(PCT) in preparations (see legal reference).				
P1.5*		do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carl	bon atoms in the	e 🔀		
		ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).			_	
P1.6*		h direct and prolonged skin contact do not release nickel in concentrations above 0),5 μg/cm²/week			
		al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.				
P1.7*		Article 33 information about substances in articles is available at (add URL or mail	contact).	\square	$\overline{}$	
1 1.7		ww.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact).		Ш	Ш
P2	Batterie					
P2.1*		soluct contains a battery or an accumulator, the battery/accumulator is labeled with t	the disposal		$\overline{}$	$\overline{}$
1 2.1		Information on proper disposal is provided in user manual. (See legal reference)	ine disposar		Ш	
P2.2*	Batteries	or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadm	nium. (See legal			
	reference	· ·				
P2.3*		and accumulators are readily removable. (See legal reference)		\boxtimes		
P3		nity verification & Eco design (ErP)				
P3.1*		duct is CE-marked to show conformance with applicable legal requirements (see leg		\boxtimes		
D0.04		laration of Conformity can be requested at: https://www.lenovo.com/us/en/compliar	ice/eu-doc		_	
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).		\boxtimes		
	, ,	d information is; given in item P15 or added to this document,		\square		
	rtequirec	available at: https://www.lenovo.com/us/en/compliance/e	and declaration		ш	
P5	Droduct	packaging	3CO-Geciaration			
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercur	v cadmium an	d 🔀		
	hexavale	ent chromium by weight of these together.				
P5.2*		kaging materials are marked with abbreviations and numbers indicating the nature	of the material(s	s) 🔀		
DE O*		e legal reference).	A (I D f		_	
P5.3*		luct packaging material is free from ozone depleting substances as specified in the N	viontreal Protoco	ol 🔀		
		al reference). nt: Legal reference has no maximum concentration values.				
P6		nt information				
P6.1*		on for recyclers/treatment facilities is available (see legal reference).				
۱. ۲.۰	omiati	and the state of t				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	81QA, 81TH	Logo	Lanova
Issue date *	2019/9/16		LEI IOVO"

Product	environmental attributes - Market requirements (See General NOTE GN below)			
		Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design, Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable			
P7.2*	Plastic materials in covers/housing have no surface coating.			
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.			
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives		\boxtimes	
P7.8*	Upgrading can be done using commonly available tools		\boxtimes	
P7.9	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
D7.40	Material type: Covestro FR3008 Material type: Covestro			
P7.12	Insulation materials of external electrical cables are PVC free.			Щ
P7.13	Insulation materials of internal electrical cables are PVC free.		Щ	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%			
	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing			
	more than 25% post-consumer recycled content.	,		
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen	n 🛛		
	as defined in IEC 61249-2-21. (See 1NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:	\boxtimes		
P7.17	Marking: <u>Alt. 1:</u> Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):			
F1.17	TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: <i>Halogen free epoxy/DOPO</i> , CAS #:			
	Trade secret / 35948-25-5			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g			\boxtimes
	according ISO 1043-4:		ш	
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in	1		
	concentrations above 0,1%:			\boxtimes
	1. Chemical name: , CAS #: (See NOTE B4)			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:		Щ	\boxtimes
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been		\boxtimes	
	assigned the following Risk phrases; and Hazard statements:			
D= 00*	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):		\boxtimes	
	If YES; at least one of the two alternatives below shall be answered;			
	a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content			
	(calculated as a percentage of total plastic by weight) is 0 %.			
	or b) The weight of recycled material is 0 g.			
	b) The weight of recycled material is v g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	81QA, 81TH	Logo	Lonovo
Issue date *	2019/9/16		LEI IOVO,

Product environmental attributes - Market requirements (continued)	Requi	remer	nt met
Item	Yes	No	n.a.

	Material and subs	stance re	quirements	(continue	ed)				
P7.21*	Biobased plastic n					NOTE B7):			П
	·				,	,			
	If YES; at least on						44 /II	tad as a same atam of	
	 a) Of total plastitotal plastic b 			the bloba	sea piastic i	materiai con	tent (calcula	ted as a percentage of	
	or	y weigitt)	15 /0.						
	b) The weight of	f the bioba	ased plastic i	material is	q.				
P7.22*	Light sources are					0.			
	If mercury is used						y content pe	r lamp: mg	_
P8	Batteries								
P8.1*	Battery chemical of	ompositio	n: <i>Li-polym</i>	er					
P9	Energy consump	tion (See	NOTE B8)						
P9.1	For the product the	e following	power leve	ls or energ	gy consump	tions are rep	orted:		
Energy mo	de *		er level at		er level at		r level at	Reference/Standard for energy	
			0 V AC		5 V AC	_	V AC	modes and test method *	
Peak (On-I	max)	95 W		95 W		95 W		Full load	
Category	v -NR2								
Categor	<u>y -1102</u>								
Short Idle	State - WOL	7.89	W	7.77	W	8.20	W	Use for ENERGY STAR V7.1	
Enabled								registration (Pidle)	
Long Idle	State - WOL	3.26	W	3.31	W	3.63	W	Use for ENERGY STAR V7.1	
Enabled	State - WOL	3.20	VV	3.31	VV	3.03	VV	registration (P _{idle})	
Sleep (S3)	- WOL Enabled	0.87	W	0.82	W	0.78	W	Use for ENERGY STAR V7.1	
								registration (P _{sleep})	
Sleep (S3)	- WOL Disabled	0.87	W	0.82	W	0.78	W	Reference	
Off (S5) - V	VOL Enabled	0.44	W	0.43	W	0.43	W	Use for ENERGY STAR V7.1	
								registration (P _{off})	
Off (S5) - V	WOL Disabled	0.44	W	0.44	W	0.43	W	Use for ErP	
EPS No-loa		0.025 V	V	0.027 W	/	0.060 W			
wall outlet but disc	supply / charger plugged in the connected from the product.)								
ETEC *		27.22		26.77		28.06		$E_{TEC} = (8760/1000) \times (P_{\text{off}} \times 0.25)$	
Annual Ene	ergy Consumption	kWh/yea	ar	kWh/yea	ar	kWh/year	-	+ P _{sleep} x 0.35 + P _{long_Idle} x 0.10+	
		D . O#1	Mada(CE) 14/	Ol Enghlar	d. D Cla	m Mada(C2)	WOL Frankla	P _{short_idle} x 0.30)	
External D	ower Supply Efficier							d; P _{idle} : Idle State - WOL Enabled	_
		-		ı Emcienc	y iviai King P	rotocor) :	VI		<u>—</u>
	olution * : 3840*2		negapixels						
Default time	e to enter energy sa	ve mode:	10 minutes						
P9.2*	Information about	the energy	y save functi	on is prov	ided with the	e product.			
P9.3	Energy efficiency	class (mor	nitors only):						
P10	Emissions	<u> </u>	3,						
	Noise emission -	Declared	according to	ISO 929	6 (See NOT	E B9)			
P10.1		Node desc			,		al upper limi	t A-weighted sound power level, L _{WA,c} (B	3)
	Idle *	Idle	•			* 2.7		,	
	Operation *	CPU O	perating			* 3.6			Ħ
			veighted soun	d pressure	level (dR) T		(onorete	or position desktop – idle)	
	Other mode				(32) L _p	Am 10.4			
	Other mode	eclared A-	weighted soun	d pressure	level (dB) $L_{p\mu}$	29.4	(operato	or position desktop – operating)	
	Measured accordi	ng to: 🔀I	SO 7779 🔀	ECMA-7	4	•			
		_				y ECMA-74)			

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nur	nber *	81QA, 81TH					Logo	Long	1/0	
Issue date	*	2019/9/16						Leno	VO.	гм
Product	environn	mental attributes	- Market requiren	nents (con	itinued)			Require	ment	met
Item				•	-			Yes	No	n.a.
	Electron	nagnetic emission	S							
P10.4	Compute program		requirement for low	frequency el	ectromagnetic field	s of the foll	owing voluntary	У		\boxtimes
P12		mics for computing								
P12.1*	The disp	lay meets the ergon	omic requirements o	f ISO 9241-	307 for visual displa	y technolo	gies.		\boxtimes	
P12.2*	The phys	sical input device m	eets the requirements	s of ISO 999	95 and ISO 9241-41	0.			\boxtimes	
P13		ng and documenta								
P13.1*	Product	packaging material packaging mat	type(s): gift box	eight (kg): weight (kg): weight (kg	0.395kg 0.48kg): 0.178kg					
P13.2*	Product	plastic primary pack	aging is free from PV	/C.				\boxtimes		
P13.3*		duct primary corrugater recovered fiber co	ated fiberboard pack ontent: <mark>80</mark> %	kaging, spec	cify the contained p	percentage	of minimum p	oost-		
P13.4*			product documentation	on (tick box):						
P13.5	Ùser and		em if paper documer ation on paper media							
	Totally c	hlorine-free								
	Element	al chlorine-free								
	Processe	ed chlorine-free						Ħ		
P14	Volunta	ry programs								
P14.1	The prod	duct meets the requi	rements of the follow	ving voluntar	y program(s):					
	Eco-labe		Criteria version: 7 Criteria version:	7.1	Date: 2019/7/25 Date:	Product of	0 ,	2		
P15	Eco-labe	nal information (Se	Criteria version:		Date:	Product	category.			
P9			ecific configuration	n may yary:	description of the	tested nro	nduct configur	ration:		
	NOTE: Sinformati	Supplier makes no re ion contained in this ge available at the ti I here is approximate	epresentations, guara document. All inform me of completion, ar e and provided for inf	antees, assu nation provid nd supplier s	rances or warrantie led by supplier in th hall have no obligat	s whether is documer tion to upda	express or impl nt is provided ba ate such informa	lied, regardin ased on supp ation. The in	olier's formati	ion
P9			otebooks & Tablet C dex.cfm?fuseaction=				code=CO			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo Legion Y740S-15/Legion Y9000X 2019	Logo
Model Number	81QA, 81TH	Lenovo
Issue Date	2019/9/16	ECHOVO.
Additional information		

(d)	Year of manufacture:						
e) f)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with Etec value (kWh) per ErP Lot 3 Categor enable	switchable graphics n	node with UMA driving	g the display.	, ,		
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D		
	Memory over base [GB]	28	(doceraing to 211 2010)	(decoraing to 2.1 2010)	(decording to 211 2010)		
ents	Additional internal storage	Yes (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)		
adjustm ring tes	Discrete television tuner	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)		
capability adjustments applied during testing	Discrete Audio Card	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)		
capa	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)		
	Category of discrete graphics Card(s)						
esults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	14.59					
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled						
g)	Idle state power demand (Watts);	•	•	•	4.38		
n)	Sleep mode power demand (Watts);				0.88		
)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		0.88		
j)	Off mode power demand (Watts);				0.44		
k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		0.44		
l)	Internal power supply efficiency at 10 %,	20 %, 50 % and 100 °	% of rated output pow	er (if applicable):			
	10% 20% 50%	100% Avera	age				
m)	External power supply efficiency (if appli	cable)*:					
	Average active efficiency: 85.56%,89.08	3%,86.24%					
0)	*internal note: show values for all available external power supplies Minimum number of loading cycles that the batteries can withstand (applies only to notebook computers):						
(p-1)	Measurement methodology used to dete	rmine information men	ntioned in points (I) – in	nternal PSU efficiency:	:		

(p-2)		dology used to determine information mentioned in program Requirements for Single Voltage Externa Eligibility Criteria (Version 2.0)		
(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: ≥70% of Cmin			
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration: IEC 62623			
(q)	Sequence of steps for achieving a stable condition with respect to power demand: *Power on -> Wait 5 minutes -> Stable condition*			
(r)	Description of how sleep and/or off mode was selected or programmed: Begin menu -> Power -> Select sleep or off mode			
(s)	Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode: NA			
		NA		
(t)	Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):			30min
(u)	mode that has a lower power demand requirement than sleep mode (in minutes):			NA
(v)	Length of time before the display sleep mode is set to activate after user inactivity (in minutes): 10min			
(w)	(w) Information on the energy-saving potential of power management functionality: **Refer to User Guide**			
(x)) User information on how to enable the power management functionality: **Refer to User Guide** **Refer to User Guide** **Refer to User Guide** **The Company of the Co			
(z)	Test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing:			
		230V50HZ-2%-Edition 2.0, 2011-01, Section 4	I, IEC62301	
Additio	nal Notebook Batter	v Information:		
		Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
Internal/built-in Battery				
External/detachable Battery				
Bios Backup Battery				
Other:				
Addition	nal information			

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители. Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios.

Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.
Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes.

Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente. Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us).

Lietotaji pasi nevar homalini sa razojunia akumulatoriu-us). Sio gaminio baterijos [bateriju] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni. Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tigi/jigu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar. Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie.

A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși. Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ.

Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuottéen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissá. Det är inte enkelt för kunden att själv byta ut batteriet/batterierna.

Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.

The battery[ies] in this product cannot be easily replaced by users themselves.