

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo	
Company name *	Lenovo		
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo.	
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	t.html	
Additional information The latest version of this document can be found at http://www.lenovo.com/social_responsibility/us/en/datasheets_notebooks.html			

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Notebook			
Commercial name *	Lenovo M40-70			
Model number *	20445, 80H9			
Issue date *	2014/6/30			
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Control	Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration		
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model number *	Lenovo M40-70	20445, 80H9		
Issue date *			Logo	lenovo.

Product	Product environmental attributes - Legal requirements			met
Item	<u> </u>	Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	X		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).			
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\boxtimes		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference).			
P1.9*	Comment: Legal reference has no maximum concentration values. Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/materials.html			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)			
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).			
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).	S 🔀		
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\boxtimes		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\boxtimes
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium an hexavalent chromium by weight of these together.	d 🔀		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montres Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	al 🔀		

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	Lenovo M40-70	20445, 80H9		
Issue date *			Logo	lenovo.

Product	Product environmental attributes - Market requirements - Environmental conscious design Require				
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.	
P6	Treatment information				
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes			
P7	Design Disassembly, recycling				
P7.1*	Parts that have to be treated separately are easily separable	\square	$\overline{}$	\Box	
P7.2*	Plastic materials in covers/housing have no surface coating.	$\overline{\Box}$		\overline{H}	
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.		_	-	
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.	\square	╬	\dashv	
P7.5	· · · · · · · · · · · · · · · · · · ·	_	屵	_#	
	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.				
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels). Product lifetime				
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\square			
P7.8*	Upgrading can be done using commonly available tools			+	
		\boxtimes		- -	
P7.9.	Spare parts are available after end of production for: 5 years Service shall be able to support the spare parts and service after end of production for 5 years upon material availability in the market				
P7.10	Service is available after end of production for: 5 yearsService shall be able to support the spare parts				
	and service after end of production for 5 years upon material availability in the market				
	Material and substance requirements				
P7.11*	Product cover/housing material type:				
P7.12	Material type: BAYER FR3021 Material type: Material type:	_			
	Electrical cable insulation materials of power cables are PVC free.	부		_ _	
P7.13	Electrical cable insulation materials of signal cables are PVC free	<u>Ц</u>	\boxtimes		
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.	\boxtimes			
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Note B ²)				
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking:		\boxtimes		
P7.17	Alt. 1				
	Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive) , TBBPA (reactive) , Other; chemical name: , CAS #:				
	(,				
	Alt. 2				
	Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: <i>Brominated Epoxy Resin See P14</i>	Ш	Ш		
P7.18	Alt. 1				
	Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in		\boxtimes		
	concentrations above 0.1%:				
	Comment: No legal limits exist, this is a market requirement.				
	1. Chemical name: , CAS #: 2. Chemical name: , CAS #:				
	3. Chemical name: , CAS #:				
	Alt. 2				
	Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:				
	, , , , ,				
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)		\boxtimes		
P7.20	Of total plastic parts' weight >25g, recycled material content is 0%.				
P7.21	Of total plastic parts' weight >25g, biobased material content is 0 %.				
P7.22	Light sources are free from mercury	\boxtimes			
	If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg				
P8	Batteries				
P8.1*	Battery chemical composition: <i>Li-ion</i>				
P8.2	Batteries meet the requirements of the following voluntary program/s: US RBRC				

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	Lenovo M40-70	20445, 80H9		
Issue date *			Logo	lenovo.

Product environmenta	ai attribu	ites - Market requ	inements (con	unuea)	nequirement met	
P9 Energy consu					Yes No	n.a.
٠,	•	wing power levels or	energy consump	tions are reporte	ed: See P14	
Energy mode *	7. 1110 10110	Power level at			,	$\overline{}$
Lifelgy mode		100 V AC	115 V AC	230 V AC	method *	Ш
Peak (On-max)		<i>65</i> W	<i>65</i> W	<i>65</i> W	Full load	
Category I1/2/3			I	1		
Short Idle State - WOL E	nabled	8.1330 W	8.6050 W	8.7120 W	Use for ENERGY STAR V6 registration (Pidle)	
Long Idle State - WOL El	nabled	6.1550 W	6.2610 W	6.6010 W	Use for ENERGY STAR V6 registration (P _{idle})	
Sleep (S3) - WOL Enable		6.1550 W	6.2610 W	6.6010 W	Use for ENERGY STAR V6 registration(P _{sleep})	
Sleep (S3) - WOL Disable					Reference	Ħ
Off (S5) - WOL Enabled		0.2912 W	0.2945 W	0.3485 W	Use for ENERGY STAR V6 registration(Poff)	Ħ
Off (S5) - WOL Disabled		W	W	0.35 W	Use for EuP	H
Category D 1/2				1		<u> </u>
Short Idle State - WOL E	nabled	l w	W	l w	Use for ENERGY STAR V6 registration (P _{idle})	$\overline{}$
Long Idle State - WOL E		W	W	W	Use for ENERGY STAR V6 registration (P _{idle})	<u> </u>
Sleep (S3) - WOL Enable		W	W	W	Use for ENERGY STAR V6 registration (P _{sleep})	
Sleep (S3) - WOL Disable		W	W	W	Reference	H
Off (S5) - WOL Enabled		W	W	W	Use for ENERGY STAR V6 registration(P _{off})	\vdash
Off (S5) - WOL Disabled		W	W	W	Use for EuP	
• •		VV	VV	VV	Use for Eur	#
EPS No-load (External power supply / c	hargor					Ш
plugged in the wall outlet b		0.073 W	0.078 W	0.123 W		1
disconnected from the pro	duct.)					Ì
PTEC *		W	W	W		$\overline{}$
Typical Energy Consumpt	on	,,,				ш
TEC * Typical Energy Consumpt	ion	kWh/week	kWh/week	kWh/week		
Typical Energy Concampt			KWIII WCCK	KVVII/ WOOK		Ì
ETEC *		28.98 kWh/year	30.36 kWh/year	31.24 kWh/ye	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25 + P_{sleep} \times 0.35)$	
Annual Energy Consumpti	on			ar	+ P _{short idle} x 0.3+ P _{long idle} x 0.1)	ì
		P _{off} : Off Mode(S5) -	 WOL Enabled; P _{slee}	: Sleep Mode(S3)	- WOL Enabled; P _{idle} : Idle State - WOL Enabled	
Display resolution* : 1366	* 768 Meg		, , , , , , , , , , , , , , , , , , , ,	<u>, , , , , , , , , , , , , , , , , , , </u>		
Print Speed * :	Images	per minute				
Default time to enter energ	av save m	ode: 25 minutes				
		nergy save function i	s provided with the	e product.		Ħ
P9.3* The product m	eets the	energy requirements	of the following ve	oluntary program		
ENERGY STA	R® version	on: <i>Version 6.0</i> Tie		t category:		
Others specify	<u>':</u>					
P10 Emissions Noise emissions	on – Deck	ared according to IS	O 9296			
P10.1 Mode		description		Declared		
				A-weighted sound power	Sourid pressure level L _n A _m (dD)	Ì
				level L_{WAd}	Divida de la compositione de la	Ì
				WAd	Desktop X	Ì
					or Desk side (only if product is not operator attended)	İ
Idle		D:Idle		* 2.7	23.7	
Operation	* HD	D: Operating		* 3.0	25.9	
Other mode		M 1007770	NAA 74			İ
Measured acc	oraing to:	_	CMA-74	ον ΕCMΛ 74 νώ+μ	n L _{pAm} measurement distance m)	i
<u> </u>		Culei (01	ny n not covered t	Jy LUIVIA-14 WILI	n L _{pAm} measurement distance m)	

P10.2	The product meets the acoustic noise requirements of the following voluntary program/s:	

Model number *	Lenovo M40-70	20445, 80H9		
Issue date *			Logo	lenovo.

Product environmental attributes - Market requirements (continued) Re			met
· · · · · · · · · · · · · · · · · · ·	Yes	No	n.a.
Chemical emissions from printing products			
Test performed according to ECMA-328 (ISO/IEC 28360) standard, other specify:			\boxtimes
Typical emission rate (print phase) is (mg/h):			\boxtimes
Dust Ozone Styrene Benzene TVOC			
			\boxtimes
		_	_
program/s:		Ш	Ш
			\boxtimes
Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.			
2-sided (duplex) printing/copying is an integrated product function.			\boxtimes
Ergonomics for computing products			
	\boxtimes		
The physical input device meets the requirements of ISO 9995 and ISO 9241-410.		\boxtimes	
Packaging and documentation			
Product packaging material type(s): Paper weight (kg): 0.266			
Product plastic packaging is free from PVC.	\boxtimes		П
Specify media for user and product documentation (tick box):			Ħ
Electronic Paper, Other			
For paper user and product documentation, please specify contained percentage of post-consumer recycled			
information.			
mp			
	Chemical emissions from printing products Test performed according to ECMA-328 (ISC)/IEC 28360) standard □, other specify: Typical emission rate (print phase) is (mg/hy:emission rate (print phase) is (mg/hy:emission requirements of the following voluntary program/s are met for:emission requirements of the following voluntary program/s are met for:emission requirements of the following voluntary program/s are met for:emission requirements of the following voluntary program/s are met for:emission requirements of styrene □ Benzene □ TVOC □ Electromagnetic emissions Electromagnetic gemissions Consumable materials for printing products Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of England that it meets the England that it meets the England that it meets the England that it meets the England that it meets the England that it meets the England	Chemical emissions from printing products Test performed according to ECMA-328 (ISO/IEC 28360) standard , other specify: Typical emission rate (print phase) is (mg/h): Dust	Chemical emissions from printing products Test performed according to ECMA-328 (ISO/IEC 28360) standard, other specify:

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19

Lenovo ErP Lot3 Information Sheet

- PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo M40-70	Logo
Model Number	20445, 80H9	_
Issue Date	2014-06-30	lenovo.
Additional information		

P7.1.1	Product envi	ironmenta	l attributes					
(d)	year of mar	nufacture:						2014
(e)					pability adjustme graphics mode			e graphics cards (dGfx) are
	Category (according	to ErP Lot 3):	A E	tec: 16.63			
(f)	E TEC valuenabled:	Je (kWh) pe	r ErP Lot 3 Ca	tegory and cap	ability adjustme	nts applied wh	nen all discrete	graphics cards (dGfx) are
	Category (according	to ErP Lot 3):		Etec: /	<i>VA</i>		
(g)	idle state p	ower demar	nd (Watts);					6.26
(h)	sleep mode	e power den	nand (Watts);					0.58
(i)	sleep mode	with WOL	enabled power	demand (Wat	ts) (where enabl	ed);		0.58
(j)	off mode po	ower deman	d (Watts);					0.32
(k)	off mode w	ith WOL en	abled power de	emand (Watts)	(where enabled));		Don't support the WOL fo
(I)	internal pov	wer supply e	efficiency at 10	%, 20 %, 50 %	and 100 % of r	ated output po	ower (if applicab	ole):
	10%	20%	50%	100%	Average			
(m)	external po	external power supply efficiency (if applicable):						
	10%	20%	50%	100%	Average	;		
	or level:							
(o)	the minimu	m number o	of loading cycle	s that the batte	eries can withsta	nd (applies or	nly to notebook	computers):
(p-1)	the measu efficiency:	rement me	thodology use	ed to determin	ne information i	mentioned in	points (I) – in	nternal PSU
(p-2)	the measu efficiency:	rement me	thodology use	d to determine	e information m	nentioned in p	points (m) - e	xternal PSU
	omolomoy.			Energy-st	ar requirement			
(p-3)	the measu batteries:	rement me	thodology use	d to determin	e information r	nentioned in	points (o) – lo	padingcycles
			NA (I	ErP ot 3 test is	n't contained L	Batteries)		

	the measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:								
	Energy-star requirement								
(q) sequence of steps	sequence of steps for achieving a stable condition with respect to power demand::								
	Based on user manual								
(r) description of how	description of how sleep and/or off mode was selected or programmed:								
Based on user manual									
(s) sequence of even off mode:	sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:								
Based on user manual									
	the duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes): 25								
	the length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):								
(v) the length of time	the length of time before the display sleep mode is set to activate after user inactivity (in minutes):								
(w) information on the	e energy-saving poter	ntial of power management functionality:							
Based on user manual									
(x) user information of	on how to enable the	power management functionality:							
Based on user manual									
(z) test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing:									
230V/50Hz									
Addition Notebook Battery Information:									
Yes No	n/a	This notebook computer is operated by battery/ies that cannot be accessed and replaced by a non-professional user.	ced						
(Battery not user replaceable) user replaceable)	ery user ceable)	The battery[ies] in this product cannot be easily replaced by use themselves	ers						
A L PO									
Additional information									