

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo				
Company name *	Lenovo					
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5J3 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo.				
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html					
Additional information	The latest version of this document can be found at http://www.lenovo.com/social_responsibility/us/en/datasheets_notebooks.html					

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.		
Type of product *	Notebook PC		
Commercial name *	Lenovo M490		
Model number *	M/T: 3768		
Issue date *	2012, July 02		
Intended market *	Global Europe Asia, Pacific & Japan Americas Other		
Additional information			

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality (Control	Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model number *	M/T: 3768		
Issue date *	2012, July 02	Logo	lenovo

Product	oduct environmental attributes - Legal requirements			
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\square	П	
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
	concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).			
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\boxtimes		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS),			\boxtimes
	Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split		$\overline{\Box}$	\square
	aromatic amines. (See legal reference and Note B1)	ш	ш	
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference).			
	Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5	\boxtimes		
	microgram/cm²/week (see legal reference).			
P1.10*	Comment: Max limit in legal reference when tested according to EN1811:1998. REACH Article 33 information about substances in articles is available at (add URL or mail contact):	\square	$\overline{}$	
1 1.10	http://www.lenovo.com/social_responsibility/us/en/environment.html		ш	Ш
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains			
	more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is			
	provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)			
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the		\square	
	design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\boxtimes	\Box	
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).		Ħ	Ħ
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies	X	Ħ	\overline{H}
	with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\boxtimes		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\boxtimes
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these			
P5	requirements is available (see legal reference). Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and			
	hexavalent chromium by weight of these together.			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).	\boxtimes		
	Comment: Legal reference has no maximum concentration values.			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	M/T: 3768		
Issue date *	2012, July 02	Logo	lenovo.

Product	environmental attributes - Market requirements - Environmental conscious design	Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.			n.a.
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes		
P7	Design Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable			
P7.2*	Plastic materials in covers/housing have no surface coating.		$\overline{\boxtimes}$	$\overline{\Box}$
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.			
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.	\boxtimes		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes		
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		
P7.9.	Spare parts are available after end of production for: 5 years	_		
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type:			
	Material type: PC+ABS-FR(40) Material type: Material type:			
P7.12	Electrical cable insulation materials of power cables are PVC free.		\boxtimes	
P7.13	Electrical cable insulation materials of signal cables are PVC free		\boxtimes	
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.	\boxtimes		
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See	e	\boxtimes	
	Note B2)			
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking: FR(40)			
P7.17	Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components):			
	TBBPA (additive), TBBPA (reactive), Other; chemical name: DOPO(9,10-dihydro-9-oxa-10-	\boxtimes	Ш	Ш
	phosphaphenanthrene-10-oxide), CAS #: 35948-25-5			
	Alt. 2	\boxtimes		
	Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: <i>FR(40)</i>			
P7.18	Alt. 1			
	Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in	۱ 🔲		
	concentrations above 0.1%:			
	Comment: No legal limits exist, this is a market requirement.			
	Provide a list of all used flame retardants including MSDS for each flame retardant. The list must contain complete chemical name, CAS number and supplier.	1		
	1. Chemical name: , CAS #: , Supplier:			
	2. Chemical name: , CAS #: , Supplier:			
	3. Chemical name: , CAS #: , Supplier:			
	Alt. 2	\boxtimes	Ш	Ш
D7.40	Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4: FR(40)			
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)			
P7.20	Of total plastic parts' weight >25g, recycled material content is 10 %.			
P7.21	Of total plastic parts' weight >25g, biobased material content is 0%.			
P7.22	Light sources are free from mercury	\boxtimes		
P8	Batteries			
P8.1*	Battery chemical composition: Lithium Ion/Lithium Manganese Dioxide			
P8.2	Batteries meet the requirements of the following voluntary program/s: US RBRC			

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	M/T·	3768					
Issue date *	2012, Ju				Logo	lenovo	
	mental at	tributes - Market	requirements (co	ontinued)		Requirement Yes No	
P9 Energy	consump	tion				Yes No	n.a.
		e following power lev	els or energy consur	mptions are reporte	ed:		
Energy mode		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standar and test method *	d for energy modes	
Peak (On- max)		65/90 W	65/90 W	65/90 W	Full load		
Category A							
Idle State - WOL Er	nabled	7.5 W	7.85 W	8.03 W	Use for ENERGY STA	AR Registration(P _{idle})	
Sleep (S3) - WOL E	nabled	<i>0.86</i> W	0.87 W	1.23 W	Use for ENERGY STA	AR Registration(P _{sleep})	
Sleep (S3) - WOL D	Disabled	W	W	W	Reference		
Off (S5) - WOL Ena	bled	0.53 W	0.53 W	0.8 W	Use for ENERGY STA	AR Registration(Poff)	
Off (S5) - WOL Disa	abled	0.35 W	0.35 W	0.54 W	Use for EuP		
Category B							
Idle State - WOL Er	nabled	7.49 W	6.98 W	7.63 W	Use for ENERGY STA	AR Registration(P _{idle})	
Sleep (S3) - WOL E	nabled	0.86 W	0.86 W	0.95 W	Use for ENERGY STA	AR Registration(P _{sleen})	H
Sleep (S3) - WOL D		W	W	W	Reference		H
Off (S5) - WOL Ena		0.55 W	0.55 W	0.64 W	Use for ENERGY STA	AR Registration(P _{off})	H
Off (S5) - WOL Disa		0.35 W	0.35 W	0.54 W	Use for EuP		H
EPS No-load	abicu -	0.33 W	0.33 W	0.44 W	Odd for Ear		H
(External power sup charger plugged in the outlet but disconnect the product.)	he wall						
P _{TEC}		W	W	W	(Workstation Levels)		
Typical Energy Cons	sumption				$P_{TEC} = 0.35 * P_{off} + 0.10$) *P _{sleep} + 0.55* P _{idle}	
TEC Typical Energy Cons	sumption	kWh/week	kWh/week	kWh/week			
ETEC * Annual Energy Cons	sumption	23.25 (A) 23.33 (B)	24.18 (A) 21.99 (B)	26.39 (A) 24.25 (B)	(Desktop, Integrated Desktop $E_{TEC} = (8760/1000)^{-3}$ $T_{sleep} + P_{idle} * T_{idle})$		
Display resolution	: 1366 x 7	68 Megapixels					
Print Speed	: In	nages per minute					
Default time to enter	energy sa	ave mode: 20 minute	S				\Box
P9.2* Informat	ion about	the energy save fund	tion is provided with	the product.			市
ENERG	Y STAR®	s the energy requiren version: Version 5.0 VERGY STAR for Ex	dated July 1, 2009	Product category:	A, B		<u>-</u>
P10 Emissio	_			-		V V I I	
		 Declared according Mode description 	to ISO 9296	Declared	Declared A	woighted	P1
P10.1 Mode		viode description		A-weighted sound power	sound pressure le		0.1
				level L_{WAd} (B)	Operator position		
					Desktop 🔀		
Idle		* HDD: Idle		* 3.0	or Desk side2	1	-
Operation	on ,	* HDD: Operating		* 4.0	3.		-
Other m		, 9					-

Other (only if not covered by ECMA-74 with L_{pAm} measurement distance The product meets the acoustic noise requirements of the following voluntary program/s:

P10.2

Measured according to: ISO7779 ECMA-74

m)

Model nur	IIDEI	M/T: 3768				
Issue date *		2012, July 02	Logo	leno	vo	
Product	environn	nental attributes - Market requirements (continued)		Requirer	nent	met
Item				Yes	No	n.a.
	Chemica	al emissions from printing products				
P10.3*		formed according to ECMA-328 (ISO/IEC 28360) standard, other specify:				\boxtimes
P10.4	Typical e	emission rate (print phase) is (mg/h):				\boxtimes
		Dust Ozone Styrene Benzene TVOC				
P10.5			TVOC			
		nagnetic emissions				
P10.6	program	er display meets the requirement for low frequency electromagnetic fields of the follows: **MPR-II(3 pin AC adapter only)** **Temperature of the following in	owing voluntary			
P11		nable materials for printing products				
P11.1*	-	Data Sheet (SDS) is available for the ink/toner preparation, even if not legally requ	,			\boxtimes
P11.2*	Paper co EN1228	ontaining post-consumer recycled fibers can be used, provided that it meets that.	e requirements	of		\boxtimes
P11.3*	2-sided (duplex) printing/copying is an integrated product function.				\boxtimes
P12		nics for computing products				
P12.1*	The disp	lay meets the ergonomic requirements of ISO 9241-307 for visual display technology	gies.	\boxtimes		
P12.2*	The phys	sical input device meets the requirements of ISO 9995 and ISO 9241-410.		\boxtimes		
P13		ng and documentation				
P13.1*	Product Product	packaging material type(s): Corrugated Cardboard weight (kg): 0.682 packaging material type(s): Recycled Polyethylene (RLDPE) weight (kg): 0.192 packaging material type(s): Others(Plastic Bags) weight (kg): 0.022	?			
P13.2*		plastic packaging is free from PVC.				
P13.3*		media for user and product documentation (tick box): ic 🔀, Paper 🔀, Other 🔲				
P13.4*	For pape fiber: 0%	er user and product documentation, please specify contained percentage of post-co. (Japan only 70%)	nsumer recycled	d		
P14		nal information (See Note B4)				
	informati knowled provided informati		t is provided bas te such informat account Represe	sed on supp tion. The info	lier's ormat	
P9		ERGY STAR Qualified Notebooks & Tablet Computers for the latest information by the latest information of the latest inform	n:			

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19