

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo		
Company name *	Lenovo			
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo.		
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	t.html		
Additional information	The latest version of this document can be found at http://www.lenovo.com/social_responsibility/us/en/datasheets_notebooks.html			

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Notebook PC				
Commercial name *	Lenovo N22-20 Chromebook				
Model number *	80SF				
Issue date *	2016-01-18				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Quality Control R		
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model number *	80SF		
Issue date *	2016-01-18	Logo	lenovo.

Product	environmental attributes - Legal requirements	Require	ment	met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).			
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			\boxtimes
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm ² /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/materials.html			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)			
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	X		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\boxtimes	\Box	
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			\boxtimes
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).		\Box	$\overline{\mathbf{X}}$
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.	d 🔀		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	al 🔀		

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	80SF		
Issue date *	2016-01-18	Logo	lenovo.

			met
Item *=mandatory to fill in. Additional information regarding each item may be found under P14.	es/	No	n.a.
P6 Treatment information			
P6.1* Information for recyclers/treatment facilities is available (see legal reference).			
P7 Design Disassembly, recycling			
	\boxtimes		
P7.2* Plastic materials in covers/housing have no surface coating.		$\overline{\boxtimes}$	币
	X	Ħ	Ħ
	$\overline{\mathbb{X}}$	Ħ	一一
	\overline{X}	H	Ħ
	$\overline{\mathbb{X}}$	∺	∺
Product lifetime		<u> </u>	
	$\overline{\mathbb{X}}$	$\overline{}$	
	<u> </u>	∺	╬
	Δ		-
opare parts are available after that of production for.			╬
P7.10 Service is available after end of production for: 5 years			
Material and substance requirements P7.11* Product cover/housing material type:			
P7.11* Product cover/housing material type: Material type: PC+ABS-FR(40) Material type: Material type:			
P7.12 Electrical cable insulation materials of power cables are PVC free.		\boxtimes	
P7.13 Electrical cable insulation materials of signal cables are PVC free	=	\overline{X}	∺
P7.14 All cover/housing plastic parts >25g are free from chlorine and bromine.	$\frac{1}{\sqrt{1-x^2}}$		╫
P7.15 All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See	4		╫
Note B2)			<u> </u>
P7.16 Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking: FR(40)	\boxtimes		
P7.17 Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive) , TBBPA (reactive) , Other; chemical name: , CAS #:			
Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: Brominated Epoxy Resin See P14			
P7.18 Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%:			
Comment: No legal limits exist, this is a market requirement.			
1. Chemical name: , CAS #: 2. Chemical name: , CAS #:			
3. Chemical name: , CAS #:			
Alt. 2			
Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4: FR(40)	\boxtimes	П	
P7.19 Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)			
P7.20 Of total plastic parts' weight >25g, recycled material content is 0%.			
P7.21 Of total plastic parts' weight >25g, biobased material content is %.			
P7.22 Light sources are free from mercury	\boxtimes		
If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg			
P8 Batteries P8.1* Battery chemical composition: Lithium Ion/Lithium Manganese Dioxide			
P8.2 Batteries meet the requirements of the following voluntary program/s: <i>US RBRC</i>			╬

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	80SF		
Issue date *	2016-01-18	Logo	lenovo.

Product environmental attributes - warket requirements (continued) Requirement met							
Item						Yes No	n.a.
P9	Energy consump						
9.1	For the product the	ne following power levels of	r energy consumpt	tions are reporte	d: See P14		
Energy mo	de *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Stand	dard for energy modes and test	
Peak (On-	max)	45 W	45 W	45 W	Full load		
Category	v I1		I	l .			1
	State - WOL Enal	bled 3.288 W	3.360 W	3.984 W	Use for ENERGY	'STAR V6 registration (Pidle)	
Long Idle	State - WOL Enal		1.032 W	1.128 W		'STAR V6 registration (Pidle)	
Sleep (S3)	- WOL Enabled	0.312 W	0.324 W	0.360 W	Use for ENERGY	STAR V6 registration(P _{sleep})	
Sleep (S3)	- WOL Disabled	0.312 W	0.324 W	0.360 W	Reference		
Off (S5) - I	NOL Enabled	0.204 W	0.216 W	0.252 W	Use for ENERGY	STAR V6 registration(Poff)	
Off (S5) - I	WOL Disabled	0.204 W	0.216 W	0.252 W	Use for EuP		
Category	y D 1/2	·	•				
Short Idle	State - WOL Enal	bled W	W	W	Use for ENERGY	STAR V6 registration (Pidle)	
Long Idle	State - WOL Enal	oled W	W	W	Use for ENERGY	STAR V6 registration (Pidle)	
Sleep (S3)	- WOL Enabled	W	W	W	Use for ENERGY	'STAR V6 registration (P _{sleep})	
	- WOL Disabled	W	W	W	Reference		
	NOL Enabled	W	W	W		STAR V6 registration(Poff)	
• /	NOL Disabled	W	W	W	Use for EuP		
EPS No-load (External power supply / charger plugged in the wall outlet but disconnected from the product.)			0.078 W	0.080 W			
PTEC * Typical Energy Consumption		W	W	W			
TEC * Typical End	ergy Consumption	kWh/week	kWh/week	kWh/week			
ETEC * Annual Ene	ergy Consumption	10.97 kWh/year	11.20 kWh/year	13.11 kWh/year	E _{TEC} = (8760/1000) x (P _{off} x 0.25 + P _{sleep} x 0.35 + P _{short idle} x 0.3+ P _{long idle} x 0.1)		
			WOL Enabled; P _{slee}	: Sleep Mode(S3)	- WOL Enabled; Pidle	: Idle State - WOL Enabled	
Display res	olution* : 1600*9	00 Megapixels					
Print Speed	d* : I	mages per minute					
Default tim	e to enter energy s	save mode: 25 minutes					
P9.2*	Information about	t the energy save function i	s provided with the	e product.			
P9.3*		ts the energy requirements version: Version 6.1 Tie		oluntary program category: <mark>A</mark>	's:		
P10	Emissions						
D40.4		 Declared according to IS 	O 9296	Daalanad	2	adarad A waightad	
P10.1	Mode	Mode description		Declared A-weighted		eclared A-weighted	
				sound power	30ullu b	ressure level $L_{p{\sf Am}}$ (dB)]
				level L_{WAd} (B) Operator posit	ion Bystander positions	
				,,,,d		top Olimber (only if product is not	
	Idle	* HDD:Idle		* NA	5. Book 6	operator attended) NA	+ $ $
	Operation	* HDD: Operating		* NA		NA	1片
	Other mode	· •					-
	Measured accord		CMA-74	•			
D40.0	The second of				L _{pAm} measuremen	t distance m)	
P10.2	P10.2 The product meets the acoustic noise requirements of the following voluntary program/s:						

Model number *	80SF		
Issue date *	2016-01-18	Logo	lenovo.

	environinentai a	attributes - Market re	quirements (com	unueu)		Requirement me	
Item	_					Yes No	n.a.
P9	Energy consum						
9.1	For the product the	ne following power levels	or energy consump	tions are reporte	ed: See	e P14	
Energy mo	de *	Power level 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Refere	rence / Standard for energy modes and test od *	
Peak (On-	max)	45 W	45 W	45 W	Full	load	
Category	v I2			1	1		1
	State - WOL Enai	bled 4.260 W	4.284 W	4.308 W	Use f	for ENERGY STAR V6 registration (Pidle)	
Long Idle	State - WOL Enal	oled 1.668 W	1.680 W	1.728 W		for ENERGY STAR V6 registration (P _{idle})	
Sleep (S3)	- WOL Enabled	0.312 W	0.324 W	0.360 W	Use f	for ENERGY STAR V6 registration(P _{sleep})	
Sleep (S3)	leep (S3) - WOL Disabled 0.312		0.324 W	0.360 W	Refer	rence	
Off (S5) - I	NOL Enabled	0.204 W	0.204 W	0.252 W	Use f	for ENERGY STAR V6 registration(P _{off})	
Off (S5) - I	WOL Disabled	0.204 W	0.204 W	0.252 W	Use f	for EuP	
Category D 1/2							
Short Idle	State - WOL Enai	bled W	W	W	Use f	for ENERGY STAR V6 registration (P _{idle})	
_	State - WOL Enal	oled W	W	W		for ENERGY STAR V6 registration (P _{idle})	
• • • •	- WOL Enabled	W	W	W	Use f	for ENERGY STAR V6 registration (P _{sleep})	
	- WOL Disabled	W	W	W		rence	
	NOL Enabled	W	W	W		for ENERGY STAR V6 registration(Poff)	
, ,	NOL Disabled	W	W			for EuP	Ш
EPS No-load (External power supply / charger plugged in the wall outlet but disconnected from the product.)			0.078 W	0.080 W			
PTEC * Typical Energy Consumption		W	W	W			
TEC * Typical Ene	ergy Consumption	kWh/wee	k kWh/week	kWh/week			
ETEC * Annual Ene	ergy Consumption	14.06 kWh/year	14.17 kWh/year	14.49 kWh/year	E _{TEC} = (8760/1000) x (P _{off} x 0.25 + P _{sleep} x 0.35 + P _{short idle} x 0.3+ P _{long idle} x 0.1)		
			- WOL Enabled; P _{slee}	p: Sleep Mode(S3)	- WOL	Enabled; P _{idle} : Idle State - WOL Enabled	
Display res	olution* : 1600*9	00 Megapixels					
Print Speed	d* : I	mages per minute					
Default tim	e to enter energy s	save mode: 25 minutes					
P9.2*	Information about	t the energy save functio	n is provided with th	e product.			
P9.3*		ts the energy requirement version: Version 6.1		oluntary program category: <mark>A</mark>	n/s:		
P10	Emissions		100,000				
D10 1		Declared according to Made description	150 9296	Dodors		Doclared A weighted	
P10.1	Mode	Mode description		Declared A-weighted		Declared A-weighted sound pressure level $L_{p m Am}$ (dB)	
				sound power	er		
				level L_{WAd} ((B) O	perator position Bystander positions	
						or Desk side (only if product is not	
	Idle	* HDD:Idle		* NA		operator attended) NA	+ $ $
	Operation * HDI			* NA		NA .	1 🗂 🛭
	Other mode	<u>-</u>]
	Measured accord		ECMA-74				
D40.0	The product of					measurement distance m)	
P10.2	rne product mee	ts the acoustic noise req	unements of the follo	owing voluntary p	program	11/5.	\boxtimes

Model number *		80SF				
Issue date	*	2016-01-18	Logo	leno	VO.	
_						
	environn	nental attributes - Market requirements (continued)		Require		
Item				Yes	No	n.a.
		al emissions from printing products				
P10.3*		formed according to ECMA-328 (ISO/IEC 28360) standard, other specify:				\boxtimes
P10.4	Typical e	emission rate (print phase) is (mg/h):				\boxtimes
		Dust Ozone Styrene Benzene TVOC				
P10.5	Chemica	are met for :				\boxtimes
			TVOC			
		nagnetic emissions				
P10.6		er display meets the requirement for low frequency electromagnetic fields of the foll	owing volunta	ıry		
D44		/s: MPR-II				
P11 P11.1*		nable materials for printing products	:=== D4 (2)	_	
		Data Sheet (SDS) is available for the ink/toner preparation, even if not legally requ			<u>Ц</u>	
P11.2*	EN1228		e requiremen	ts of	Ш	
P11.3*	2-sided (duplex) printing/copying is an integrated product function.				\boxtimes
P12		nics for computing products				
P12.1*	The disp	lay meets the ergonomic requirements of ISO 9241-307 for visual display technological	gies.	\boxtimes		
P12.2*	The phys	sical input device meets the requirements of ISO 9995 and ISO 9241-410.		\boxtimes		
P13		ng and documentation				
P13.1*	Product	packaging material type(s): Corrugated Carton weight (kg): 0.255 packaging material type(s): Polyethylene Cushions weight (kg): 0.038				
	Product	packaging material type(s): <i>Others</i> weight (kg): <i>0.123</i> weight (kg): <i>0.123</i>				
P13.2*		plastic packaging is free from PVC.				\Box
P13.3*		media for user and product documentation (tick box):				Ħ
		c 🔀, Paper 🔀, Other 🗍				ш
P13.4*		er user and product documentation, please specify contained percentage of post-co	nsumer recyc	cled		\Box
	fiber: 0		,			
P14		nal information (See Note B4)				
		Supplier makes no representations, guarantees, assurances or warranties whether of				
	informati	on contained in this document. All information provided by supplier in this documer	nt is provided	based on sup	plier's	
		ge available at the time of completion, and supplier shall have no obligation to upda here is approximate and provided for informational purposes only. See a Lenovo A				tion
	informati		coount ixepie	Scritative IUI	111016	
P9		ergy Star Qualified Notebooks & Tablet Computers for the latest information:				
		ww.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup	&pgw_code	=CO		
						·

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19

Lenovo ErP Lot3 Information Sheet

- PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo N22-20 Chromebook	Logo
Model Number	80SF	_
Issue Date	2016-01-18	lenovo.
Additional information		

d)	year of manufacture:	2014					
(e)	E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display:						
	Category (according to ErP Lot 3): A Etec: 4.33						
(f)	E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are enabled:						
	Category (according to ErP Lot 3): Etec:						
(g)	idle state power demand (Watts);	1.02					
(h)	sleep mode power demand (Watts);	NA					
(i)	sleep mode with WOL enabled power demand (Watts) (where enabled);						
(j)	off mode power demand (Watts);						
(k)	off mode with WOL enabled power demand (Watts) (where enabled);						
(l)	internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable):						
	10% 20% 50% 100% Average						
(m)	external power supply efficiency (if applicable):						
	Average 45W:87.58%;88.35%;						
(o)	*internal note: show values for all available external power supplies the minimum number of loading cycles that the batteries can withstand (applies only to notebook computers): 300 cycles						
(p-1)	the measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency:						
	NA NA						
(p-2)	the measurement methodology used to determine information mentioned in points (m) – external PSU efficiency:						
	Energy-star requirement						
(p-3)	the measurement methodology used to determine information mentioned in points (o) – loadingcycles batteries:						
	IEC 61960 measurement methodology						

(p-4)	the measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:						
		IEC 6262	3 / IEC I	EN50564:2011 measurement methodology			
(q)	sequence of ste	eps for achieving a	condition with respect to power demand::				
		EC 62623	3 / IEC E	EN50564:2011 measurement methodology			
(r)	description of how sleep and/or off mode was selected or programmed:						
				Based on user manual			
(s)	sequence of every off mode:	ents required to re	ach the	mode where the equipment automatically changes to sleep and/or			
				Based on user manual			
(t)	the duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):						
(u)	the length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):						
(v)				o mode is set to activate after user inactivity (in minutes):	10		
(w)				all of power management functionality:			
				Based on user manual			
(x)	user information	n on how to enable	the po	wer management functionality:			
				Based on user manual			
(z)		upply system, — ir		st voltage in V and frequency in Hz, — total harmonic distortion of on and documentation on the instrumentation, set-up and circuits			
		2:	30V/50F	dz, Total Harmonic Distortion <2 %			
Addition No	tebook Battery	Information:					
Yes		No	n/a	This notebook computer is operated by battery/ies that cannot replaced by a non-professional user.	be accessed and		
(Battery replaceable)	not user	(Battery user replaceable)		The battery[ies] in this product cannot be easily	v replaced by		
				users themselves	, ., .,		
Additional	nformation			<u> </u>			