

### Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an \* are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo			
Company name *	Lenovo				
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo.			
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html				
Additional information	The latest version of this document can be found at http://www.lenovo.com/social_responsibility/us/en/datasheets_notebooks.html				

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	lotebook PC				
Commercial name *	Lenovo N50-70				
Model number *	0439;80HA				
Issue date *	2014-03-31				
Intended market *	Global Europe Asia, Pacific & Japan Americas Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Quality Control F		
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	$\boxtimes$	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).		

Model number *	Lenovo N50-70		
Issue date *	2014-03-31	Logo	lenovo.

Product	environmental attributes - Legal requirements	Require	men	t met
Item	<u> </u>	Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference).  Comment: Legal reference has no maximum concentration value.	$\boxtimes$		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),			
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	X		
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	$\boxtimes$		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference).			
D4 Ot	Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm²/week (see legal reference).  Comment: Max limit in legal reference when tested according to EN1811:1998.		Ш	
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/materials.html			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)			
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	$\boxtimes$		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).	$\boxtimes$		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).	<b>S</b>		
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	$\boxtimes$		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			$\boxtimes$
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium an hexavalent chromium by weight of these together.	d 🔀		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference).  Comment: Legal reference has no maximum concentration values.	al 🔀	Ц	Ш

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	Lenovo N50-70		
Issue date *	2014-03-31	Logo	lenovo.

Product	t environmental attributes - Market requirements - Environmental conscious design Re	quire	ment	met	
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.	
P6	Treatment information				
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	$\boxtimes$			
P7	Design Disassembly, recycling				
P7.1*	Parts that have to be treated separately are easily separable		$\overline{}$		
P7.2*	Plastic materials in covers/housing have no surface coating.			+	
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.			$\dashv$	
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.		H	$\dashv$	
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		∺	∺	
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	X	H	Ħ	
	Product lifetime				
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives				
P7.8*	Upgrading can be done using commonly available tools			Ħ	
P7.9.	Spare parts are available after end of production for: 5 years			Ħ	
P7.10	Service is available after end of production for: 5 years			∺	
	Material and substance requirements				
P7.11*	Product cover/housing material type:				
	Material type: <i>PC+ABS-FR(40)</i> Material type: Material type:				
P7.12	Electrical cable insulation materials of power cables are PVC free.		$\boxtimes$		
P7.13	Electrical cable insulation materials of signal cables are PVC free		$\boxtimes$		
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.	$\boxtimes$			
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Note B2)		$\boxtimes$		
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking: FR(40)				
P7.17	Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive), TBBPA (reactive), Other; chemical name: , CAS #:				
	Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: <i>Brominated Epoxy Resin See P14</i>				
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%:				
	Comment: No legal limits exist, this is a market requirement.  1. Chemical name: , CAS #:				
	2. Chemical name: , CAS #: 3. Chemical name: , CAS #:				
	Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4: FR(40)	$\square$	П	П	
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)				
P7.20					
P7.21	Of total plastic parts' weight >25g, biobased material content is 0%.				
P7.22	Light sources are free from mercury	$\boxtimes$			
P8	If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg  Batteries mg				
P8.1*	Battery chemical composition: Lithium Ion/Lithium Manganese Dioxide				
P8.2	Batteries meet the requirements of the following voluntary program/s: US RBRC			∺	

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	Lenovo N50-70		
Issue date *	2014-03-31	Logo	lenovo.

Product	Product environmental attributes - Market requirements (continued) Requirement met						t
Item							n.a.
P9 Energy consumption  9.1 For the product the following power levels or energy consumptions are reported: See P14							
	<u> </u>					adoud for opening modes and took	
Energy mo		Power level at 100 V AC	Power level at 115 V AC	230 V AC	method *	ndard for energy modes and test	
Peak (On-	·max)	<i>65</i> W	<i>65</i> W	<i>65</i> W	Full load		
Categor	<u>y 11</u>						
Short Idle	State - WOL Enabled	9.24 W	10.49 W	<i>9.58</i> W	Use for ENERG	Y STAR V6 registration (Pidle)	$\boxtimes$
Long Idle	State - WOL Enabled	<i>5.05</i> W	<i>5.86</i> W	<i>6.33</i> W	Use for ENERG	Y STAR V6 registration (Pidle)	
Sleep (S3)	) - WOL Enabled	0.56 W	0.57 W	0.63 W	Use for ENERG	Y STAR V6 registration(P <sub>sleep</sub> )	
Sleep (S3)	) - WOL Disabled	0.56 W	0.57 W	0.63 W	Reference		
Off (S5) -	WOL Enabled	0.18 W	0.20 W	0.25 W	Use for ENERG	Y STAR V6 registration(Poff)	
Off (S5) -	WOL Disabled	0.221 W	0.218 W	<b>0.275</b> W	Use for EuP		
Categor	v D 1/2						
	State - WOL Enabled	W	W	W	Use for ENERG	Y STAR V6 registration (Pidle)	
Long Idle	State - WOL Enabled	W	W	W	Use for ENERG	Y STAR V6 registration (Pidle)	<del>                                     </del>
Sleep (S3)	) - WOL Enabled	W	W	W		Y STAR V6 registration (P <sub>sleep</sub> )	
	) - WOL Disabled	W	W	W	Reference		H
	WOL Enabled	W	W	W	Use for ENERG	Y STAR V6 registration(Poff)	H
	WOL Disabled	W	W	W	Use for EuP		H
EPS No-lo		0.073 W	0.080 W	0.152 W			H
	oower supply / charger						
	the wall outlet but						
disconnect	ted from the product.)						
PTEC *		W	W	W			
Typical En	ergy Consumption						
TEC *		kWh/week					
	ergy Consumption	RVVII/WEER	kWh/week	kWh/week			
ETEC *	ergy Consumption	<b>30.84</b> kWh/year	<b>34.90</b> kWh/year	<b>33.20</b> kWh/year		00) x (P <sub>off</sub> x 0.25 + P <sub>sleep</sub> x 0.35 B+ P <sub>long idle</sub> x 0.1)	
/ IIII dai Eii	cigy consumption		KVVII/ year	KVVII/yeai	+ I short late X 0.3	T I long late X 0.1/	
			WOL Enabled; Pslee	p: Sleep Mode(S3)	- WOL Enabled; Pid	dle: Idle State - WOL Enabled	
Display res	solution*: 1920*1080 N	legapixels					
Print Spee	d * : Image	s per minute					
Default tim	ne to enter energy save r	mode: 25 minutes					
P9.2*	Information about the	energy save function i	s provided with the	e product.	•		
P9.3*	The product meets the				/s:		
	ENERGY STAR® vers Others specify:	sion: <i>Version 6.0</i> Ti	er: Produc	t category: B			님
P10	Emissions						
	Noise emission – Dec		O 9296				
P10.1	Mode Mode	e description		Declared A-weighted		Declared A-weighted	
				sound power		pressure level $L_{p{\sf Am}}$ (dB)	
				level $L_{W Ad}$	B) Operator pos		
						sktop (only if product is not	
				1.06	or Desk	operator attended)	
		DD:Idle		* 3.0		25.7	1
	Operation * H	DD: Operating		* 3.1	+	26.2	$\parallel$
	Measured according to: ☐ ISO7779 ☐ ECMA-74						
				by ECMA-74 with	L <sub>pAm</sub> measureme	ent distance m)	
P10.2	The product meets the						

Model number *	Lenovo N50-70		
Issue date *	2014-03-31	Logo	lenovo.

Product	environmental attributes - Market requirements (continued)	Require	ment	met		
Item	•	Yes	No	n.a.		
	Chemical emissions from printing products					
P10.3*	Test performed according to ECMA-328 (ISO/IEC 28360) standard , other specify:			$\boxtimes$		
P10.4	Typical emission rate (print phase) is (mg/h):			$\boxtimes$		
	Dust Ozone Styrene Benzene TVOC					
P10.5	Chemical emission requirements of the following voluntary program/s are met for :			$\boxtimes$		
	Dust Ozone Styrene Benzene TVOC					
	Electromagnetic emissions					
P10.6	program/s: MPR-II					
P11	Consumable materials for printing products					
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).			$\boxtimes$		
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements o EN12281.			$\boxtimes$		
P11.3*	2-sided (duplex) printing/copying is an integrated product function.			$\boxtimes$		
P12	Ergonomics for computing products					
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.	$\boxtimes$				
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.					
P13	Packaging and documentation					
P13.1*	Product packaging material type(s): Corrugated Carton weight (kg): 0.336  Product packaging material type(s): Polyethylene Cushions weight (kg): 0.070  Product packaging material type(s): Others weight (kg): 0.123					
P13.2*	Product plastic packaging is free from PVC.	$\boxtimes$				
P13.3*	Specify media for user and product documentation (tick box):					
	Electronic , Paper , Other			_		
P13.4*						
P14	Additional information (See Note B4)					
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied information contained in this document. All information provided by supplier in this document is provided base knowledge available at the time of completion, and supplier shall have no obligation to update such information provided here is approximate and provided for informational purposes only. See a Lenovo Account Represent information.	d on sup on. The in	plier's forma	tion		
<b>P</b> 9	See Energy Star Qualified Notebooks & Tablet Computers for the latest information: http://www.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup&pgw_code=CO					

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

# Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19

# **Lenovo ErP Lot3 Information Sheet**

## - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

#### Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo N50-70	Logo
Model Number	20439;80HA	_
Issue Date	2014-03-31	lenovo.
Additional information		

P7.1.1	Product environmental attributes								
(d)	year of manufacture:		2014						
(e)	<b>E TEC value</b> (kWh) per ErP Lot 3 Category and capability adjustments applied when <b>all discrete graphics cards (dGfx) are disabled</b> and if the system is tested with switchable graphics mode with UMA driving the display:								
	Category (according to ErP Lot 3):	Etec: NA							
(f)	E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are enabled:								
	Category (according to ErP Lot 3): B Etec:	19.15							
(g)	idle state power demand (Watts);		6.24						
(h)	sleep mode power demand (Watts);		0.67						
(i)	sleep mode with WOL enabled power demand (Watts) (w	here enabled);	0.63						
(j)	off mode power demand (Watts);		0.41						
(k)	off mode with WOL enabled power demand (Watts) (whe	Don't support the WOL for off mode.							
(I)	internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable):								
	10% 20% 50% 100%	Average							
(m)	external power supply efficiency (if applicable):								
	10% 20% 50% 100%	Average ;							
	or level:								
(o)	the minimum number of loading cycles that the batteries	can withstand (applies only to notebook comp	uters):						
(p-1)	the measurement methodology used to determine in efficiency:	formation mentioned in points (I) - interna	I PSU						
(p-2)	the measurement methodology used to determine infe	ormation mentioned in points (m) - externa	al PSU						
	Energy-star re	quirement							
(p-3)	the measurement methodology used to determine inf batteries:	ormation mentioned in points (o) - loading	gcycles						
	NA (ErP ot 3 test isn't o	ontained Batteries)							

(p-4)	o determine information mentioned in maximum, idle, sleep, off mode Product IT Eco Declaration:						
				Energy-star requirement			
(q)	sequence of steps for achieving a stable condition with respect to power demand::						
				Based on user manual			
(r)	description of how sleep and/or off mode was selected or programmed:						
				Based on user manual			
(s)	sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:						
				Based on user manual			
(t)				refore the computer automatically reaches sleep mode, or another			
	condition v	vhich does not exce	ed the a	pplicable power demand requirements for sleep mode (in minutes):	<i>25</i>		
(u)	the length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):  10						
(v)	the length of time before the display sleep mode is set to activate after user inactivity (in minutes):						
(w)	information	n on the energy-savi	ng potei	ntial of power management functionality:			
				Based on user manual			
(x)	user inforn	nation on how to ena	able the	power management functionality:			
				Based on user manual			
(z)	the electric			test voltage in V and frequency in Hz, — total harmonic distortion of ation and documentation on the instrumentation, set-up and circuits			
		-		230V/50Hz			
Addition N	lotebook B	attery Information:					
Yes		No	n/a	This notebook computer is operated by battery/ies that cannot be acce by a non-professional user.	essed and replaced		
(Battery replaceable		(Battery user replaceable)		The battery[ies] in this product cannot be easily repl themselves	aced by users		
Additiona	l informatio	n					
					_		