



Product environmental attributes - THE ECO DECLARATION

Brand *	Lenovo	Logo
Company name *	Lenovo	_
Contact information *	Alvin L Carter 1009 Think Place Building 2 / 5J3 Morrisville, North Carolina 27560 alcarter@us.lenovo.com	lenovo
Internet site *	www.pc.ibm.com/ww/lenovo/about/environmen	t t
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product					
conforms to the statements given in this declaration.					
Type of product *	Workstation				
Commercial name *	ThinkStation S10				
Model number *	6423, 6483				
Issue date *	2007-12-22				
Intended market *	☐ Global ☐ Europe ☐ Japan ☐ U.S. ☐ Other				
Additional information	ENERGY STAR® 4.0 Qualified; EPEAT Silver Rating				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

The declaration may be published only when all rows and/or fields marked with a * are filled-in (n.a. for not applicable).

Quality C	Control Requirement met		
Item	Additional information regarding each item may be found under P14.	Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).		

Model number *	ThinkStation S10 Models: 6423, 6483		
Issue date *	2007-12-22	Logo	lenovo

Product	environmental attributes - Legal requirements Requirement met			
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain lead, cadmium, mercury, hexavalent chromium, polybrominated biphenyl (PBB) and polybrominated diphenyl ether (PBDE) as specified in <i>EU 2002/95/EC and its amendments</i>			
P1.2*	Products do not contain Asbestos (EU 76/769/EEC, amendment 1999/77/EC)	\boxtimes		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC).		Ħ	
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (<i>EU</i> : Regulation (<i>EC</i>) No. 2037/2000, 2038/2000, 2039/2000)			
P1.4*	Products do not contain polychlorinated biphenyl (PCB), polychlorinated terphenyl (PCT), (EU 76/769/EEC)	\boxtimes		
P1.5*	Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP as specified in <i>Norwegian regulation relating to restrictions</i> on the use of certain dangerous chemicals 20.12.2002			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (EU 76/769/EEC)			
P1.7*	Textile and leather parts with direct skin contact do not contain Azo colourants that split aromatic amines as specified in EU 76/769/EEC, amendment 2003/3/EC			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (EU 76/769/EEC)			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations higher than specified in 76/769/EEC, amendment 94/27/EEC			
P2	Batteries			
P2.1*	If hazardous batteries (as defined in 91/157/EEC) are used in the product they are easily removable and labelled with the disposal and the substance logo (as defined in 91/157/EEC, 93/86/EEC)			
P2.2*	If batteries are used in the product they do not contain mercury in concentrations higher than specified in 91/157/EEC			
P2.3*	If batteries are permanently installed in the product, information on the environmentally hazardous substances and safe removal method is listed in the user manual (91/157/EEC)			
P3	Electrical safety, EMC and connection to the telephone network			
P3.1*	The product meets the Low Voltage Directive (LVD) regarding electrical safety (73/23/EEC & 93/68/EEC)	\boxtimes		
P3.2*	The product meets the EMC Directive regarding electromagnetic compatibility (89/336/EEC / 2004/108/EEC after June, 20th 2007			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it meets the EU R&TTE Directive (1999/5/EC)			
P3.4*	The product is CE-marked and a Declaration of Conformity is available (93/68/EEC)	\boxtimes		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)			
P4.2*	If ink/toner is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)			
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to EU Directive 1999/45/EC, and as amended, the product/packaging is labelled and a Material Safety Data Sheet (MSDS) in accordance with (99/45/EC & 2001/58/EC) is available.			
P5	Product packaging			
P5.1*	The sum of the concentration levels of lead, cadmium, mercury, and hexavalent chromium present in packaging or packaging components does not exceed 0,01% by weight (94/62/EC).			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043.(97/129/EEC)	\boxtimes		
P5.3*	The product packaging material is free from CFC/HCFC.	\boxtimes		
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities (e.g. as requested by 2002/96/EC) is available.			

Model number *	ThinkStation S10 Models: 6423, 6483		
Issue date *	2007-12-22	Logo	lenovo

Product	t environmental attrib	utes - Market requ Requireme	uirements - Environmental conscious design						
Item P7	*=mandatory to fill in. Design Disassembly, recycli	Additional informat	ion regarding each item may be found under P14.	Yes	No	n.a.			
P7.1*	Parts that have to be t	treated separately	are easily separable	\boxtimes					
P7.2*	Plastic materials in co	no surface coating.	X	Ħ					
P7.3*	Plastic parts >100g co	ial or of easily separable materials.	X	Ħ					
P7.4*			according to ISO 11469 referring ISO 1043.		H	\overline{H}			
P7.5			r have inlays that can be removed with commonly available tools.		∺				
P7.6*									
P7.6	, , ,	arable. (This requir	ement does not apply to salety/regulatory labels).		<u>Ш</u> ,	Ш			
P7.7*	Product lifetime	o o a with process	sor, memory, cards or drives		$\overline{}$	$\overline{}$			
			·		井	-			
P7.8*	Upgrading can be don			X		<u> </u>			
P7.9.	Spare parts are availa	· .				_ <u></u> _			
P7.10	Service is available af	•	on for: 5 years			Ш			
	Material and substar								
P7.11*	Product cover/housing	g material type:	Material times ADC DC/ADC Material times						
D7.40*	Material type: Steel	titi-1 - f	Material type: ABS, PC/ABS Material type:		<u> </u>				
P7.12*			wer cables are halogen free (including PVC)	<u> </u>		<u> </u>			
P7.13*		-	nal cables are halogen free (including PVC)						
P7.14	All cover/housing plas			\boxtimes					
P7.15	•		nents) >25g are halogen free		\boxtimes				
P7.16	Chemical specifications of flame retardants in cover / housing plastic parts >25g according ISO 1043-4:								
P7.17	Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO								
P7.18	Weight of recycled ma								
P7.19	Plastic parts >25g are free from flame retardant substances/preparations above 0.1% classified as R45/46, S50/51/53 and R60/61 (67/548/EEC)								
P7.20	Light sources are free from mercury If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg								
P8	Batteries		1 1 24/457/550		_				
P8.1*	Product does not cont		ed as hazardous according to 91/157/EEC	\boxtimes					
P8.2*			Battery chemical composition:						
P8.3			ollowing voluntary program/s:			\boxtimes			
P9	Energy consumption								
9.1 Mode	For the product the foll Power level at	i e	s or energy consumptions have been measured:	Dafarana	/				
iviode	* 115 Volts	Time (s) to <mode></mode>	Mode description	Reference Standard		n.a.			
On-max	172.5 W	VIIIOGC>	* Max consumption (P _{Max})	*See P1					
On- normal	* W	to	*	*					
On-idle	80.9 W	to	* Idle Mode (P _{Idle})	*See P1	4				
Save 1	3.2 W	to	* Sleep Mode (P _{Sleep})	*See P1					
Save 2	* W	to	*	*					
Off 1	* 0.84 W		* Off Mode (Parastus)	* See P1.	4				
Off 2	,								
No load	W	to	*	*					
		to		*0 51	_	X			
TEC	* 57.3 W Typical En			*See P1	4	\Box			
P9.2*			on is provided with the product.	\boxtimes					
P9.3	The product meets the energy requirements of the following voluntary program/s: ENERGY STAR® 4.0 MOU Others specify:								

Model number *	ThinkStation S10 Models: 6423, 6483		
Issue date *	2007-12-22	Logo	lenovo

Product 6	Product environmental attributes - Market requirements (continued) Requirement met									
Item	, , , , , , , , , , , , , , , , , , , ,							n.a.		
P10	Emissions									
	Noise emission	 Declared according 	g to ISO 9296					X		
P10.1	Mode	Mode description			Declared		d A-weighted			
					A-weighted sound power	sound pressu			141	
					level L _{WAd} (B)	Operator position	Bystand	er pos	llions	
					()	Desktop	(only if pr	oduct	is not	
						or Deskside	operato	or atte	nded)	
	Idle	* System is on u screen, no disk ac	nder the Windo	ows	* 4.3	32				
	Operation	* Hard disk drive			* 4.6	35				\Box
		seeking by PC-Do	ctor.							
	Other mode									
	Measured accord	ding to: ISO 7779						,		
P10.2	The product mee	Other ets the acoustic noise				h L _{pAm} measurement	distance	m)	<u> </u>	
F 10.2		sions from printing		i tile ion	lowing voluntary	program/s.	<u> </u>	Ш.	Ш.	<u> Ш</u>
P10.3*		according to ECMA-3		others	enecify:			П	П	
	The test covers:		_	tyrene	Benzene	e ☐ TVOC ☐		ш		
P10.4		ets the chemical emis		,		_		П		$\overline{\Box}$
	Electromagnetic					, p 9		<u>. </u>		
P10.5		y meets the requirem	ent for low frequ	uency el	ectromagnetic fie	elds of the following v	roluntary			
P11	1 0	aterials for printing	products				•	•		
P11.1*	A Material Safety (see P4.3).	y Data Sheet (MSDS)) is available for	the ink/	toner preparatior	n, even if not legally re	equired			
P11.2*	Paper containing	recycled fibres that	meets the require	rements	of EN12281 can	be used.				X
P11.3*	· · ·	printing/copying is ar	• .	duct fun	ction.					X
P12		computing product								
P12.1*	and EN-ISO1340	stem meets the ergo 06-2 for flat panel disp	plays.			·8 for CRT displays				
P12.2*	The product keyboard meets the requirements of ISO 9995 and EN 29241-4.									
P12.3*			requirements of	ISO 92	241-9.				Ш.	Ш
P13.1*	Product packaging	ng material type(s): C	Corrugated card	thoard	weight (kg): 2.1					
F 13.1	Product packagir	ng material type(s): Eng material type(s):		iboara	weight (kg): 0.74 weight (kg):			Ш	Ш	
P13.2*	Product plastic p	packaging is halogen	free (including P	VC)	weight (kg).			\boxtimes		
P13.3*		t documentation do r			ched paper				П	Ħ
P13.4*	User and produc	t documentation cont	tain recycled pap	per					Ħ	Ħ
P14	Additional infor	mation								
		upplier makes no rep								
		contained in this docu able at the time of co					•			
	•	approximate and pro				•				
P7.17	Product d	loes not contain fre					25g.			
P9.1		' STAR Program Red				0)*				
	Power lev			100 V						
	Idle Mode (P _{Idle}) 82.4 W 84.1 W									
	Sleep Mo	ode (P _{Sleep})	3.1 W	2.8 W						
	Off Mode TEC (P_{TEC}		0.9 W 58.4 W	1.0 W 59.6 W						
	ILO (PTEC	<i>.</i>]	JU. 7 11	55.0 11						
	* Energy o	consumption will va	ary based upon	config	uration.					