

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo					
Company name *	Lenovo						
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560 alcarter@lenovo.com	Lenovo.					
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html						
Additional information	The latest version of this document can be found at http://www.lenovo.com/social_responsibility/us/en/datasheets_notebooks.html						

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
Type of product *	Desktop - Tower					
Commercial name *	Lenovo S510					
Model number *	10KW, 10KX, 10L3, 10L4, 10L7, 10L8					
Issue date *	2016-3-24					
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other					
Additional information	ENERGY STAR® Qualified; EPEAT GOLD Rating; GREENGUARD Certified					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality (Control	Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model number *	10KW, 10KX, 10L3, 10L4, 10L7, 10L8		
Issue date *	2016-3-24	Logo	Lenovo.

Product	oduct environmental attributes - Legal requirements							
Item	- ·	Yes	No	n.a.				
P1	Hazardous substances and preparations							
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)							
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.							
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\boxtimes	П					
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.							
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\boxtimes						
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\boxtimes						
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.							
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			\boxtimes				
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.							
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.							
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/environment.html							
P2	Batteries							
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)							
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	\boxtimes						
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)							
P3	Safety, EMC connection to the telephone network and labeling							
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\boxtimes						
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).							
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).							
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\square	П	\Box				
P4	Consumable materials							
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).							
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\square				
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).							
P5	Product packaging							
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.							
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes						
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.							

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	10KW, 10KX, 10L3, 10L4, 10L7, 10L8		
Issue date *	2016-3-24	Logo	Lenovo.

Product	environmental attributes - Market requirements - Environmental conscious design Re	equire	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes		
P7	Design			
D7.4*	Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable			<u>Ц</u>
P7.2*	Plastic materials in covers/housing have no surface coating.	Щ		
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.	\boxtimes		
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.	\boxtimes		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes		
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		
P7.9.	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			ī
	Material and substance requirements			
P7.11*	Product cover/housing material type:			
	Material type: ABS Material type: Steel Material type:			
P7.12	Electrical cable insulation materials of power cables are PVC free.		\boxtimes	
P7.13	Electrical cable insulation materials of signal cables are PVC free		\boxtimes	
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.	\boxtimes		
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See	\Box	X	
	Note B2)	_		
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking:			
P7.17	Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components):			
	TBBPA (additive) , TBBPA (reactive) , Other; chemical name: <i>brominated epoxy resins</i> , CAS #:	ш		
	26265-8-7			
		_	_	_
	Alt. 2 Chamical appointance of flower retardants in printed discuit boards (without components) > 25 a coording			
	Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4:			
P7.18	Alt. 1			
	Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in			\boxtimes
	concentrations above 0.1%:			
	Comment: No legal limits exist, this is a market requirement.			
	1. Chemical name: , CAS #: 2. Chemical name: , CAS #:			
	3. Chemical name: , CAS #:			
	Alt. 2			
	Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:			
		Ц_	Щ.	
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)		Ш	Ш
P7.20	Of total plastic parts' weight >25g, recycled material content is 0%.			
P7.21	Of total plastic parts' weight >25g, biobased material content is 0%.		_	<u> </u>
P7.22	Light sources are free from mercury If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg	Ш	Ш	\boxtimes
P8	Batteries			
P8.1*	Battery chemical composition: <i>Lithium Manganese Dioxide</i>			
P8 2	Ratteries meet the requirements of the following voluntary program/s:			\dashv

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	10KW, 10KX, 10L3, 10L4, 10L7, 10L8		
Issue date *	2016-3-24	Logo	Lenovo.

Product environmental attr	ibutes - Market i	requirements (continued)	Requirement Yes No	
P9 Energy consumption	on			T ES INO	n.a
9.1 For the product the f		els or energy cons	umptions are re	ported: See P14	
Energy mode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard for energy modes and test method *	
Peak (On-max)	W	W	W	Full load	
Category I1			l	I	<u> </u>
Short Idle State - WOL Enabled	25.99 W	26.05 W	25.61 W	Use for ENERGY STAR V6 registration (P _{idle})	
Long Idle State - WOL Enabled	21.64 W	21.58 W	24.70 W	Use for ENERGY STAR V6 registration (P _{idle})	Ī
Sleep (S3) - WOL Enabled	1.25 W	1.25 W	1.27 W	Use for ENERGY STAR V6 registration(P _{sleep})	Ħ
Sleep (S3) - WOL Disabled	W	W	W	Reference	Ī
Off (S5) - WOL Enabled	0.62 W	0.63 W	0.66 W	Use for ENERGY STAR V6 registration(P _{off})	Ī
Off (S5) - WOL Disabled	W	W	W	Use for EuP	Ħ
Category I2					
Short Idle State - WOL Enabled	d 26.41 W	26.32 W	25.76 W	Use for ENERGY STAR V6 registration (P _{idle})	Г
Long Idle State - WOL Enabled	1 21.94 W	21.81 W	25.49 W	Use for ENERGY STAR V6 registration (P _{idle})	Ħ
Sleep (S3) - WOL Enabled	1.25 W	1.25 W	1.27 W	Use for ENERGY STAR V6 registration(P _{sleep})	片
Sleep (S3) - WOL Disabled	W	W	W	Reference	片
Off (S5) - WOL Enabled	0.63 W	0.63 W	0.66 W	Use for ENERGY STAR V6 registration(P _{off})	H
Off (S5) - WOL Disabled	W	W	W	Use for EuP	H
Category I3					<u> </u>
Short Idle State - WOL Enabled	27.21 W	27.14 W	26.81 W	Use for ENERGY STAR V6 registration(P _{idle})	Г
Long Idle State - WOL Enabled		23.21 W	24.43 W	Use for ENERGY STAR V6 registration(P _{idle})	H
Sleep (S3) - WOL Enabled	1.27 W	1.26 W	1.28 W	Use for ENERGY STAR V6 registration (P _{sleep})	H
Sleep (S3) - WOL Disabled	W	W	W W	Reference	H
Off (S5) - WOL Enabled	0.63 W	0.63 W	0.66 W	Use for ENERGY STAR V6 registration(P _{off})	H
Off (S5) - WOL Disabled	W W	W	W	Use for EuP	L
· ,	V V	VV	VV	OSE TOT LUF	LL
Category D1 Short Idle State - WOL Enabled	d 32.00 W	32.03 W	31.54 W	Use for ENERGY STAR V6 registration(P _{idle})	T
Long Idle State - WOL Enabled		27.61 W	27.26 W	Use for ENERGY STAR V6 registration(P _{idle})	H
Sleep (S3) - WOL Enabled	1.26 W	1.26 W	1.28 W	Use for ENERGY STAR V6 registration (P _{sleep})	Ļ
					Ļ
Sleep (S3) - WOL Disabled	W	W	W	Reference	닏
Off (S5) - WOL Enabled	0.63 W	0.63 W	0.66 W	Use for ENERGY STAR V6 registration(Post)	Ļ
Off (S5) - WOL Disabled	W	W	W	Use for EuP	L
Category D2			1	T.,	
Short Idle State - WOL Enabled		32.42 W	31.92 W	Use for ENERGY STAR V6	L
Long Idle State - WOL Enabled		27.96 W	27.45 W	Use for ENERGY STAR V6	LL
Sleep (S3) - WOL Enabled	1.26 W	1.26 W	1.28 W	Use for ENERGY STAR V6 registration	L
Sleep (S3) - WOL Disabled	W	W	W	Reference	
Off (S5) - WOL Enabled	0.63 W	0.63 W	0.66 W	Use for ENERGY STAR V6 registration(P _{off})	L
Off (S5) - WOL Disabled	W	W	W	Use for EuP	L
EPS No-load External power supply / charger blugged in the wall outlet but disconnected from the product.)	W	W	W		
PTEC * Typical Energy Consumption	W	W	W		

TEC * Typical E	nergy Consumption	kWh/week	kWh/week	kWh/week						
ETEC * Annual Energy Consumption		Cat. I1 111.2 Cat. I2 112.9	Cat. I1 111.3 Cat. I2 112.4	Cat. I1 114.2 Cat. I2 115.7	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.45 + P_{sleep} \times 0.05 + P_{long_Idle} \times 0.15 + P_{short_Idle} \times 0.35)$					
		Cat. I3 120.8	Cat. I3 116.8	Cat. I3 117.5						
		Cat. D1 137.9	Cat. D1 137.5	Cat. D1 135.7						
		Cat. D2 139.6	Cat. D2 139.2	Cat. D2 137.2						
		kWh/year	kWh/year	kWh/year						
		P _{off} : Off Mode(\$5)) - WOL Enabled; P	Sleep: Sleep Mode(S3) - WOL Enabled; P _{idle} : Idle State - WOL Enabled					
Display re	esolution* : Meg	japixels								
Print Spe	ed * : Ima	ges per minute								
Default tir	me to enter energy save	e mode: 25 minutes				$+\overline{\Box}$				
P9.2*	Information about the	e energy save functi	on is provided with	n the product.						
P9.3*	The product meets the ENERGY STAR® very others specify:			g voluntary progra luct category: [1,[2]						
P10	Emissions									
	Noise emission - D		o ISO 9296							
P10.1	Mode Mo	ode description		Declared A-weighted sound power	Declared A-weighted sound pressure level $L_{p\mathrm{Am}}$ (dB)					
					Operator position Desktop (only if product is no operator attended)] t				
	Idle *	HDD:Idle		* 3.1	22					
	Operation *	HDD: Operating		* 3.3	23					
	Other mode									
	Measured according to: ISO7779 ECMA-74 Other (only if not covered by ECMA-74 with L _{pAm} measurement distance m)									
P10.2										

		IUN	v, iui	\mathbf{A} , \mathbf{B}	OL3, 1	UL	4, I	ULI	, IU	LO							
Issue dat	e *	2016-3-2	24									Logo		Ler	101	/O .	
Draduat	environn	nontal a	tributoo	Marka	t roquiro	mont	(ntinu	o d\					Requ	iiran	aant	mot
Item	environii	nemai a	unbutes	- Marke	t require	mem	.S (CO	mumu	eu)					Kequ Ye		No	n.a.
TIOTTI	Chemica	al emissi	ons from	printing r	products									- ' '		110	11.4.
P10.3*			cording to			C 283	360) st	tandard	1 0	ther spe	cify:				1	П	
P10.4			ate (print p			0 200	,00,00	arraare	, <u> </u>	anor opo	J., y.						
	• •	Dust	Ozone	,	Styrene		Ben	zene		TVOC							
P10.5		al emissio Dust	n requirem Ozo	ents of th			ntary p	-	n/s Benzer		met for :	TVOC [\boxtimes
			emissions														
P10.6	Compute program.		meets the	requirem	ent for low	frequ	iency (electro	magnet	tic fields	of the fo	llowing vo	luntary				
P11			erials for														
P11.1*			et (SDS) i					•								<u>Ц</u>	\boxtimes
P11.2*	EN1228	1.	post-cons		-				orovide	d that it	meets	the requir	ements	of			
P11.3*	2-sided ((duplex) p	rinting/cop	ying is an	integrate	d prod	luct fu	nction.									\boxtimes
P12			omputing														
P12.1*	The disp	lay meets	the ergon	omic requ	uirements	of ISC	9241	-307 fc	or visua	ıl display	technol	ogies.					
P12.2*	The phys	sical input	device me	eets the re	equiremer	ts of I	SO 99	995 and	ISO 9	241-410							
P13	Packagi	ng and d	ocumenta	ition													
P13.1*	Product	packaging	material t material t material t	type(s): <i>E</i>		we	ight (k ight (k ight (k	(g): <mark>0.9</mark> (g): <mark>0.2</mark> (g):	8								
P13.2*	Product	plastic pa	ckaging is	free from	PVC.										<u> </u>		
P13.3*			user and p		ocumentat	on (tio	ck box	:):									
P13.4*		er user an	d product of		tation, plea	ase sp	ecify o	contain	ed per	centage	of post-c	onsumer	recycled				
P14			ation (Se	e Note B	4)												
	informati knowled	ion contai ge availat I here is a	akes no rened in this ole at the tipproximate	documen me of cor	nt. All infor inpletion, a	matior ind su	n provi pplier	ided by shall h	suppli ave no	er in this obligation	docume on to upo	ent is prov date such	ided bas informati	ed on s	suppl e info	ier's rmati	ion
P9	See Ene	ergy Star	Qualified ystar.gov										code=C)			
	•							_									

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19

Lenovo ErP Lot3 Information Sheet

- PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo S510	Logo
Model Number	10KW, 10KX, 10L3, 10L4, 10L7, 10L8	Lenovo
Issue Date	2016-3-24	Lei IOVO.
Additional information		

		Available on product label			
(e)	E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display:				
	Category (according to ErP Lot 3): Etec:				
(f)	E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are enabled:				
	Category (according to ErP Lot 3): B Etec: 115.13 Category (according to ErP Lot 3): D Etec: 115.03				
(g)	idle state power demand (Watts);	31.79			
(h)	sleep mode power demand (Watts);	1.28			
(i)	sleep mode with WOL enabled power demand (Watts) (where enabled);	1.28			
(j)	off mode power demand (Watts);	0.66			
(k)	off mode with WOL enabled power demand (Watts) (where enabled);	0.66			
(I)	internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable):				
	10% 78.07% 20% 86.53% 50% 86.37% 100% 83.18% Average 85.36%				
(m)	external power supply efficiency (if applicable):				
	10% 20% 50% 100% Average ;				
(o)	or level: the minimum number of loading cycles that the batteries can withstand (applies only to notebook computers):				
(p-1)	the measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency: 80 PLUS® Program				
(p-2)	the measurement methodology used to determine information mentioned in points (m) – external efficiency:	PSU			
(p-3)	the measurement methodology used to determine information mentioned in points (o) – loadingcy batteries:	/cles			

(p-4)	the measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:						
	IEC 62623 / IEC EN50564:2011 measurement methodology						
(q)	sequence of steps for achieving	ng a stable condition with respect to	p power demand::				
	Power on -> Wait 5 minutes -> Stable condition						
(r)	description of how sleep and/or off mode was selected or programmed:						
	В	egin menu -> Power -> Select sl	eep or off mode				
(s)	sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:						
	Control Panel->Power Options-> Change Settings-> Restore default settings for this plan						
(t)	the duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes): 25						
(u)	the length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes): 25						
(v)	the length of time before the display sleep mode is set to activate after user inactivity (in minutes):						
(w)	information on the energy-savi	ing potential of power managemen	t functionality:				
		N/A					
(x)	user information on how to ena	able the power management functi	onality:				
		Refer to User Guid	e				
(z)	test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing:						
	Total harmonic distortion of the	Test voltage in V and frequency in Hz 230V/50Hz Total harmonic distortion of the electricity supply system ≤2%					
			nd circuits used for electrical testing				
	Instrument Type	Range Used Or ***	Make and Model **				
	AC Power Source	1~280VAC;1~550HZ;1000VA.	NF;EC1000S; SN:9152124				
	Digital Watch	Full range	CASIO; HS-70W; SN:208Q08R				
	Power Meter	0~600V;0~20A	YOKOGAWA;WT210;SN:91M944 560				
	Hygrothermograph	15~35℃/15~90%	testo; 608-H1,SN:1034895602				
	Thermal anemometer	0~20m/s,-20~70°C	Testo;425;SN:02591883				
A ddition	Light Measuring	1°;1-300cd/m²	Konica Minolta;LS-110;				
Yes	Notebook Battery Information:		is operated by battery/ies that cannot	he accessed and replaced			
		by a non-professional us		bo dooddood and ropidood			
(Battery replaceab	not user (Battery user replaceable)		this product cannot be easil	y replaced by users			