

Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	ThinkCentre	Logo
Company name *	Lenovo	
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5J3 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo.
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environmen	t.html
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Desktop			
Commercial name *	ThinkCentre E73 SFF			
Model number *	SFF: 10AU, 10AW, 10BF, 10BG			
Issue date *	2014.04.28			
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other			
Additional information	Only 10AW and 10BG are Energy Star 6.0 Qualified and EPEAT Silver; GREENGUARD Certification			

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Control	equireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	\boxtimes	

Model number *	ThinkCentre E73 SFF	MTs: 10AU, 10AW, 10BF, 10BG		
Issue date *	2014.04.28		Logo	lenovo

Product	environmental attributes - Legal requirements	Require	ment	met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	\boxtimes		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\boxtimes		
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\boxtimes		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			\boxtimes
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			\boxtimes
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm ² /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/ThinkGreen_products.html#environment			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	\boxtimes		
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medica or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\square		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).	\boxtimes		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).	;		
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\square		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\boxtimes
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium an hexavalent chromium by weight of these together.	d 🔀		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	al 🔀		

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model n		ThinkCentre E73 SFFMTs: 10AU, 10AW, 10BF, 10BG			
Issue da	ite *	2014.04.28 Logo	lena	vo) .
Dradua	• • • • • • • • • •	mentel atteibutes. Market versivemente. Environmentel conceieus decian	Denuire		
		mental attributes - Market requirements - Environmental conscious design atory to fill in. Additional information regarding each item may be found under P14.	Require Yes	No	
Item P6		nt information	res	INO	n.a.
P6.1*		on for recyclers/treatment facilities is available (see legal reference).			
P7	Design				
• •		mbly, recycling			
P7.1*		t have to be treated separately are easily separable			
P7.2*		aterials in covers/housing have no surface coating.			Ħ
P7.3*		arts >100g consist of one material or of easily separable materials.			Ħ
P7.4*		arts >25g have material codes according to ISO 11469 referring ISO 1043.		H	H
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly available tools.		╞	╞
P7.6*	-	re easily separable. (This requirement does not apply to safety/regulatory labels).		╞	╞
17.0	Product				
P7.7*		g can be done e.g. with processor, memory, cards or drives			
P7.8*		g can be done using commonly available tools		⊢⊢	╶╞┥
P7.8					╞
		rts are available after end of production for: 5 years			⊢⊢
P7.10		s available after end of production for: 5 years			
		and substance requirements			
P7.11*		cover/housing material type: type: ABS Material type: ABS+PMMA Material type: Steel			
P7.12		I cable insulation materials of power cables are PVC free.			
P7.12		I cable insulation materials of signal cables are PVC free	<u> </u>		╞
P7.14		/housing plastic parts >25g are free from chlorine and bromine.			╶╞┥
					<u> </u>
P7.15	Note B2)	d circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (Se	ee		
P7.16	/	tarded plastic parts >25g in covers / housings are marked according ISO 1043-4:	\boxtimes		
P7.17		I specifications of flame retardants in printed circuit boards >25g (without components): additive) , TBBPA (reactive) , Other; chemical name: , CAS #:			
	ISO 1043	l specifications of flame retardants in printed circuit boards (without components) >25g according 3-4: 16 Brominated Epoxy Resin See P14			
P7.18	concentr	etarded plastic parts >25g contain the following flame retardant substances/preparations above 0.1%:	in 🔀		
	Provide a complete 1. Chemi 2. Chemi	it: No legal limits exist, this is a market requirement. a list of all used flame retardants including MSDS for each flame retardant. The list must conta a chemical name, CAS number and supplier. ical name: , CAS #: , Supplier: ical name: , CAS #: , Supplier:	lin		
	Alt. 2	ical name: , CAS #: , Supplier: I specifications of flame retardants in plastic parts >25g according ISO 1043-4:			
P7.19		arts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, 6, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)			
P7.20		lastic parts' weight >25g, recycled material content is 0%.			
P7.21		lastic parts' weight >25g, biobased material content is 0%.			
P7.22	Light sou	Irces are free from mercury	\square		
P8	Batteries				
P8.1*	,	hemical composition:			\square
P8.2	Batteries	meet the requirements of the following voluntary program/s:			\square

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Issue date * 2014.04.28 Logo Ienovo .	Model number *	ThinkCentre E73 SFF	MTs: 10AU, 10AW, 10BF, 10BG		
	Issue date *	2014.04.28		Logo	lenovo

Product environmental attrib	utes - Market r	equirements (continued)	Requirement	
Item P9 Energy consumption				Yes No	n.a
9.1 For the product the foll	owing power level	s or energy cons	sumptions are rep	oorted: See P14	
The product is shipped			• •		
Energy mode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard for energy modes and test method *	
Category 0			•		
Short Idle State - WOL Enabled	W	W	W	Use for ENERGY STAR V6 registration (P _{idle})	
Long Idle State - WOL Enabled	W	W	W	Use for ENERGY STAR V6 registration (Pidle)	C
Sleep (S3) - WOL Enabled	W	W	W	Use for ENERGY STAR V6 registration(P _{sleep})	
Sleep (S3) - WOL Disabled	W	W	W	Reference	
Off (S5) - WOL Enabled	W	W	W	Use for ENERGY STAR V6 registration(P _{off})	
Off (S5) - WOL Disabled	W	W	W	Use for EuP	
Category I1		1	1		
Short Idle State - WOL Enabled	25.80 W	25.57 W	25.18 W	Use for Energy Star V6.0 registration(P _{ShortIdle})	L
Long Idle State - WOL Enabled	24.58 W	24.24 W	24.33 W	Use for Energy Star V6.0 registration(P _{LongIdle})	
Sleep (S3) - WOL Enabled	0.72 W	0.72 W	0.87 W	Use for Energy Star V6.0 registration (P _{sleep})	Ē
Sleep (S3) - WOL Disabled	0.72 W	0.72 W	0.87 W	Reference	Ē
Off (S5) - WOL Enabled	0.46 W	0.48 W	0.62 W	Use for Energy Star V6.0 registration (Poff)	Ľ
Off (S5) - WOL Disabled	0.29 W	0.29 W	0.29 W	Use for EuP	
Category I2		1	I		
Short Idle State - WOL Enabled	25.13 W	24.99 W	25.35 W	Use for Energy Star V6.0 registration(P _{ShortIdle})	
Long Idle State - WOL Enabled	23.97 W	23.83 W	24.17 W	Use for Energy Star V6.0 registration(PLongldle)	
Sleep (S3) - WOL Enabled	0.71 W	0.72 W	0.86 W	Use for Energy Star V6.0 registration (P _{sleep})	L
Sleep (S3) - WOL Disabled	0.71 W	0.72 W	0.86 W	Reference	
Off (S5) - WOL Enabled	0.46 W	0.48 W	0.62 W	Use for Energy Star V6.0 registration (Poff)	Ē
Off (S5) - WOL Disabled	0.29 W	0.29 W	0.29 W	Use for EuP	E
Category 13					
Short Idle State - WOL Enabled	25.58 W	25.30 W	25.18 W	Use for Energy Star V6.0 registration(P _{ShortIdle})	
Long Idle State - WOL Enabled	24.30 W	25.01 W	24.67 W	Use for Energy Star V6.0 registration(P _{Longldle})	
Sleep (S3) - WOL Enabled	0.73 W	0.72 W	0.87 W	Use for Energy Star V6.0 registration (P _{sleep})	
Sleep (S3) - WOL Disabled	0.72 W	0.72 W	0.87 W	Reference	
Off (S5) - WOL Enabled	0.47 W	0.48 W	0.62 W	Use for Energy Star V6.0 registration (Poff)	
Off (S5) - WOL Disabled	0.29 W	0.29 W	0.29 W	Use for EuP	
Category D1					-
Short Idle State - WOL Enabled	33.18 W	33.00 W	33.11 W	Use for Energy Star V6.0 registration(P _{ShortIdle})	١r
Long Idle State - WOL Enabled	32.13 W	32.13 W	32.11 W	Use for Energy Star V6.0 registration(P _{Longldle})	
Sleep (S3) - WOL Enabled	0.72 W	0.72 W	0.86 W	Use for Energy Star V6.0 registration (P _{sleep})	Г
Sleep (S3) - WOL Disabled	0.72 W	0.72 W	0.87 W	Reference	T
Off (S5) - WOL Enabled	0.46 W	0.48 W	0.61 W	Use for Energy Star V6.0 registration (Pott)	
Off (S5) - WOL Disabled	0.29 W	0.29 W	0.29 W	Use for EuP	
Category D2		1	I	1	
Short Idle State - WOL Enabled	33.41 W	33.34 W	33.61 W	Use for Energy Star V6.0 registration(P _{ShortIdle})	Г
Long Idle State - WOL Enabled	32.40 W	32.44 W	32.95 W	Use for Energy Star V6.0 registration(P _{Longldle})	
Sleep (S3) - WOL Enabled	0.72 W	0.73 W	0.87 W	Use for Energy Star V6.0 registration (P _{sleep})	┟┍
Sleep (S3) - WOL Disabled	0.72 W	0.72 W	0.87 W	Reference	
Off (S5) - WOL Enabled	0.46 W	0.48 W	0.62 W	Use for Energy Star V6.0 registration (P _{off})	┢╴
	0.29 W	0.29 W	0.29 W	Use for EuP	

plugged i	load I power supply / cl in the wall outlet b octed from the prod	out	W	W		
TEC Typical E	nergy Consumpti	kWh/week	kWh/week	kWh/week		
Etec * Annual E	nergy Consumption	Cat I3: 112.51; CatD1:146.09; CatD2:147.15 kWh/year	Cat I1: 112.44; Cat I2: 110.13; Cat I3: 112.63; CatD1:145.59; CatD2:147.04 kWh/year	Cat 11:111.98 ; Cat I2:112.30 ; Cat I3:112.43 ; CatD1:146.52; CatD2:149.16 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.45 + P_{sleep} \times 0.05 + P_{shortIdle} \times 0.35 + P_{LongIdle} \times 0.15)$	
		P _{off} : Off Mode(S5)) - WOL Enabled;	P _{sleep} : Sleep Mode(S	3) - WOL Enabled; P _{idle} : Idle State - WOL Enabled	
Display re	esolution :	Megapixels				
Print Spe	ed :	Images per minute	Э			\triangleleft
Default ti	me to enter energ	gy save mode: 30 minutes				
P9.2*	Information ab	out the energy save funct	ion is provided w	vith the product.		
P9.3*		eets the energy requirem				
P10	Others specify			er 10, 2013 Produc	et category: <i>I1,I2,I3,D1,D2</i>	
P10	Others specify Emissions			er 10, 2013 Produc	t category: 11,12,13,D1,D2	
P10 P10.1	Others specify Emissions	:		Declared A-weighted sound power level L _{WAd} (E	Declared A-weighted sound pressure level L_{pAm} (dB)	
	Others specify Emissions Noise emission	: on – Declared according t		Declared A-weighted sound power	Declared A-weighted sound pressure level L_{pAm} (dB) Operator position Bystander positions Desktop (only if product is not	
	Others specify Emissions Noise emissio Mode	: <mark>on – Declared according t</mark> Mode description		Declared A-weighted sound power level L _{WAd} (E	Declared A-weighted sound pressure level L_{pAm} (dB) Operator position Bystander positions Desktop or Desk side (only if product is not operator attended)	
	Others specify Emissions Noise emissio Mode Idle	: on – Declared according t Mode description * HDD: Idle		Declared A-weighted sound power level L _{WAd} (E	Declared A-weighted sound pressure level L _{pAm} (dB) Operator position Operator positions Desktop Operator attended or Desk side 25	
	Others specify Emissions Noise emissio Mode Idle Operation Other mode	: on – Declared according t Mode description * HDD: Idle	o ISO 9296	Declared A-weighted sound power level L _{WAd} (E * 3.3 * 3.4	Declared A-weighted sound pressure level L _{pAm} (dB) Operator position Operator positions Desktop Operator attended or Desk side 25	

Model nu	mber *	ThinkCentre E73 SFF MTs: 10AU, 10AW, 10BF, 10BG			
Issue date	•	2014.04.28 Logo	lend	vo	
Dreduct		nentel ettyikuten. Meylet veguivemente (eestimund)	Denui		
Item	environi	nental attributes - Market requirements (continued)	Requir Yes		n.a.
Item	Ohamia	- I	res	INO	n.a.
P10.3*		al emissions from printing products			
		formed according to ECMA-328 (ISO/IEC 28360) standard 🔀, other specify:			
P10.4	• •	emission rate (print phase) is (mg/h):			\boxtimes
D 10 5		Dust Ozone Styrene Benzene TVOC			
P10.5		Il emission requirements of the following voluntary program/s are met for :			\boxtimes
		Dust Ozone Styrene Benzene TVOC			
D. C. C.		nagnetic emissions			
P10.6	program	er display meets the requirement for low frequency electromagnetic fields of the following voluntary	\boxtimes		
P11		nable materials for printing products			
P11.1*		Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).			\square
P11.2*		provided that it meets the requirements			
	EN1228	1.	0		
P11.3*	2-sided	duplex) printing/copying is an integrated product function.			\square
P12		nics for computing products			
P12.1*	The disp	lay meets the ergonomic requirements of ISO 9241-307 for visual display technologies. See P14	\boxtimes		
P12.2*	The phy:	sical input device meets the requirements of ISO 9995 and ISO 9241-410. See P14	\boxtimes		
P13	Packagi	ng and documentation			
P13.1*	Product Product	packaging material type(s): <i>Corrugated paper</i> weight (kg) <i>1.125</i> packaging material type(s): <i>Fabricated PE</i> weight (kg): <i>0.165</i> packaging material type(s): <i>HDPE</i> weight (kg): <i>0.016</i>			
P13.2*	Product	plastic packaging is free from PVC.	\boxtimes		
P13.3*		nedia for user and product documentation (tick box): ic 🔀, Paper 🔄, Other 📃			
P13.4*	For pape	r user and product documentation, please specify contained percentage of post-consumer recycle (<i>Japan only 70%</i>)	d		
P14		al information (See Note B4)			
P7.17	informat knowled provided informat	Supplier makes no representations, guarantees, assurances or warranties whether express or imp ion contained in this document. All information provided by supplier in this document is provided ba ge available at the time of completion, and supplier shall have no obligation to update such informa- here is approximate and provided for informational purposes only. See a Lenovo Account Represe ion.	ised on si ition. The	ipplier's	5
P9	See Ene	rgy Star Qualified (insert appropriate Product type; i.e. Desktop, Notebook, etc.) for the late	st inform	ation:	
	nπp://d0	ownloads.energystar.gov/bi/qplist/laptops_prod_list.xls (insert appropriate web url)			

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	ThinkCentre E73	Logo		
Model Number	10AU, 10AW, 10BF, 10BG			
Issue Date	2014-04-15 Ienovo .			
Additional information	Only 10AW and 10BG are Erp Lot3 Qualified, which are equipped	Only 10AW and 10BG are Erp Lot3 Qualified, which are equipped with ES PSU.		

	Product environmental attrib				
(d)	Year of manufacture: Available on product lab				
(e)	E TEC value (kWh) and capat are disabled and if the system display: Cat.B 92.58 Cat.C 91.52 Cat.D 95.03				
(f)	E TEC value (kWh) and capability adjustments applied when all discrete graphics cards (dGfx) are enabled: Cat.B 119.62 Cat.C 119.73 Cat.D 120.87				
(I)	Internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable): 10% 79.37% 20% 84.71% 50% 86.83% 100% 83.69%				
(m)	External power supply efficient 10% 20% 50 or Level:	cy (if applicable): 0% 100% Avera	age ;	N/A	
(0)		ng cycles that the batteries can	withstand (applies only to notebook	N/A	
(f)	Test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing: Test voltage in V and frequency in Hz 230V/50Hz Total harmonic distortion of the electricity supply system ≤ 2% Information and documentation on the instrumentation, set-up and circuits used for electrical testing				
	Instrument Type	Range Used Or ***	Make and Model **	_	
	AC Power Source	1~280VAC;1~550HZ;1000V A.	NF;EC1000S; SN:9152124	-	
	Digital Watch	Full range	CASIO; HS-70W; SN:208Q08R		
	Power Meter	0~600V;0~20A	YOKOGAWA;WT210;SN:91M94456 0		
	Hygrothermograph	15~35℃/15~90%	testo; 608-H1,SN:1034895602		
	Thermal anemometer	0~20m/s,-20~70°C	Testo;425;SN:02591883		
	Light Measuring	1°;1-300cd/ m ²	Konica Minolta;LS-110;		
(p-1)	The measurement methodolo efficiency:	bgy used to determine information of the second sec	ation mentioned in points (I) – intern am	al PSU	

(p-2)	The measurement methodology used to determine information mentioned in points (m) – external PSU efficiency:					
	N/A					
(p-3)	The measurement methodology used to determine information mentioned in points (o) - loadingcycles					
	batteries: N/A					
(p-4)	The measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:					
IEC 62301						
(q)	Sequence of steps for achieving a stable condition with respect to power demand::					
Power on -> Wait 5 minutes ->Stable condition						
(r)	Description of how sleep and/or off mode was selected or programmed:					
Begin menu -> Power -> Select sleep or off mode						
(s)	Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:					
	Control Panel->Power Options-> Change Settings-> Restore default settings for this plan					
(t)	The duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes): 30 minutes					
(u)	(u) The length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes): 15 minutes					
(v)	The length of time before the display sleep mode is set to activate after user inactivity (in minutes): 15 minute.	5				
(w)	Information on the energy-saving potential of power management functionality:					
N/A						
(x)	User information on how to enable the power management functionality:					
Refer to User Guide						
Additio	n Notebook Battery Information:					
Yes	No n/a This notebook computer is operated by battery/ies that cannot be accessed and replaced by a non-profession user.	onal				
	The battery[ies] in this product cannot be easily replaced by users themselves					
Additional information						