

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo		
Company name *	Lenovo			
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo.		
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html			
Additional information	The latest version of this document can be found at http://www.lenovo.com/social_responsibility/us/en/datasheets_notebooks.html			

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Personal Computer				
Commercial name *	ThinkCentre M32				
Model number *	10BM;10BV				
Issue date *	2014-05-13				
Intended market *	Global Europe Asia, Pacific & Japan Americas Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Control F	Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).		

Model number *	ThinkCentre M32	MT:10BM; 10BV		
Issue date *	2014-05-13		Logo	lenovo.

Product	environmental attributes - Legal requirements	Require	ment	t met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\boxtimes		
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\boxtimes		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/materials.html	\boxtimes		
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)			
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\boxtimes		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).	\boxtimes		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).	; <u>X</u>		
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\boxtimes		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\boxtimes
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium an hexavalent chromium by weight of these together.	d 🔀		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montree Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	al 🔀		

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	ThinkCentre M32	MT:10BM; 10BV		
Issue date *	2014-05-13		Logo	lenovo.

Produc	t environmental attributes - Market requirements - Environmental conscious design Re	equire	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes		
P7	Design			
	Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable			
P7.2*	Plastic materials in covers/housing have no surface coating.		\boxtimes	
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.	\boxtimes		
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.	\boxtimes		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		\Box	币
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).		〒	一百
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives			$\overline{}$
P7.8*	Upgrading can be done using commonly available tools		∺	∺
P7.9.				₩
	Spare parts are available after end of production for: 5 years			井
P7.10	Service is available after end of production for: 5 years			
D7 11*	Material and substance requirements			
P7.11*	Product cover/housing material type: Material type: ARS - RC			
P7.12	Material type: ABS+PMMA Material type: ABS+PC Material type: Steel Electrical cable insulation materials of power cables are PVC free.	$\overline{}$		$\overline{}$
P7.13	Electrical cable insulation materials of power cables are PVC free	₩		╫
	· · · · · · · · · · · · · · · · · · ·			井
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.		Щ	Щ.
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See			\boxtimes
D7.40	Note B2)			
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking:		Ш	
P7.17	Alt. 1			
1 7.17	Chemical specifications of flame retardants in printed circuit boards >25g (without components):	\boxtimes		
	TBBPA (additive) , TBBPA (reactive) , Other; chemical name: <i>brominatedepoxyresins</i> , CAS #:			
	26265-08-7			
		_	_	_
	Alt. 2	\boxtimes		
	Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: 16 <i>Brominated Epoxy Resin See P14</i>			
P7.18	Alt. 1			
	Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in	\boxtimes		
	concentrations above 0.1%:			
	Comment: No legal limits exist, this is a market requirement.			
	1. Chemical name: , CAS #:			
	2. Chemical name: , CAS #:			
	3. Chemical name: , CAS #: Alt. 2			
	Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:			
	official appealmentation of matter retained in plastic parts >20g according 100 1040 4.	\boxtimes		
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45,		一百	一百
	R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)			
P7.20	Of total plastic parts' weight >25g, recycled material content is 0%.			
P7.21	Of total plastic parts' weight >25g, biobased material content is 0%.			
P7.22	Light sources are free from mercury	\boxtimes		
DO	If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg			
P8	Batteries Pottery chemical composition:			
P8.1*	Battery chemical composition:			
P8.2	Batteries meet the requirements of the following voluntary program/s:			IXI

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	ThinkCentre M32	MT:10BM; 10BV		
Issue date *	2014-05-13		Logo	lenovo.

Product 6	roduct environmental attributes - Market requirements (continued) Requirement me					met
Item					Yes No	n.a.
P9	Energy consumpti					
9.1	For the product the	following power levels	s or energy cons	umptions are rep	orted: See P14	
Energy mo	de *	Power level at 100 V AC	Power level at 115 V AC		Reference / Standard for energy modes and test method *	
Thin Cli	ent ent					
Short Idle	State - WOL Enable	ed 11.04 W	11.01 W	12.10 W	Use for Energy Star V6.0 registration(P _{ShortIdle})	
Long Idle	State - WOL Enable	ed 10.50 W	10.52 W	10.90 W	Use for Energy Star V6.0 registration(P _{Longidle})	
Sleep (S3)	- WOL Enabled	0.69 W	<i>0.66</i> W	0.76 W	Use for Energy Star V6.0 registration (P _{sleep})	
Sleep (S3)	- WOL Disabled	0.69 W	<i>0.66</i> W	0.76 W	Reference	
Off (S5) - 1	WOL Enabled	0.51 W	0.52 W	0.60 W	Use for Energy Star V6.0 registration (Poff)	
Off (S5) - 1	WOL Disabled	0.50 W	<i>0.50</i> W	0.50 W	Use for EuP	
plugged in	ad power supply / charge the wall outlet but ed from the product.		W	W		
TEC Typical En	ergy Consumption	kWh/week	kWh/week	kWh/week		
ETEC * Annual End	ergy Consumption	50.00 kWh/year	49.90 kWh/year	54.10 kWh/year	E _{TEC} = (8760/1000) x (P _{off} x 0.45 + P _{sleep} x 0.05 + P _{ShortIdle} x 0.35 + P _{LongIdle} x 0.15)	
			- WOL Enabled; F	P _{sleep} : Sleep Mode(S.	3) - WOL Enabled; P _{idle} : Idle State - WOL Enabled	
Display res	solution* : Me	gapixels				
Print Spee	d * : Ima	ages per minute				\boxtimes
Default tim	e to enter energy sa	ve mode: 30 minutes				
P9.2*	Information about the	ne energy save function	on is provided wi	th the product.		
P9.3*	ENERGY STAR® v Others specify:	the energy requireme version: <i>Version 6.0 c</i>			ram/s: ct category: <i>Thin Client</i>	
P10	Emissions Noise emission –	Declared according to	ISO 9296			
P10.1		lode description		$\begin{array}{c} \text{Declared} \\ \text{A-weighted} \\ \text{sound power} \\ \text{level } L_{\text{WAd}} \text{ (E} \end{array}$	$ \begin{array}{c c} & \text{Declared A-weighted} \\ \text{sound pressure level} \ L_{p\text{Am}} \ (\text{dB}) \\ \hline \text{B} & \text{Operator position} & \text{Bystander positions} \\ \hline & \text{Desktop} & \\ \text{or Desk side} & \text{operator attended} \\ \end{array} $	
	Idle *			*		
	Operation *			*		
	Other mode					
	Measured according	g to: ISO7779 U	ECMA-74 (only if not cove	red by ECMA-74 v	with L _{pAm} measurement distance m)	
P10.2					\boxtimes	

Model number *	ThinkCentre M32	MT:10BM; 10BV		
Issue date *	2014-05-13		Logo	lenovo.

Product	environmental attributes - Market requirements (continued)	Require	ment	met
Item	•	Yes	No	n.a.
	Chemical emissions from printing products			
P10.3*	Test performed according to ECMA-328 (ISO/IEC 28360) standard , other specify:			\boxtimes
P10.4	Typical emission rate (print phase) is (mg/h):			\boxtimes
	Dust Ozone Styrene Benzene TVOC			
P10.5	Chemical emission requirements of the following voluntary program/s are met for :			\boxtimes
	Dust Ozone Styrene Benzene TVOC			
	Electromagnetic emissions			
P10.6	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s:			
P11	Consumable materials for printing products			
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).			\boxtimes
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.			\boxtimes
P11.3*	2-sided (duplex) printing/copying is an integrated product function.			\boxtimes
P12	Ergonomics for computing products			
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.	\boxtimes		
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.			
P13	Packaging and documentation			
P13.1*	Product packaging material type(s): Fabricated PE, weight (kg): 0.07			
	Product packaging material type(s): <i>Paper</i> weight (kg): 0.93			
P13.2*	Product plastic packaging is free from PVC.	\boxtimes		
P13.3*	Specify media for user and product documentation (tick box):			
	Electronic , Paper , Other			
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber:			
P14	Additional information (See Note B4)			
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, information contained in this document. All information provided by supplier in this document is provided base knowledge available at the time of completion, and supplier shall have no obligation to update such informatio provided here is approximate and provided for informational purposes only. See a Lenovo Account Representinformation.	d on sup n. The ir	plier's forma	
P9	See Energy Star Qualified Notebooks & Tablet Computers for the latest information: http://www.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup&pgw_code=CO			

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19

Lenovo ErP Lot3 Information Sheet

- Workstation/Server -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Workstation, mobile workstation, desktop thin client, small-scale server and computer server

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	ThinkCentre M32	Logo
Model Number	10BM;10BV	lenovo
Issue Date	2014-05-13	
Additional information	N/A	

d)	year of manufacture:	See name plate of	
		product	
(e)	internal/external power supply efficiency:		
	PA-1650-52LC		
	Level V		
(f)	test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity		
	supply system, — information and documentation on the instrumentation, set-up and circuits -Test Voltage: 230V, Frequency: 50Hz	used for electrical testing:	
	-Total harmonic distortion : <2%		
	 Information and documentation on the instrumentation: Please refer to additional information Set-up and circuits used for electrical testing: Please refer to additional information 	n,	
(g)	maximum power (Watts)		
		23.16	
(h)	idle state power (Watts)		
		12.10	
(i)	sleep mode power (Watts)		
		0.86	
(j)	off mode power (Watts)		
		0.60	
(l-1)	the measurement methodology used to determine information mentioned in points (e):		
	80 PLUS test method		
(I-2)	the measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:		

Additional information -Information and documentation on the instrumentation Instrument I.D. Range Used Instrument Type Make and Model 1~280VAC;1~550HZ;1000V AC POWER SOURCE EC1000S; SN:9136092 Α8 HS-70W; SN:107Q05R B43 Digital Watch Full range B45 Power Meter 0~600V;0~20A WT210;SN:27D941999 Humidity/Temperature Sensor 15~30°C;12~89%RH B48 Watchport/H;SN:W11492318 - Set-up and circuits used for electrical testing: Unit AC power supply 50Hz or 60Hz under test

W: Wattmeter