

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo
Company name *	Lenovo	
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5J3 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo.
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	t.html
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Personal Computer				
Commercial name *	ThinkCentre M73z, ThinkCentre M7200z,				
	ThinkCentre M7250z				
Model number *	10BC, 10BB				
Issue date *	2014,6,19				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information	ENERGY STAR® Qualified; EPEAT Gold Rating, GREENGUARD Certification,				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Control	Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model number *	ThinkCentre M73z,	ThinkCentre M7200z,	ThinkCentre M7250z	MT: 10BC, 10BB
Issue date *	2013,7,19		Logo	lenovo

Product	environmental attributes - Legal requirements	Require	ment	met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations	<u></u> _		
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)		Ш	
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-			
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).			
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	extile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), ris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference).			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			\boxtimes
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as		П	\boxtimes
	pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5			
	microgram/cm ² /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	X		
P2	http://www.lenovo.com/social_responsibility/us/en/ThinkGreen_products.html#environment			
P2.1*	Batteries If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains		_	
1 2.1	more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be		ш	ш
	marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)			
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical			
	or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\boxtimes	Щ	
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\boxtimes		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\boxtimes
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.	d 🔀		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference).	al 🔀		
	Comment: Legal reference has no maximum concentration values.			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	ThinkCentre M73z, ThinkCentre M7200z, ThinkCentre M	17250z	MT: 10BC, 10BB
Issue date *	2013,7,19	Logo	lenovo.

Product	t environmental attributes - Market requirements - Environmental conscious design	equire	men	t met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes		
P7	Design Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	X		$\neg \neg$
P7.2*	Plastic materials in covers/housing have no surface coating.			一一
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.	Ħ	X	
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.			\dashv
P7.5				-
P7.6*	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.			_#
P7.6"	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).			
D7 7*	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives			
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		
P7.9.	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type:			
	Material type: PC+ABS-FR(40) Material type: ABS Material type: ABS+PMM	<u> </u>		
P7.12	Electrical cable insulation materials of power cables are PVC free.	\boxtimes		
P7.13	Electrical cable insulation materials of signal cables are PVC free	\boxtimes		
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.	X		
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Note B2)		\boxtimes	
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking:			
P7.17	Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive), TBBPA (reactive), Other; chemical name: 漢化环氧树脂, CAS #: 26265-08-7	\boxtimes		
	Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: 16 <i>Brominated Epoxy Resin See P14</i>			
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%:			
	Comment: No legal limits exist, this is a market requirement. Provide a list of all used flame retardants including MSDS for each flame retardant. The list must contain complete chemical name, CAS number and supplier. 1. Chemical name: , CAS #: , Supplier: 2. Chemical name: , CAS #: , Supplier:			
	3. Chemical name: , CAS #: , Supplier: Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:			
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)			
P7.20	Of total plastic parts' weight >25g, recycled material content is 0%.			
P7.21	Of total plastic parts' weight >25g, biobased material content is 0% .			
P7.22	Light sources are free from mercury	\boxtimes		
P8	Batteries			
P8.1*	Battery chemical composition: Lithium Ion/Lithium Manganese Dioxide			
P8.2	Batteries meet the requirements of the following voluntary program/s: US RBRC			一一

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

	Model number *	ThinkCentre M73z, ThinkCentre M7200z, ThinkCentre M	//7250z	MT: 10BC, 10BB
ſ	Issue date *	2014,6,19	Logo	lenovo

Product environmental attributes - Market requirements (continued) Requirement met					
P9 Energy consumption				Yes No	n.a.
9.1 For the product the following	owing power level	s or energy consu	mptions are re	eported: See P14	
The product is shipped					
Energy mode *	Power level at 100 V AC	Power level at 115 V AC	Power level 230 V AC	0 ,	
Category 0			l.		
Short Idle State - WOL Enabled	W	W	W	Use for ENERGY STAR V6 registration (P _{idle})	
Long Idle State - WOL Enabled	W	W	W	Use for ENERGY STAR V6 registration (Pidle)	
Sleep (S3) - WOL Enabled	W	W	W	Use for ENERGY STAR V6 registration(P _{sleep})	
Sleep (S3) - WOL Disabled	W	W	W	Reference	
Off (S5) - WOL Enabled	W	W	W	Use for ENERGY STAR V6 registration(P _{off})	
Off (S5) - WOL Disabled	W	W	W	Use for EuP	
Category I1		•			
Short Idle State - WOL Enabled	<i>33.62</i> W	<i>33.70</i> W	34.09 W	Use for Energy Star V6.0 registration(Pshortidle)	
Long Idle State - WOL Enabled	20.11 W	19.97 W	22.13 W	Use for Energy Star V6.0 registration (P _{Longldle})	
Sleep (S3) - WOL Enabled	1.16 W	1.19 W	1.43 W	Use for Energy Star V6.0 registration (P _{sleep})	
Sleep (S3) - WOL Disabled	W	W	W	Reference	
Off (S5) - WOL Enabled	0.91 W	0.92 W	1.03 W	Use for Energy Star V6.0 registration (Poff)	
Off (S5) - WOL Disabled	W	W	W	Use for EuP	
Category I2					
Short Idle State - WOL Enabled	33.71 W	33.70 W	34.40 W	Use for Energy Star V6.0 registration(P _{ShortIdle})	
Long Idle State - WOL Enabled	20.44 W	20.28 W	20.65 W	Use for Energy Star V6.0 registration (P _{Longldle})	
Sleep (S3) - WOL Enabled	1.16 W	1.18 W	1.43 W	Use for Energy Star V6.0 registration (P _{sleep})	
Sleep (S3) - WOL Disabled	W	W	W	Reference	
Off (S5) - WOL Enabled	<i>0.91</i> W	0.92 W	1.03 W	Use for Energy Star V6.0 registration (Poff)	
Off (S5) - WOL Disabled	W	W	W	Use for EuP	
Category I3					
Short Idle State - WOL Enabled	<i>33.88</i> W	34.01 W	34.72 W	Use for Energy Star V6.0 registration(P _{ShortIdle})	
Long Idle State - WOL Enabled	20.38 W	20.59 W	20.66 W	Use for Energy Star V6.0 registration (P _{Longlidle})	
Sleep (S3) - WOL Enabled	1.18 W	1.19 W	1.44 W	Use for Energy Star V6.0 registration (P _{sleep})	
Sleep (S3) - WOL Disabled	W	W	W	Reference	
Off (S5) - WOL Enabled	0.92 W	0.94 W	1.04 W	Use for Energy Star V6.0 registration (Poff)	
Off (S5) - WOL Disabled	W	W	W	Use for EuP	Ш
Category D1			, ,		
Short Idle State - WOL Enabled	W	W	W	Use for Energy Star V6.0 registration(P _{ShortIdle})	Ш
Long Idle State - WOL Enabled	W	W	W	Use for Energy Star V6.0 registration (P _{Longldle})	<u> </u>
Sleep (S3) - WOL Enabled	W	W	W	Use for Energy Star V6.0 registration (P _{sleep})	Ш
Sleep (S3) - WOL Disabled	W	W	W	Reference	
Off (S5) - WOL Enabled	W	W	W	Use for Energy Star V6.0 registration (Poff)	
Off (S5) - WOL Disabled	W	W	W	Use for EuP	
Category D2					<u> </u>
Short Idle State - WOL Enabled	W	W	W	Use for Energy Star V6.0 registration(P _{ShortIdle})	
Long Idle State - WOL Enabled	W	W	W	Use for Energy Star V6.0 registration (P _{Longldle})	<u> </u>
Sleep (S3) - WOL Enabled	W	W	W	Use for Energy Star V6.0 registration (P _{sleep})	Щ
Sleep (S3) - WOL Disabled	W	W		Reference	Щ
Off (S5) - WOL Enabled	W	W	W	Use for Energy Star V6.0 registration (Post)	Щ
Off (S5) - WOL Disabled	W	W	W	Use for EuP	J ∐ ∣

EPS No-loa	ad	W	W	W			╗┌╗╏
	ower supply / charg	er					
	the wall outlet but	,					
disconnect	ed from the product	(.)					
TEC		kWh/week	kWh/week	kWh/week			
_	ergy Consumption	KVVII/Week	KWII/Week	KWII/Week			
i ypiodi Lin	orgy consumption						
ETEC *		Cat I1: 133.62;	Cat I1: 133.71;	I1: 138.30;	ETEC	$c = (8760/1000) \times (P_{\text{off}} \times 0.45 + P_{\text{sleep}} \times 0.05)$	5
Annual En	ergy Consumption	Cat I2: 134.31;	Cat I2: 134.12;	I2:137.31;	+ P _S	Shortidle X 0.35 +P _{Longidie} X 0.15)	
		Cat I3: 134.80	Cat I3: 135.54	<i>13:138.34</i>			
		kWh/year	kWh/year	kWh/year			
		D - 0" M - 4- (05)	WOLF	Ole en Mede	(00)	WOLFERS OF THE OWNER WOLFERS WAS	
		P _{off} : Oπ Mode(S5)	- WOL Enabled; P _{sl}	_{leep} : Sieep Wode	(53) -	WOL Enabled; P _{idle} : Idle State - WOL Enabled	
Display res	solution : M	egapixels					
Print Speed	d :	Images per minute					
Default tim	e to enter energy sa	ave mode: 25 minutes					
P9.2*	Information about	the energy save function	on is provided with	the product.			
P9.3* The product meets the energy requirements of the following voluntary program/s:							
		version: Version 6.0 c	lated September	10, 2013 Prod	uct ca	ategory: <i>I1,I2,I3</i>	
	Others specify:						
P10	Emissions						
		Declared according to	ISO 9296				
P10.1	Mode 1	Mode description		Declared		Declared A-weighted	
				A-weighte sound pow		sound pressure level $L_{p{\rm Am}}$ (dB)	
				level L_{WAd}		Operator position Bystander positions	;
				level L _{WAd}		Desktop X	
						or Desk side (only if product is no	t
						operator attended)
	Idle *	HDD: Idle		* 3.1			
	Operation *	HDD: Operating		*	-		┥┌┑╿
	5,51411011	operating					
	Other mode]
	Measured according	ng to: 🔀 ISO7779 🗌	ECMA-74				
		Other	(only if not cover	red by ECMA-7	4 with	th L _{pAm} measurement distance m)	
P10.2	The product meets	the acoustic noise red	quirements of the	following volun	tary p	program/s:	\boxtimes

Model number *	ThinkCentre M73z, ThinkCentre M7200z, ThinkCentre M	17250z	MT: 10BC, 10BB
Issue date *	2013,7,19	Logo	lenovo

Product	Product environmental attributes - Market requirements (continued)				
Item		Yes	No	n.a.	
	Chemical emissions from printing products				
P10.3*	Test performed according to ECMA-328 (ISO/IEC 28360) standard, other specify:			\boxtimes	
P10.4	Typical emission rate (print phase) is (mg/h):			\boxtimes	
	Dust Ozone Styrene Benzene TVOC				
P10.5	Chemical emission requirements of the following voluntary program/s are met for :			\boxtimes	
	Dust Ozone Styrene Benzene TVOC				
	Electromagnetic emissions				
P10.6	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s:				
P11	Consumable materials for printing products				
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).			\boxtimes	
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements o EN12281.	f		\boxtimes	
P11.3*	2-sided (duplex) printing/copying is an integrated product function.			\boxtimes	
P12	Ergonomics for computing products				
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies. See P14	\boxtimes			
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410. See P14	\boxtimes			
P13	Packaging and documentation				
P13.1*	Product packaging material type(s): BROWN weight (kg) 1046.4g				
	Product packaging material type(s): EPE+PE weight (kg): 32g				
P13.2*	Product packaging material type(s): <i>EPE</i> weight (kg): <i>326g</i> Product plastic packaging is free from PVC.		_	_	
_	1 1 0 0	\boxtimes		<u> </u>	
P13.3*	Specify media for user and product documentation (tick box):				
D40 4*	Electronic , Paper , Other .			_	
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: 70 % (Japan only 70%)			Ш	
P14	Additional information (See Note B4)				
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implie information contained in this document. All information provided by supplier in this document is provided base knowledge available at the time of completion, and supplier shall have no obligation to update such information provided here is approximate and provided for informational purposes only. See a Lenovo Account Represent information.	ed on suppon. The in	olier's forma		
P7.17	Product does not contain free TBBPA in printed circuit boards(without components)>25g.				
P9	See Energy Star Qualified (insert appropriate Product type; i.e. Desktop, Notebook, etc.) for the latest http://downloads.energystar.gov/bi/qplist/laptops_prod_list.xls (insert appropriate web url)	informat	ion:		

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19

Lenovo ErP Lot3 Information Sheet

- PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	ThinkCentre M73z, ThinkCentre M7200z, ThinkCentre M7250z	Logo
Model Number	10BC, 10BB	_
Issue Date	2014.06.19	lenovo.
Additional information		

P7.1.1	Product environmental attributes			
(d)	Year of manufacture:	Availible on product label		
(e)	E TEC value (kWh) and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display:	N/A		
(f)	E TEC value (kWh) and capability adjustments applied when all discrete graphics cards (dGfx) are enabled:			
	Category B Etec 71.61 Category C Etec 70.34 Category D Etec 72.47			
(g)	idle state power demand (Watts);	18.89		
(h)	sleep mode power demand (Watts);	1.69		
(i)	sleep mode with WOL enabled power demand (Watts) (where enabled);	1.69		
(j)	off mode power demand (Watts);	1.15		
(k)	off mode with WOL enabled power demand (Watts) (where enabled);	1.15		
(I)	Internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable 10% 20% 82.23% 50% 85.46% 100% 84.12%	e):		
(m)	External power supply efficiency (if applicable): 10% 20% 50% 100% Average ; or Level:	N/A		
(o)	The minimum number of loading cycles that the batteries can withstand (applies only to notebook computers): N/A			
(f)	Test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic dist the electricity supply system, — information and documentation on the instrumentation, set-up and used for electrical testing: Test voltage in V and frequency in Hz 230V/50Hz Total harmonic distortion of the electricity supply system ≤ 2% Information and documentation on the instrumentation, set-up and circuits used for electrical testing	circuits		
	Instrument Range Used Make and Model ** Type Or ***			

	AC Power Source	Input:110V,20A(max)/220V, 10A(max);50HZ/60HZ;. Output:0~150V,9.2A(max)/0 ~300V,4.6A(max)	EXTECH 6910;		
	Power Meter	0~600V;0~20A	YOKOGAWA;WT210	<u> </u>	
(p-1)	The measurement methodo efficiency:	ology used to determine informatio	n mentioned in points (I) – intern	al PSU	
(p-2)	The measurement methodology used to determine information mentioned in points (m) – external PSU efficiency:				

(p-3)	The batte		nent methodology used to determine information mentioned in points (o) - loadingcycles		
	Datte	1103.	N/A		
(= 4)	TI		and another delices and the determined by the second control of th		
(p-4)			nent methodology used to determine information mentioned in maximum, idle, sleep, off mode ed in Point P9.1 in the Product IT Eco Declaration:		
			IEC 62301		
(q)	Sequ	ence of st	teps for achieving a stable condition with respect to power demand::		
			Power on -> Wait 5 minutes -> Stable condition		
(r)	Desc	ription of I	how sleep and/or off mode was selected or programmed:		
			Begin menu -> Power -> Select sleep or off mode		
(s)	Sequ off m		vents required to reach the mode where the equipment automatically changes to sleep and/or		
		Contro	l Panel->Power Options-> Change Settings-> Restore default settings for this plan		
(t)	The duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes): 25 minutes				
(u)			time after a period of user inactivity in which the computer automatically reaches a hat has a lower power demand requirement than sleep mode (in minutes):	45 minutes	
(v)	The I	ength of	time before the display sleep mode is set to activate after user inactivity (in minutes):	10 minutes	
(w)	Inforr	nation on	the energy-saving potential of power management functionality:		
			N/A		
(x)	User	informatio	on on how to enable the power management functionality:		
Refer to User Guide					
Additio	n Notebo	ok Batte	ry Information:		
Yes	No	n/a	This notebook computer is operated by battery/ies that cannot be accessed and replaced by a user.	non-professional	
			The battery[ies] in this product cannot be easily replaced by users them	selves	
Additio	nal inform	nation			