

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	ThinkPad	Logo	
Company name *	Lenovo		
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo.	
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html		
Additional information	The latest version of this document can be found at http://www.lenovo.com/social_responsibility/us/en/datasheets_	notebooks.html	

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	otebook				
Commercial name *	ThinkPad S3 Yoga 14				
Model number *	20DM, 20DN				
Issue date *					
Intended market *	Global Europe Asia, Pacific & Japan Americas Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Quality Control R		
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).		

Model number *	ThinkPad S3 Yoga 14 MT: 20DM, 20DN		
Issue date *	2014/7/31	Logo	lenovo.

Product	environmental attributes - Legal requirements	Require	men	t met
Item	V 1	Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\boxtimes		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\boxtimes		
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/materials.html			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	\boxtimes		
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\boxtimes		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\boxtimes		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\boxtimes
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.	d 🔀		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	al 🔀		

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	ThinkPad S3 Yoga 14 MT: 20DM, 20	DN	
Issue date *		Logo	lenovo.

Product	environmental attributes - Market requirements - Environmental conscious design Re	quire	men	t met	
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a	
P6	Treatment information				Ц
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes			L
P7	Design				
D7.4*	Disassembly, recycling				4
P7.1*	Parts that have to be treated separately are easily separable				L
P7.2*	Plastic materials in covers/housing have no surface coating.	<u>Ц</u>	\boxtimes		
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.	\boxtimes			
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.	\boxtimes			
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes			Γ
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes	П		Г
	Product lifetime				Ī
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\square			Г
P7.8*	Upgrading can be done using commonly available tools		Ħ	一百	T
P7.9.	Spare parts are available after end of production for: 5 years			一片	r
P7.10	Service is available after end of production for: 5 years			\dashv	Ή
	Material and substance requirements				۲
P7.11*	Product cover/housing material type:				-
	Material type: <i>PC+ABS-FR(40)</i> Material type: <i>ABS</i> Material type: <i>ABS+PMM</i>	A			
P7.12	Electrical cable insulation materials of power cables are PVC free.		\boxtimes		Г
P7.13	Electrical cable insulation materials of signal cables are PVC free			T	Г
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.	X	$\overline{}$	\dashv	r
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See	$\frac{\mathcal{H}}{\mathcal{H}}$		井	۲
1 7.10	Note B2)	ш		ш	1
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4:	\boxtimes			Г
	Marking:				1
P7.17	Alt. 1				
	Chemical specifications of flame retardants in printed circuit boards >25g (without components):	\boxtimes			
	TBBPA (additive), TBBPA (reactive), Other; chemical name: BISPHENOL A DIGLYCIDYL				
	ETHER, CAS #: 40039-93-8				
	Alt. 2		\boxtimes		ı
	Chemical specifications of flame retardants in printed circuit boards (without components) >25g according	ш			1
	ISO 1043-4: Brominated Epoxy Resin See P14				
P7.18	Alt. 1		<u> </u>		
	Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%:		\boxtimes		Ĺ
	Comment: No legal limits exist, this is a market requirement.				
	1. Chemical name: , CAS #:				
	2. Chemical name: , CAS #:				
	3. Chemical name: , CAS #:				
	Alt. 2				
	Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:				ı
P7.19	Plactic parts - 25g are from from flame retardant substances (preparations above 0.19/ classified as D45		屵	- -	L
F7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)	\boxtimes	Ш	Ш	Ĺ
P7.20	Of total plastic parts' weight >25g, recycled material content is 67%.				_
P7.21	Of total plastic parts' weight >25g, hebycled material content is 0 %.				_
P7.22	Light sources are free from mercury				Г
	If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg		ш	ш	l .
P8	Batteries				
P8.1*	Battery chemical composition: Lithium Ion/Lithium Manganese Dioxide				Г
P8.2	Batteries meet the requirements of the following voluntary program/s: US Call2Recycle,and add EPBA,			T	Г
	JBRC.			_	

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	ThinkPad S3 Yoga 14 MT: 20DM, 20DN		
Issue date *		Logo	lenovo.

	roduct environmental attributes - Market requirements (continued) Requirement n						
					n.a.		
P9 Energy consumption 9.1 For the product the following power levels or energy consumptions are reported: See P14							
Energy mode *		Power level at	-	•	and test		
Peak (On-max)	W	W	W	Full load		П	
Category I1	Category I1						
Short Idle State - WOL Enabl	ed 9.288 W	9.408 W	9.984 W	Use for ENERGY STAR V6 registration	1 (P _{idle})	ПП	
Long Idle State - WOL Enable	ed 6.528 W	6.744 W	<i>6.876</i> W	Use for ENERGY STAR V6 registration	1 (P _{idle})	一	
Sleep (S3) - WOL Enabled	0.48 W	<i>0.48</i> W	0.528 W	Use for ENERGY STAR V6 registration	1(P _{sleep})		
Sleep (S3) - WOL Disabled	0.48 W	<i>0.48</i> W	0.528 W	Reference			
Off (S5) - WOL Enabled	W	W	W	Use for ENERGY STAR V6 registration	1(P _{off})		
Off (S5) - WOL Disabled	<i>0.336</i> W	<i>0.336</i> W	0.384 W	Use for EuP			
Category I2							
Short Idle State - WOL Enabl	ed W	W	W	Use for ENERGY STAR V6 registration	1(P _{idle})		
Long Idle State - WOL Enable	ed W	W	W	Use for ENERGY STAR V6 registration	1(P _{idle})		
Sleep (S3) - WOL Enabled	W	W	W	Use for ENERGY STAR V6 registration	1 (P _{sleep})		
Sleep (S3) - WOL Disabled	W	W	W	Reference			
Off (S5) - WOL Enabled	W	W	W	Use for ENERGY STAR V6 registration	1(P _{off})		
Off (S5) - WOL Disabled	W	W	W	Use for EuP			
EPS No-load	W	W	W				
(External power supply / charg plugged in the wall outlet but disconnected from the product.							
PTEC * Typical Energy Consumption	32.33 W	32.84 W	34.72 W				
TEC * Typical Energy Consumption	3.867 kWh/week	3.928 kWh/week	4.153 kWh/week				
ETEC * Annual Energy Consumption	0.622 kWh/year	0.631 kWh/year	0.668 kWh/year	E _{TEC} = (8760/1000) x (P _{off} x 0.25 + P _{sleep} + P _{long_idle} x 0.10+ P _{short_idle} x 0.30)			
Display resolution* : 2.074 Me		5) - WOL Enabled;	P _{sleep} : Sleep Mode	(S3) - WOL Enabled; P _{idle} : Idle State - WOL End	abled	-	
	ages per minute						
Default time to enter energy sa P9.2* Information about t	he energy save func		ith the product		1 🗀	ᄖ	
	the energy requirem	•	•	gram/e:	<u>. L</u>		
	version: Version 6.0			Product category:			
P10 Emissions							
	Declared according	to ISO 9296					
P10.1 Mode N	Mode description		Declared A-weighted	Declared A-weighted sound pressure level $L_{p{\sf Am}}$ (d)	B)		
			sound pow	er V Dystander n		4	
			level L_{WAd}	Desktop (only if produ	ct is not		
Idle *	HDD:Idle		* 22	operator at	tended)	\vdash	
Operation *	HDD: Operating		* 23	3.2		1片	
Other mode]	
Measured according	Measured according to: 🔀 ISO7779 🔀 ECMA-74						
P10.2 The product meets	Other the acoustic noise r			p,	n)		
1 10.2 The product meets	ine acoustic noise r	equirements of th	e ronowing volun	iaiy piografii/s.		\boxtimes	

Model number *	ThinkPad S3 Yoga 14 MT: 20DM, 20DN		
Issue date *	2014/7/31	Logo	lenovo.

Product 6	environmental attributes - Market requirements (continued)	Require	ment	met	
Item	·	Yes	No	n.a.	
	Chemical emissions from printing products				
P10.3*	Test performed according to ECMA-328 (ISO/IEC 28360) standard, other specify:			\boxtimes	
P10.4	Typical emission rate (print phase) is (mg/h):			\boxtimes	
	Dust Ozone Styrene Benzene TVOC				
P10.5	Chemical emission requirements of the following voluntary program/s are met for :			\mathbb{N}	
	Dust Ozone Styrene Benzene TVOC				
	Electromagnetic emissions				
P10.6	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s:				
P11	Consumable materials for printing products				
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).			\boxtimes	
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements o EN12281.	f			
P11.3*	2-sided (duplex) printing/copying is an integrated product function.			\boxtimes	
P12	Ergonomics for computing products				
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.	\boxtimes			
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.	\boxtimes			
P13	Packaging and documentation				
P13.1*	Product packaging material type(s): <i>carton</i> weight (kg): <i>0.3215</i>				
	Product packaging material type(s): <i>paper</i> weight (kg): <i>0.1</i>				
P13.2*	Product packaging material type(s): LDPE weight (kg): 0.1515 * Product plastic packaging is free from PVC.				
P13.3*	, , , , ,	\boxtimes		\vdash	
P13.3	Specify media for user and product documentation (tick box): Electronic , Paper , Other				
P13.4*					
_	fiber: 65%				
P14	Additional information (See Note B4)				
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information.				
P9	See Energy Star Qualified Notebooks & Tablet Computers for the latest information: http://www.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup&pgw_code=CO)			

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19

Lenovo ErP Lot3 Information Sheet

- PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	ThinkPad S3 Yoga 14	Logo
Model Number	20DM, 20DN	_
Issue Date	2014/7/31	lenovo.
Additional information		

P/.1.1	Product env	ironmenta	attributes						
(d)	year of ma	nufacture:						2014/07	
(e)	E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display:								
	Category ((according	to ErP Lot 3):	A E	tec: 15.44				
(f)	E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are enabled:								
	Category ((according t	to ErP Lot 3):	B E	tec: 20.54				
(g)	idle state p	ower demar	nd (Watts);					A:4.89 / B:6.88	
(h)	sleep mode	e power dem	nand (Watts);					A:0.62/ B:0.51	
(i)	sleep mode	e with WOL	enabled power	demand (Wat	ts) (where enabl	ed);		A:0.62 / B: 0.53	
(j)	off mode p	ower deman	d (Watts);					A:0.39/ B:0.38	
(k)	off mode with WOL enabled power demand (Watts) (where enabled);							A:0.39/B:0.38	
(l)	internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable):								
	10%	20%	50%	100%	Average				
(m)	external po								
	10%	20%	50%	100%	Average	;			
	or level:								
(o)		ım number o	of loading cycle	s that the batte	eries can withsta	nd (applies on	y to notebook co	mputers):	
(p-1)	the measu efficiency:	urement me	thodology use	ed to determin	ne information i	mentioned in	points (I) – inte	rnal PSU	
(p-2)	the measu efficiency:	rement me	thodology use	d to determine	e information m	nentioned in p	oints (m) - exte	ernal PSU	
			E	nergy-star req	uirement by El	PA 2.0			
(p-3)	batteries:		-				points (o) - load		

increments Cycle Count () one time.										
(p-4)	the measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:									
IEC62301										
(q)	sequence of steps for achieving a stable condition with respect to power demand::									
	Based on user manual									
(r)	description of how sleep and/or off mode was selected or programmed:									
Based on user manual										
(s)	sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:									
Based on user manual										
(t)	the duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes): 20									
(u)	the length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):									
(v)	the length of time before the display sleep mode is set to activate after user inactivity (in minutes):									
(w)	information	on the energy-savi	ng poten	tial of power management functionality:						
Based on user manual										
(x) user information on how to enable the power management functionality:										
Based on user manual										
(z) test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing:										
230V/50Hz										
Addition N	lotebook Ba	attery Information:								
Yes		No	n/a	This notebook computer is operated by battery/ies that cannot be accessed by a non-professional user.	ed and replaced					
(Battery replaceable	not user e)	(Battery user replaceable)		The battery[ies] in this product cannot be easily replace themselves	ed by users					
Additional information										