



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Desktop/All-in-One Computers

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo				
Company name *	Lenovo					
Contact information *	Lenovo Global Environmental Affairs					
e-mail address	Alvin L Carter		Lenovo			
	alcarter@lenovo.com					
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html					
Additional information	The latest version of this document can be found at:					
	http://www.lenovo.com/ecodeclaration					

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Desktop Computer			
Commercial name *	Lenovo V530 SFF			
Model number *	10TX, 10TY, 10XV, 10XW			
Issue date *	2018-04-28			
Intended market *	Global Europe Asia, Pacific & Japan Americas Other			
Additional information	ENERGY STAR® Qualified;			

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model number *	er * 10TX, 10TY, 10XV, 10XW		Lenovo			
Issue date *	2018-04-28		Len) _{TM}	
Product enviror	mental attributes - Legal requirements		Require	ment	met	
Item			Yes	No	n.a.	
P1 Hazard	ous substances and preparations					
54.44						

Product	roduct environmental attributes - Legal requirements				
Item		Yes	No	n.a.	
P1	Hazardous substances and preparations				
P1.1*	Products do comply with current European RoHS Directive. (See legal reference and NOTEB1)				
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.				
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydroblorofluorocarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.				
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT)in preparations (see legal reference).	\boxtimes			
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	· 🔀			
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5.				
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/environment.html				
P2	Batteries				
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)				
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)	\boxtimes			
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	\boxtimes			
P3	Conformity verification & Eco design (ErP)				
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address):				
P3.2*	The product complies with the Eco design requirements for energy-related products, (see legal reference).				
	Required information is; given in item P15 or added to this document, available at (add URL):				
P5	Product packaging				
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium an hexavalent chromium by weight of these together.	d 🔀			
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(sused (see legal reference).	,			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	ıl 🔀			
P6	Treatment information				
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\square			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	10TX, 10TY, 10XV, 10XW	Logo	Longvo
Issue date *	2018-04-28		LEI IOVO.

Product	environmental attributes - Market requirements (See General NOTE GN below)					
		Require	ment	met		
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.		
P7	Design					
P7.1*	Disassembly, recycling Parts that have to be treated separately are easily separable		$\overline{}$			
P7.2*	Plastic materials in covers/housing have no surface coating.	\overline{X}	∺			
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.		+			
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		╫	-		
	<u> </u>		<u> </u>			
P7.5 P7.6*	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		<u>Н</u>			
P7.6"	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).		Ш			
D7 7*						
			 			
P7.10	· · · · · · · · · · · · · · · · · · ·					
D7 44*						
P7.11						
P7.12	/1 /1		\square			
		-	$\overline{\square}$			
				\overline{H}		
1 7.14						
	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts	;				
D7 15						
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all 🔀 PCBs > 25 g 🔀 are low halogen as defined in IEC 61249-2-21. (See 1NOTEB2)	'	X			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:					
P7.17						
	TBBPA (additive), TBBPA(reactive)(See NOTEB3), Other: Brominated Epoxy Resin , CAS #:	\boxtimes	Ш	Ш		
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components)> 25 g					
	according ISO 1043-4: FR(16)	\boxtimes				
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in	1				
	concentrations above 0,1%:					
P7 19			H			
	assigned the following Risk phrases; <i>R45</i> ,		ш			
	R40, R46, R48, R50, R51, R53, R60, R61 and Hazard statements:					
	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)					
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):	\boxtimes				
	If YES: at least one of the two alternatives below shall be answered:					
	a) Of total plastic parts' weight > 25 g,the postconsumer recycled plastic material content (calculated as a					
	percentage of total plastic by weight) is 8.5%.					
	or b) The weight of recycled material is 98.3g					
P7.17	containing more than 25% post-consumer recycled content. Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See 1NOTEB2) Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive), TBBPA(reactive)(See NOTEB3), Other: Brominated Epoxy Resin, CAS #: Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4: FR(16) Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: " Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; R45, R40, R46, R48, R50, R51, R53, R60, R61 and Hazard statements: The source(s) for these classifications is/are found at (add URL(s)): , (See note B5) Postconsumer recycled plastic material content is used in the product (See Note B6): If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 8.5%.					

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	10TX, 10TY, 10XV, 10XW	Logo	Lanava
Issue date *	2018-04-28		LEI IOVO"

Product enviro	Product environmental attributes - Market requirements (continued) Requirement met							
Item Yes							No	n.a.
Mater	ial and subs	stance requirements	(continued)					
P7.21* Bioba	sed plastic m	naterial content is used	in the product (See N	OTE B7):			\boxtimes	
a) (Of total plasti			ered; material content (calcu	llated as a percentage			
or	or total plactic	oby worghly to						
		the biobased plastic r						
		ree from mercury, i.e. specify: Number of lan	less than 0,1 mg/lamp.	ium mercury content pe	er lamp: mg	Ш	Ш	\boxtimes
P8 Batte		specify. Hamber of lan	inpo. and maxim	diri meredry content pe	mg mg			
	y chemical c	omposition: Li-manga	nese dioxide				П	
		tion (See NOTE B8)						
P9.1 For th	e product the		s or energy consumption		T			
Energy mode *		Power level at 100 V AC	Power level at 115V AC	Power level at 230 V AC	Reference/Standard modes and test meth		nergy	
Peak (On-max)		W	W	W	Full load			
Category I1								
Short Idle State - Enabled	WOL	23.17 W	22.26 W	22.73 W	Use for ENERGY ST registration(P _{idle})	TAR V6		
Long Idle State - Enabled	WOL	20.32 W	20.49 W	22.13 W	Use for ENERGY ST registration(P _{idle})	TAR V6		
Sleep (S3) - WOL	. Enabled	1.05 W	1.04 W	1.08 W	Use for ENERGY ST registration(P _{sleep})	TAR V6		
Sleep (S3) - WOL	. Disabled	W	W	W	Reference			
Off (S5) - WOL E	nabled	0.62 W	0.62 W	0.67 W	Use for ENERGY ST registration(P _{off})	TAR V6		
Off (S5) - WOL Di	isabled	W	W	W	Use for ErP			
		W	W	W	Reference			
Category I2								
Short Idle State - Enabled	WOL	24.13 W	23.95 W	24.36 W	Reference			
Long Idle State - Enabled	WOL	21.09 W	21.57 W	20.93 W	Reference			
Sleep (S3) - WOL	. Enabled	1.06 W	1.06 W	1.08 W	Reference			
Sleep (S3) - WOL	. Disabled	W	W	W	Reference			
Off (S5) - WOL E	nabled	0.62 W	0.62 W	0.66 W	Reference			
Off (S5) - WOL Di	isabled	W	W	W	Reference			
		W	W	W	Reference			
Category I3								
Short Idle State - Enabled	WOL	22.34 W	23.35 W	23.27 W	Reference			
Long Idle State - Enabled	WOL	20.09 W	20.67 W	21.68 W	Reference			
Sleep (S3) - WOL	Enabled	1.05 W	1.04 W	1.04 W	Reference			

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

		1	1	1	
Sleep (S3)	- WOL Disabled	W	W	W	Reference
	NOL Enabled	0.61 W	0.61 W	0.61 W	Reference
Off (S5) - I	NOL Disabled	W	W	W	Reference
		W	W	W	Reference
Categor	<u>y D1</u>				
Short Idle Enabled	State - WOL	27.79 W	28.41 W	29.51 W	Reference
Long Idle Enabled	State - WOL	26.45 W	28.23 W	26.35 W	Reference
Sleep (S3)	- WOL Enabled	1.05 W	1.06 W	1.08 W	Reference
Sleep (S3)	- WOL Disabled	W	W	W	Reference
Off (S5) - I	NOL Enabled	0.60 W	0.60 W	0.67 W	Reference
Off (S5) - I	WOL Disabled	W	W	W	Reference
		W	W	W	Reference
Categor	y D2				
Short Idle Enabled	State - WOL	28.88 W	29.74 W	28.73 W	Reference
Long Idle Enabled	State - WOL	27.52 W	27.54 W	27.87 W	Reference
Sleep (S3)	- WOL Enabled	1.02 W	1.07 W	1.06 W	Reference
Sleep (S3)	- WOL Disabled	W	W	W	Reference
Off (S5) - I	NOL Enabled	0.60 W	0.60 W	0.67 W	Reference
Off (S5) - I	WOL Disabled	W	W	W	Reference
		W	W	W	Reference
EPS No-los		W	W	W	
	supply / charger plugged in the connected from the product.)				
PTEC * Typical En	ergy Consumption	W	W	W	
ETEC * Annual En	ergy Consumption	I1: 100.63; I2: 104.63; I3: 97.74; D1: 122.77; D2:127.52kWh/year	I1: 98.04; I2: 104.68; I3: 101.62; D1: 127.01; D2: 130.21kWh/year	II: 101.85; I2: 105.26; I3: 102.70; D1: 128.19; D2: 127.80kWh/year	E _{TEC} = (8760/1000) x (P _{off} x 0.45 + P _{sleep} x 0.05 + P _{long_idle} x 0.15+ P _{short_idle} x 0.35)
F					Enabled; Pidle: Idle State - WOL Enabled
			Efficiency Marking Pro	DTOCOI) ^ :	
Display res		egapixels			
P9.2*		ave mode: 25 minutes	on is provided with the	product	
P9.2* Information about the energy save function is provided with the product. P9.3 Energy efficiency class (monitors only):					
P10	Emissions	c.ass (morntors orny).			
		- Declared according to	ISO 9296 (See NOTE	B9)	
P10.1		Mode description			A-weighted sound power level, L _{WA,c} (B)
	Idle *	HDD:Idle		* 3.39	
	Operation *	HDD: Operating	d proceure lovel (dB) -	*3.72	n dealtan idle)
	Other mode	Declared A-weighted soun	d pressure level (dB) $L_{p m An}$ d pressure level (dB) $L_{p m An}$	21.5 (operator positio	<u> </u>
	ļ		•	23.3 (operator positio	n desktop – HDD operating)
	Measured according	ng to: X ISO 7779 LOther (onl	ECMA-74 y if not covered by ECM	MA-74)	
			·		

Model nu	Model number * 10TX, 10TY, 10XV, 10XW		Logo	Leno	MO					
Issue date	e *	2018-04-28						Leno	VO.	
Product	environr	nental attributes	- Market requiren	nents (con	ntinued)			Require	ment	met
Item								Yes	No	n.a.
	Electron	nagnetic emission	s							
P10.4	Compute program		requirement for low	frequency el	ectromagnetic fields	s of the follo	owing voluntar	Ту		
P12		nics for computing								
P12.1*	The disp	lay meets the ergor	nomic requirements o	f ISO 9241-3	307 for visual displa	y technolog	gies.			\boxtimes
P12.2*		· ·	eets the requirements	s of ISO 999	5 and ISO 9241-41	0.		\boxtimes		
P13	Packagi	ng and documenta	ntion							
P13.1*	13.1* Product packaging material type(s): EPE weight (kg): 0.121 Product packaging material type(s): HDPE weight (kg): 0.010 Product packaging material type(s): Paper weight (kg): 0.902									
P13.2*	P13.2* Product plastic primary packaging is free from PVC.							П		
P13.3*										
P13.4*			oroduct documentation	on (tick box):						
P13.5	Ùser and		em if paper documer ation on paper media							
	Totally c	hlorine-free								
	Element	al chlorine-free								
	Processe	ed chlorine-free						П		
P14	Volunta	ry programs								
P14.1	The prod	luct meets the requi	rements of the follow	ring voluntar	y program(s):					
	Eco-labe		Criteria version: 7.0 Criteria version:	0	Date: 2018/5/11 Date:	Product of Product of	category: <i>I1,I2,</i> category:	.I3,D1,D2		
P15		nal information (Se								
P9			ecific configuration		•					
	informati knowled	on contained in this ge available at the ti here is approximate	epresentations, guara document. All inform ime of completion, ar e and provided for inf	nation provid nd supplier s	ed by supplier in thi hall have no obligat	is documer ion to upda	nt is provided b nte such inform	pased on supp nation. The inf	olier's formation	on
P9	See Ene informati	rgy Star Qualified Non:http://www.energ	otebooks & Tablet C gystar.gov/index.cfm?	omputers fo ?fuseaction=	r the latest find_a_product.sho	wProductG	roup&pgw_co	de=CO		_

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo V530 SFF	Logo
Model Number	10TX, 10TY, 10XV, 10XW	Longyo
Issue Date	2018-04-28	Lenovo.
Additional information	ENERGY STAR® Qualified;	

d)	year of manufacture:				2018						
е)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display.										
·)	Etec value (kWh) per ErP Lot 3 Categor enabled	y and capability adjus	stments applied when a	all discrete graphics	cards (dGfx) are						
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D						
capability adjustments applied during testing	Memory over base [GB]	n/a	30	(accounting to an accord	28						
	Additional internal storage	(Yes / No)	Yes (Yes / No)	(Yes / No)	Yes (Yes / No)						
	Discrete television tuner	(Yes / No)	No (Yes / No)	(Yes / No)	No (Yes / No)						
	Discrete Audio Card	(Yes / No)	No (Yes / No)	(Yes / No)	No (Yes / No)						
сар	Discrete graphics Card(s) [number / #]	#: (Yes / No)	Yes #: 1 (Yes / No)	#: (Yes / No)	Yes #: 1 (Yes / No)						
	Category of discrete graphics Card(s)		G3		G3						
Test results	Etec Value (kWh) — dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)		83.3		99.62						
	Etec Value (kWh) – dGfx enabled all discrete graphics cards (dGfx) are enabled		107.06		104.35						
g)	Idle state power demand (Watts);	<u> </u>		<u> </u>	29.50						
n)	Sleep mode power demand (Watts);		1.03								
i)	Sleep mode with WOL enabled power de		1.08								
j)	Off mode power demand (Watts);		0.66								
k)	Off mode with WOL enabled power demand (Watts) (where enabled); 0.67										
l)	Internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable): PA-1181-7VA										
	10% 78.44 20% 85.18 50% 88.64 100% 85.67 Average 84.48										
m)	external power supply efficiency (if applicable)*:										
	Average active efficiency: n/a										
0)	*internal note: show values for all available external power supplies Minimum number of loading cycles that the batteries can withstand (applies only to notebook computers): n/a										
p-1)	the measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency: 80 PLUS® Program										

(p-2) the measurement methodology used to determine information mentioned in points (m) – external PSU efficiency:												
	cincionay.		N/A									
(p-3)		rement methodology used to determine information mentioned in points (o) - loading cycles										
	batteries: N/A											
(p-4)	the measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:											
	IEC 62623 / IEC EN50564:2011 measurement methodology											
(q)	sequence of steps for achieving a stable condition with respect to power demand::											
	Power on -> Wait 5 minutes -> Stable condition											
(r)	description of how sleep and/or off mode was selected or programmed:											
	Begin menu -> Power -> Select sleep or off mode											
(s)	sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:											
	Control Pane	el->Powe	r Options-> Change Settings-> R	estore	default settings for this plan							
(t)	the duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):											
(u)	the length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):											
(v)			display sleep mode is set to act			10	0 minutes					
(w)			ng potential of power managemen									
			N/A									
(x)	user information on h	now to ena	able the power management function	onality:								
			Refer to User Guide	е								
(z)	test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing: Test voltage in V and frequency in Hz230V/50Hz Total harmonic distortion of the electricity supply system≤2% Information and documentation on the instrumentation, set-up and circuits used for electrical testing											
	Instrument Type AC Power Source Digital Watch Power Meter Hygrothermograph		Range Used	Make and Model **								
			Or *** 1~280VAC;1~550HZ;1000VA.	NF;EC1000S; SN:9152124								
			1°200VAC,1°330H2,1000VA.	141,2010000,014.0102124								
			Full range	CASIO; HS-70W; SN:208Q08R YOKOGAWA;WT210;SN:91M9445 60 testo; 608-H1,SN:1034895602								
			0~600V;0~20A									
			15~35℃/15~90%									
	Thermal anemo		0~20m/s,-20~70°C 1°;1-300cd/ m²		Testo;425;SN:02591883							
Addition	Light Measuring Notebook Battery Information				Konica Minolta;LS-110;							
Addition	Notebook Buttery		/[ies] not user replaceable		Battery[ies] user replace	able	n/a					
		The battery[ies] in this product cannot be easi replaced by users themselves. 1)		e easily								
Internal/bi	uilt-in Battery											
External/c	detachable Battery											
Bios Back	cup Battery											
Other:												
Additional	information	I										

1)
The battery[ies] in this product cannot be easily replaced by users themselves.

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterias de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Ημπαταρία[-ες] στοπροϊόναυτόδενμπορούννααντικατασταθούνεύκολααπότουςίδιουςτουςχρήστες

La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente. Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti.

A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni. Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.
Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie.
A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înşişi. Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.