

Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo			
Company name *	Lenovo				
Contact information *	Lenovo Global Environmental Affairs				
	Alvin L Carter	-			
	1009 Think Place	lenovo			
	Building 2 / 5F1				
	Morrisville, North Carolina 27560				
	nter@lenovo.com				
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html				
Additional information	The latest version of this document can be found at				
	http://www.lenovo.com/social_responsibility/us/en/datasheets_r	notebooks.html			

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Notebook PC			
Commercial name *	Lenovo Y50-70 Touch			
Model number *	20349; 80DT			
Issue date *	2015-01-13			
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Control	Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model number *	20349; 80DTLenovo Y50-70 Touch	20	349; 80DT
Issue date *	2015-01-13	Logo	lenovo
Product enviror	mental attributes - Legal requirements	•	Requirement met

Item		Yes	No	n.a.
P1	Hazardous substances and preparations	100	110	n.a.
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	\square		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\square		
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\boxtimes		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			\boxtimes
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			\boxtimes
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			\boxtimes
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm ² /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.	\square		
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/materials.html	\boxtimes		
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	\boxtimes		
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\boxtimes		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).	\boxtimes		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\boxtimes		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			\square
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\mathbf{X}
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\square		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model n	umber *	20349; 80DTLenovo Y50-70 Touch 20349;	80D	T	
Issue da	te *	2015-01-13 Logo	lena	vo	
Produc	t environ	mental attributes - Market requirements - Environmental conscious design	equire	ment	met
Item		tory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P6		nt information			
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).	\square		
P7	Design	mbly, recycling			
P7.1*		t have to be treated separately are easily separable			
P7.2*		aterials in covers/housing have no surface coating.			╞
P7.3*		arts >100g consist of one material or of easily separable materials.			╞
P7.4*		arts >25g have material codes according to ISO 11469 referring ISO 1043.		╞	╞
	-			<u> </u>	⊢⊢
P7.5	-	arts are free from metal inlays or have inlays that can be removed with commonly available tools.			
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).	\square		
	Product				
P7.7*		g can be done e.g. with processor, memory, cards or drives			<u> </u>
P7.8*		g can be done using commonly available tools	\square		
P7.9.	Spare pa	rts are available after end of production for: 5 years			
P7.10	Service i	s available after end of production for: 5 years			
	Material	and substance requirements			
P7.11*		cover/housing material type:			
	Material	type: PC+ABS-FR(40) Material type: Material type:			
P7.12		cable insulation materials of power cables are PVC free.		\square	
P7.13	Electrica	cable insulation materials of signal cables are PVC free		\boxtimes	
P7.14	All cover	/housing plastic parts >25g are free from chlorine and bromine.	\boxtimes		
P7.15	All printe Note B2	d circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See		\boxtimes	
P7.16		tarded plastic parts >25g in covers / housings are marked according ISO 1043-4:	\square		
P7.17	Alt. 1 Chemica	I specifications of flame retardants in printed circuit boards >25g (without components): additive) , TBBPA (reactive) , Other; chemical name: , CAS #:			
	ISO 104	I specifications of flame retardants in printed circuit boards (without components) >25g according 3-4: Brominated Epoxy Resin See P14			
P7.18	concentr	etarded plastic parts >25g contain the following flame retardant substances/preparations in ations above 0.1%:			
	1. Chem 2. Chem 3. Chem Alt. 2	ent: No legal limits exist, this is a market requirement. cal name: , CAS #: cal name: , CAS #: cal name: , CAS #: I specifications of flame retardants in plastic parts >25g according ISO 1043-4:			
D7 40	FR(40)				
P7.19	R40, R4	arts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, 6, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)			
P7.20		lastic parts' weight >25g, recycled material content is 0.94%.			
P7.21		lastic parts' weight >25g, biobased material content is 0%.			
P7.22	If mercu	rces are free from mercury y is used specify: Number of lamps: and max. mercury content per lamp: mg			
P8	Batterie				
P8.1*		hemical composition: Lithium Ion/Lithium Manganese Dioxide			
P8.2	Batteries	meet the requirements of the following voluntary program/s: US RBRC			

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number* 20349; 80DTLenovo Y50-70 Touch 20349; 80DT Issue date* 2015-01-13 Logo Ienovo

Product environmental attr	ibutes - Market requ	lirements (cont	inued)	Requirement me	
Item P9 Energy consumption				Yes No	n.a.
	ollowing power levels or		tions are reporte	ad: See P14	
•	•••	•••	-	Reference / Standard for energy modes and test	
Energy mode *	100 V AC	115 V AC	230 V AC	method *	
Peak (On-max)	135 W	135 W	135 W	Full load	
Category I3	·	•			
Short Idle State - WOL Enabled	d 17.82 W	16.57 W	16.98 W	Use for ENERGY STAR V6 registration (P _{idle})	
Long Idle State - WOL Enabled	1 10.57 W	9.78 W	10.73 W	Use for ENERGY STAR V6 registration (Pidle)	
Sleep (S3) - WOL Enabled	0.90 W	0.90 W	0.97 W	Use for ENERGY STAR V6 registration(P _{sleep})	
Sleep (S3) - WOL Disabled	1.15 W	1.15 W	1.20 W	Reference	
Off (S5) - WOL Enabled	0.35 W	0.35 W	0.42 W	Use for ENERGY STAR V6 registration(Port)	H
Off (S5) - WOL Disabled	0.26 W	0.26 W	0.32 W	Use for EuP	H
. ,	0120 11	0.20 11	0.02		
Category D 1/2 Short Idle State - WOL Enabled	NA W	NAW	NA W	Use for ENERGY STAR V6 registration (Pidle)	
		NA W	NA W	Use for ENERGY STAR V6 registration (P _{idle})	
Long Idle State - WOL Enabled					
Sleep (S3) - WOL Enabled	NA W	NA W	NA W	Use for ENERGY STAR V6 registration (P _{sleep})	
Sleep (S3) - WOL Disabled	NA W	NA W	NA W	Reference	
Off (S5) - WOL Enabled	NA W	NA W	NA W	Use for ENERGY STAR V6 registration(Poff)	
Off (S5) - WOL Disabled	NA W	NA W	NA W	Use for EuP	
EPS No-load (External power supply / charger plugged in the wall outlet but disconnected from the product.)	0.14 W	0.15 W	0.175 W		
PTEC * Typical Energy Consumption	W	W	W		
TEC * Typical Energy Consumption	kWh/week	kWh/week	kWh/week		
ETEC * Annual Energy Consumption	60.20 kWh/year	56.23 kWh/year	58.41 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25 + P_{sleep} \times 0.35 + P_{short idle} \times 0.3 + P_{long idle} \times 0.1)$	
	Poff: Off Mode(S5) -	WOL Enabled; Pslee	p: Sleep Mode(S3)) - WOL Enabled; P _{idle} : Idle State - WOL Enabled	
Display resolution* : 1280*800	Megapixels				
Print Speed * : In	nages per minute				
Default time to enter energy save	e mode: 25 minutes				
P9.2* Information about the	e energy save function i	s provided with the	e product.		Ē
	ne energy requirements ersion: Version 6.0 Tie		oluntary program		
	gy Star for External P			Version 2	Η
P10 Emissions				· · · · ·	
	eclared according to IS ode description	O 9296	Destant	Declared A sustable d	1
P10.1 Mode Mc			Declared A-weighted sound power level L_{WAd}	d sound pressure level L_{pAm} (dB) (B) Operator position Bystander positions Desktop (only if product is not	
Idle *	HDD:Idle		* 2.9	21.3	
Operation *	HDD:Idle HDD: Operating		* 2.9	21.3	님
Other mode			2.0	Energy Star for External Power Supplies	$+$ \square
Measured according		CMA-74			1
	Other	(only if not covere	d by ECMA-74 w	vith L _{pAm} measurement distance m)	1

P10.2	The product meets the acoustic noise requirements of the following voluntary program/s:	

Model number *	20349; 80DTLenovo Y50-70 Touch	203	349; 80DT
Issue date *	2015-01-13	Logo	lenovo
		1	

Product	t environmental attributes - Market requirements (continued)	Require	ment	met
Item		Yes	No	n.a.
	Chemical emissions from printing products			
P10.3*	Test performed according to ECMA-328 (ISO/IEC 28360) standard 🔲, other specify:			\boxtimes
P10.4	Typical emission rate (print phase) is (mg/h):			\boxtimes
	Dust Ozone Styrene Benzene TVOC			
P10.5	Chemical emission requirements of the following voluntary program/s are met for :			\boxtimes
	Dust Ozone Styrene Benzene TVOC			
	Electromagnetic emissions			
P10.6	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s: <i>MPR-II</i>	\square		
P11	Consumable materials for printing products			
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).			\boxtimes
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements o EN12281.	f		\boxtimes
P11.3*	2-sided (duplex) printing/copying is an integrated product function.			\times
P12	Ergonomics for computing products			
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.			
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.			
P13	Packaging and documentation			
P13.1*	Product packaging material type(s): Corrugated Carton weight (kg): 0.526 Product packaging material type(s): Polyethylene Cushions weight (kg): 0.092 Product packaging material type(s): Others weight (kg): 0.368			
P13.2*	Product plastic packaging is free from PVC.	\boxtimes		
P13.3*	Specify media for user and product documentation (tick box): Electronic 🔯, Paper 🔀, Other 🔲			
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: 0%			
P14	Additional information (See Note B4)			
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied information contained in this document. All information provided by supplier in this document is provided base knowledge available at the time of completion, and supplier shall have no obligation to update such informatio provided here is approximate and provided for informational purposes only. See a Lenovo Account Represent information.	d on supp n. The inf	olier's format	on
P9	See Energy Star Qualified Notebooks & Tablet Computers for the latest information: http://www.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup&pgw_code=CO			

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo Y50-70 Touch	Logo
Model Number	80DT; 20349	
Issue Date	2015-01-13	lenovo
Additional information		

P7.1.1 Product environmental attributes							
(d)	year of manufacture: 2014						
(e)	E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display:						
	Category (according to ErP Lot 3): NA Etec: NA						
(f)	E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics card enabled:	s (dGfx) are					
	Category (according to ErP Lot 3): C Etec: 22.13						
(g)	idle state power demand (Watts);	7.45					
(h)	sleep mode power demand (Watts);	0.81					
(i)	sleep mode with WOL enabled power demand (Watts) (where enabled);	NA					
(j)	off mode power demand (Watts);	0.35					
(k)	off mode with WOL enabled power demand (Watts) (where enabled);	NA					
(1)	internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable): 10% 20% 50% 100% Average						
(m)	external power supply efficiency (if applicable): Average*: 135W: 91,29%,89,88% *internal note: show values for all available external power supplies						
(0)	the minimum number of loading cycles that the batteries can withstand (applies only to notebook computers):	300cycles					
(p-1)	the measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency: NA						
(p-2)	the measurement methodology used to determine information mentioned in points (m) – external PSU efficiency: Energy-star requirement						
	Energy dur requirement						

(p-3) the measu batteries:	irement methodolog		to determine information mentioned in points (o) - loadingcycles				
		IEC	61960 measurement methodology				
	the measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:						
			Energy-star requirement				
(q) sequence	of steps for achieving	g a stabl	e condition with respect to power demand::				
			Based on user manual				
(r) description	of how sleep and/or	off mod	le was selected or programmed:				
			Based on user manual				
(s) sequence off mode:	of events required to	reach th	ne mode where the equipment automatically changes to sleep and/or				
			Based on user manual				
	the duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes): 25						
(u)the length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):NA							
(v) the length	of time before the	display	sleep mode is set to activate after user inactivity (in minutes):	10			
(w) information on the energy-saving potential of power management functionality:							
Based on user manual							
(x) user inform	nation on how to ena	ble the p	oower management functionality:				
Based on user manual							
(z) test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used							
for electrical testing: 230V/50Hz, Total Harmonic Distortion <2 %							
Addition Notebook B							
Yes (Battery not user	No (Battery user	n/a	This notebook computer is operated by battery/ies that cannot be accessed by a non-professional user.	and replaced			
replaceable)	replaceable)		The battery[ies] in this product cannot be easily replace themselves	d by users			
Additional informatio	n						

Г