

## Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an \* are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo		
Company name *	Lenovo			
Contact information *	Contact information *  Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560			
Internet site *	alcarter@lenovo.com http://www.lenovo.com/social_responsibility/us/en/environment.html			
Additional information	The latest version of this document can be found at http://www.lenovo.com/social_responsibility/us/en/datasheets_notebooks.html			

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Tablet			
Commercial name *	Lenovo YB1-X91F,Lenovo YB1-X91L			
Model number *	ZA15, ZA16			
Issue date *				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality Control			nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	$\boxtimes$	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔲	

Model number *	ZA15, ZA16		
Issue date *	2016-7-4	Logo	lenovo.

Product	duct environmental attributes - Legal requirements			
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference).  Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	$\boxtimes$		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	$\boxtimes$		
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	$\boxtimes$		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference).			
	Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm²/week (see legal reference).  Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):			
1 1.10	http://www.lenovo.com/social_responsibility/us/en/materials.html		ш	
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	$\boxtimes$		
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	$\boxtimes$		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	$\square$		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).		П	$\square$
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than $0.01\%$ lead, mercury, cadmium and hexavalent chromium by weight of these together.			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	$\boxtimes$		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).  Comment: Legal reference has no maximum concentration values.			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	ZA15, ZA16		
Issue date *	2016-7-4	Logo	lenovo.

Product	environmental attributes - Market requirements - Environmental conscious design Re	equire	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	$\boxtimes$		
P7	Design Discount to a south a second to a s			
P7.1*	Disassembly, recycling Parts that have to be treated separately are easily separable			
P7.2*	Plastic materials in covers/housing have no surface coating.	$\frac{\square}{\square}$	$\overline{X}$	+
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.	╬	$\frac{\square}{\square}$	
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.		+	
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		+	-
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).		+	-
F1.0			<u> </u>	
P7.7*	Product lifetime  Upgrading can be done e.g. with processor, memory, cards or drives		$\overline{}$	
P7.8*	Upgrading can be done e.g. with processor, memory, cards or drives  Upgrading can be done using commonly available tools		+	+
P7.9.				<u> </u>
	Spare parts are available after end of production for: 3 years			<u> </u>
P7.10	Service is available after end of production for: 1 years			
P7.11*	Material and substance requirements  Product cover/housing material type:			
F1.11	Material type: <i>PC+10%GF</i> Material type: <i>PPS+45%GF</i> Material type: <i>AZ91D</i>			
P7.12	Electrical cable insulation materials of power cables are PVC free.		$\boxtimes$	
P7.13	Electrical cable insulation materials of signal cables are PVC free	Ħ		Ħ
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.	∺	$\overline{\mathbb{X}}$	Ħ
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See	Ħ	$\overline{\mathbf{X}}$	Ħ
	Note B2)			
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking:			
P7.17	Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive) , TBBPA (reactive) , Other; chemical name: , CAS #:  Alt. 2			
	Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: <i>Brominated Epoxy Resin See P14</i>			
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%:			
	Comment: No legal limits exist, this is a market requirement.			
	1. Chemical name: , CAS #:			
	2. Chemical name: , CAS #: 3. Chemical name: , CAS #:			
	Alt. 2			
	Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:			
		$\boxtimes$	Щ	_Ц
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)			
P7.20	Of total plastic parts' weight >25g, recycled material content is 0%.			
P7.21	Of total plastic parts' weight >25g, biobased material content is 0%.			
P7.22	Light sources are free from mercury  If mercury is used specify: Number of lamps:  and max. mercury content per lamp:  mg	$\boxtimes$	Ш	Ш
P8	Batteries			
P8.1*	Battery chemical composition: Lithium Ion			
P8 2	Batteries meet the requirements of the following voluntary program/s:			

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Product environmental attributes - Market requirements (continued)   Requirement	Model number *	mber * ZA15, ZA16								
Po   Po   Energy consumption	Issue date *	2016-7-4		ll and						
Po   Po   Energy consumption	Product environmental attributes - Market requirements (continued)  Requirement m						met			
For the product the following power levels or energy consumptions are reported: See P14   Energy mode										
Energy mode *   Power level at   Power l	3									
100 VAC	9.1 For the	product the								
Category 0	Energy mode *						ndard for e	nergy modes an	d test	
Short Idle State - WOL Enabled   W   W   W   Use for ENERGY STAR V6 registration (P <sub>mol</sub> )	Peak (On-max)		<b>24</b> W	<b>24</b> W	<b>24</b> W	Full load				
Long Idle State - WOL Enabled   W   W   W   Use for ENERGY STAR V6 registration (P <sub>min</sub> )	Category 0									•
Sleep (S3) - WOL Enabled   W   W   W   Reference   Disabled   W   W   W   Reference   Disabled   W   W   W   W   Reference   Disabled   W   W   W   Use for ENERGY STAR V6 registration(P <sub>step</sub> )   Disabled   W   W   W   Use for ENERGY STAR V6 registration(P <sub>step</sub> )   Disabled   W   W   Use for ENERGY STAR V6 registration(P <sub>step</sub> )   Disabled   Disabled   Use for ENERGY STAR V6 registration(P <sub>step</sub> )   Disabled   Disab	Short Idle State - W	/OL Enable	<b>d</b> W	W	W	Use for ENERG	Y STAR V	6 registration (F	o <sub>idle</sub> )	
Sieep (S3) - WOL Disabled   W   W   W   W   Use for ENERGY STAR V6 registration(P <sub>mi</sub> )   Diff (S5) - WOL Disabled   W   W   W   Use for ENERGY STAR V6 registration(P <sub>mi</sub> )   Diff (S5) - WOL Disabled   W   W   W   Use for ENERGY STAR V6 registration(P <sub>min</sub> )   Disabled   State - WOL Enabled   1.78 W   1.75 W   1.84 W   Use for ENERGY STAR V6 registration(P <sub>min</sub> )   Disabled   Disable	Long Idle State - WOL Enabled		d W	W	W	Use for ENERG	Y STAR V	6 registration (F	o <sub>idle</sub> )	
Off (S5) - WOL Enabled	Sleep (S3) - WOL E	nabled	W	W	W	Use for ENERG	Y STAR V	6 registration(P	sleep)	
Off (S5) - WOL Disabled   W   W   W   Use for EuP	Sleep (S3) - WOL D	isabled	W	W	W	Reference				
Category I3  Short Idle State - WOL Enabled   3.48 W   3.43 W   3.60 W   Use for ENERGY STAR V6 registration(P <sub>colo</sub> )	Off (S5) - WOL Ena	bled	W	W	W	Use for ENERG	Y STAR V	6 registration(P	off)	
Short Idle State - WOL Enabled   3.48 W   3.43 W   3.60 W   Use for ENERGY STAR V6 registration(P <sub>cob</sub> )   Long Idle State - WOL Enabled   1.78 W   1.75 W   1.84 W   Use for ENERGY STAR V6 registration(P <sub>cob</sub> )   Sleep (S3) - WOL Enabled   W   W   W   Use for ENERGY STAR V6 registration(P <sub>cob</sub> )   Sleep (S3) - WOL Disabled   0.20 W   0.20 W   0.26 W   Reference   Off (S5) - WOL Enabled   W   W   W   Use for ENERGY STAR V6 registration(P <sub>cob</sub> )   Sleep (S3) - WOL Disabled   0.04 W   0.04 W   0.05 W   Use for ENERGY STAR V6 registration(P <sub>cob</sub> )   Disabled   0.04 W   0.04 W   0.05 W   Use for ENERGY STAR V6 registration(P <sub>cob</sub> )   Disabled   0.04 W   0.04 W   0.05 W   Use for ENERGY STAR V6 registration(P <sub>cob</sub> )   Disabled   0.04 W   0.04 W   0.05 W   Use for ENERGY STAR V6 registration(P <sub>cob</sub> )   Disabled   0.04 W   0.04 W   0.05 W   Use for ENERGY STAR V6 registration(P <sub>cob</sub> )   Disabled   0.04 W   0.04 W   0.05 W   Use for ENERGY STAR V6 registration(P <sub>cob</sub> )   Disabled   Disabled   0.04 W   0.04 W   0.05 W   Use for ENERGY STAR V6 registration(P <sub>cob</sub> )   Disabled   Dis	Off (S5) - WOL Disa	abled	W	W	W	Use for EuP				
Long Idle State - WOL Enabled   1.78 W   1.75 W   1.84 W   Use for ENERGY STAR V6 registration(P <sub>ces</sub> )	Category I3									
Sleep (S3) - WOL Enabled   W   W   W   Use for ENERGY STAR V6 registration (P_tanp)   Sleep (S3) - WOL Disabled   0.20 W   0.20 W   0.26 W   Reference   DISS   WOL Disabled   W   W   W   Use for ENERGY STAR V6 registration(P_m)   DISS   WOL Disabled   0.04 W   0.04 W   0.05 W   Use for ENERGY STAR V6 registration(P_m)   DISS   WOL Disabled   0.04 W   0.042 W   0.056 W   Use for ENERGY STAR V6 registration(P_m)   DISS   WOL Disabled   0.042 W   0.042 W   0.056 W   Use for EUP   DISS   WOL	Short Idle State - W	/OL Enable	d 3.48 W	3.43 W	3.60 W	Use for ENERG	Y STAR V	6 registration(P	idle)	
Sleep (S3) - WOL Disabled   0.20 W   0.20 W   W   W   Use for ENERGY STAR V6 registration(P <sub>only</sub> )   Off (S5) - WOL Enabled   W   W   W   Use for ENERGY STAR V6 registration(P <sub>only</sub> )   Off (S5) - WOL Disabled   0.04 W   0.04 W   0.05 W   Use for EUP   Off (S5) - WOL Disabled   0.042 W   0.042 W   0.056 W   Use for EUP   Off (S5) - WOL Disabled   0.042 W   0.042 W   0.056 W   Use for EUP   Off (S5) - WOL Disabled   0.042 W   0.042 W   0.056 W   Off (S5) - WOL Disabled   Off (S5) -	Long Idle State - W	OL Enable	d 1.78 W	1.75 W	1.84 W	Use for ENERG	Y STAR V	6 registration(P	idle)	
Off (S5) - WOL Enabled       W       W       W       Use for ENERGY STAR V6 registration(P <sub>eni</sub> )       □         Off (S5) - WOL Disabled       0.04 W       0.04 W       0.05 W       Use for EuP       □         EPS No-load (External power supply / charger plugged in the wall outlet but disconnected from the product.)       0.042 W       0.056 W       □         PTEC * Typical Energy Consumption       W       W       W       W         ETEC * Typical Energy Consumption       kWh/week       kWh/week       kWh/week       kWh/week         ETEC * Typical Energy Consumption       11.41 kWh/year       11.25 kWh/year       11.98 kWh/year       ETEC = (8760/1000) x (P <sub>ent</sub> x 0.25 + P <sub>sleep</sub> x 0.35 kWh/year       No.15 + P <sub>sleep</sub> x 0.35 kWh/	Sleep (S3) - WOL E	nabled	W	W	W	Use for ENERG	Y STAR V	6 registration (F	o <sub>sleep</sub> )	
Off (S5) - WOL Disabled	Sleep (S3) - WOL D	isabled	0.20 W	<b>0.20</b> W	<b>0.26</b> W	Reference				
EPS No-load   CExternal power supply / charger plugged in the wall outlet but disconnected from the product.)   O.042 W   O.056 W   O.	Off (S5) - WOL Ena	bled	W	W	W	Use for ENERG	Y STAR V	6 registration(P	off)	
(External power supply / charger plugged in the wall outlet but disconnected from the product.)  PTEC * Typical Energy Consumption	Off (S5) - WOL Disa	abled	0.04 W	0.04 W	0.05 W	Use for EuP				$\overline{\Box}$
plugged in the wall outlet but disconnected from the product.)  PTEC * Typical Energy Consumption  KWh/week	,		0.042 W	0.042 W	0.056 W					
Typical Energy Consumption	plugged in the wall o	outlet but								
Typical Energy Consumption kWh/week kwh/year kwh		sumption	W	W	W					
Annual Energy Consumption			kWh/week	kWh/week	kWh/week					
Display resolution*: 1200*1920 Megapixels  Print Speed * : Images per minute  Default time to enter energy save mode: 0.5 minutes  P9.2* Information about the energy save function is provided with the product.  P9.3* The product meets the energy requirements of the following voluntary program/s:  ENERGY STAR® version: Version 6.1 Tier: Product category: 13 Others specify:  P10 Emissions  Noise emission – Declared according to ISO 9296  P10.1 Mode Mode description Declared A-weighted sound pressure level L <sub>pAm</sub> (dB)  Operator position Desktop Only if product is not operator attended)  Operator attended)		sumption							0.35	
Print Speed * : Images per minute  Default time to enter energy save mode: 0.5 minutes  P9.2* Information about the energy save function is provided with the product.  P9.3* The product meets the energy requirements of the following voluntary program/s:  ENERGY STAR® version: Version 6.1 Tier: Product category: 13  Others specify:  P10 Emissions  Noise emission – Declared according to ISO 9296  P10.1 Mode Mode description  Declared A-weighted sound pressure level L <sub>pAm</sub> (dB)  Operator position Desktop Only if product is not operator attended)  Operator attended)	B: 1	4000+400		5) - WOL Enabled; I	P <sub>sleep</sub> : Sleep Mode	(S3) - WOL Enabled	l; P <sub>idle</sub> : Idle	State - WOL Enal	bled	
Default time to enter energy save mode: 0.5 minutes  P9.2* Information about the energy save function is provided with the product.  P9.3* The product meets the energy requirements of the following voluntary program/s:  ENERGY STAR® version: Version 6.1 Tier: Product category: 13  Others specify:  P10 Emissions  Noise emission – Declared according to ISO 9296  P10.1 Mode		1200*1920	Megapixels							
P9.2* Information about the energy save function is provided with the product.	•		<u> </u>							$\boxtimes$
P9.3* The product meets the energy requirements of the following voluntary program/s:										
ENERGY STAR® version: Version 6.1 Tier: Product category: 13				•						
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	ENERG	Y STAR® v								
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$										
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$				to ISO 9296	Declared	Г	Declared A	-weighted		
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$			ouo uooop		A-weighted	sound i		-		
Desktop $\square$ (only if product is not operator attended)					_ '	"		*		
or Desk side  operator attended)					level L <sub>WAd</sub> (	-, <del></del>		,		
							. = .			
Operation * HDD: Operating *	Idle	Idle * HDD:Idle		*			operator atte	. raca)	$\square$	
	Operation	on *	HDD: Operating		*					
Other mode										
Measured according to: ISO7779 ECMA-74	Measure	ed according	· 💳	_					ļ	
Other (only if not covered by ECMA-74 with L <sub>pAm</sub> measurement distance m)  P10.2 The product meets the acoustic noise requirements of the following voluntary program/s:	P10.2 The proc									

Model nui	mber *	ZA15, ZA16				
Issue date	e *	2016-7-4	Logo	leno	<b>VO</b> .	
Product	environn	nental attributes - Market requirements (continued)		Require	ment	met
Item		·		Yes	No	n.a
	Chemica	al emissions from printing products				
P10.3*	Test per	formed according to ECMA-328 (ISO/IEC 28360) standard, other specify:				$\boxtimes$
P10.4	Typical e	mission rate (print phase) is (mg/h):				X
		Oust Ozone Styrene Benzene TVOC				
P10.5	Chemica	I emission requirements of the following voluntary program/s are met for :				X
		Oust Ozone Styrene Benzene	TVOC 🗌			
		nagnetic emissions				
P10.6		er display meets the requirement for low frequency electromagnetic fields of the follo	wing voluntary	$\boxtimes$		
	program					
P11		able materials for printing products				
P11.1*		Data Sheet (SDS) is available for the ink/toner preparation, even if not legally requ				$\boxtimes$
P11.2*	EN1228		e requirements	of		
P11.3*	2-sided (	duplex) printing/copying is an integrated product function.				$\boxtimes$
P12		nics for computing products				
P12.1*	The disp	lay meets the ergonomic requirements of ISO 9241-307 for visual display technolog	ies.	$\boxtimes$		
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.					
P13	Packagi	ng and documentation				
P13.1*	Product Product	packaging material type(s): <i>PE</i> weight (kg): <i>0.005</i> packaging material type(s): <i>Paper pad</i> weight (kg): <i>0.034</i> packaging material type(s): <i>carton</i> weight (kg): <i>0.503</i>				
P13.2*	Product	plastic packaging is free from PVC.		$\boxtimes$		
P13.3*	Specify r	nedia for user and product documentation (tick box):				$\Box$
	Electroni	c 🔀, Paper 🔀, Other 🗌				
P13.4*	fiber: 0°		nsumer recycled			
P14		al information (See Note B4)				
	informati knowled	supplier makes no representations, guarantees, assurances or warranties whether on contained in this document. All information provided by supplier in this documen ge available at the time of completion, and supplier shall have no obligation to upda here is approximate and provided for informational purposes only. See a Lenovo A on.	is provided bas te such informati	ed on suppon. The inf	olier's format	ion
P9		rgy Star Qualified Notebooks & Tablet Computers for the latest information: vw.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup	&pgw_code=C0	ס		

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19