



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo
Company name *	Lenovo	
Contact information *	Lenovo Global Environmental Affairs	0001/0
e-mail address	Alvin L Carter	Lenovo
	alcarter@lenovo.com	
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html
Additional information	The latest version of this document can be found at:	
	http://www.lenovo.com/ecodeclaration	

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
	. •			
Type of product *	Notebook			
Commercial name *	Lenovo MIIX 720-12IKB			
Model number *	80VV			
Issue date *	2016-08-18			
Intended market *	Global Europe Asia, Pacific & Japan Americas Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model number *	80VV	Logo	Lanova
Issue date *	2016-08-18		Lei IOVO,

Product	Product environmental attributes - Legal requirements					
Item		Yes	No	n.a.		
P1	Hazardous substances and preparations					
P1.1*	Products do comply with current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes				
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	\boxtimes				
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	X				
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.					
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated	\square				
	terphenyl (PCT) in preparations (see legal reference).		ш			
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	e 🔀				
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week					
	(see legal reference).					
P1.7*	Comment: Max limit in legal reference when tested according to EN1811:2011-5. REACH Article 33 information about substances in articles is available at (add URL or mail contact):			$\overline{}$		
1 1.7	http://www.lenovo.com/social_responsibility/us/en/environment.html		Ш	Ш		
P2	Batteries					
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal	\square		П		
	symbol. Information on proper disposal is provided in user manual. (See legal reference)					
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See lega reference)					
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	\boxtimes				
P3	Conformity verification & Eco design (ErP)					
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address):					
	http://www.lenovo.com/social_responsibility/us/en/ec_doc_notebooks					
P3.2*	The product complies with the Eco design requirements for energy-related products,	\boxtimes				
	(see legal reference).					
	Required information is; given in item P15 or added to this document,		Ш	Ш		
	available at (add URL): http://www.lenovo.com/social_responsibility/us/en/datasheets_notebooks					
P5	Product packaging					
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium an	d 🔀				
	hexavalent chromium by weight of these together.					
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material (sused (see legal reference).	s) 🔀				
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea	al 🔀				
	Protocol (see legal reference).					
P6	Comment: Legal reference has no maximum concentration values. Treatment information					
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).					
F 0. I	information for recycles a teatifient facilities is available (see legal reference).		Ш			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number * Issue date *	80VV 2016-08-18	Logo	Lenovo
issue date	2010-00-10		
Product onviron	montal attributes - Market requirements (See General NOTE GN	holow)	

Product	environmental attributes - Market requirements (See General NOTE GN below)			
		Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design, Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable			
P7.2*	Plastic materials in covers/housing have no surface coating.			\boxtimes
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.			\boxtimes
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			\boxtimes
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives		\boxtimes	
P7.8*	Upgrading can be done using commonly available tools		\boxtimes	
P7.9	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
P7.12	Material type: NA Material type: NA Material type: NA Material type: Insulation materials of external electrical cables are PVC free.			
	Insulation materials of internal electrical cables are PVC free.			
P7.13		- -		
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and		Ш	\boxtimes
	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts			
	containing more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2)	, L	Ш	
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: NA			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):			
	TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: NA, CAS #: NA			\boxtimes
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g			
	according ISO 1043-4: NA			\boxtimes
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in			
	concentrations above 0,1%:			\boxtimes
	1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: "			
	2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been			\boxtimes
	assigned the following Risk phrases; and Hazard statements:			
	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):			\boxtimes
	If YES; at least one of the two alternatives below shall be answered;			
	a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as			
	a percentage of total plastic by weight) is 0%.			
	or b) The weight of recycled material is g.			
	b) The weight of recycled material is g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	80VV	Logo	Lenovo		
Issue date *	2016-08-18		Len	UVC) _{TM}
Product environr	mental attributes - Market requirements (continued)		Requir	remen	t met
Item			Yes	No	n.a.
Materia	and substance requirements (continued)				

Product environmental a	ttributes - Market r	equirements (conti	nued)	Requirement met
Item				Yes No n.a.
	stance requirements			
If YES; at least on a) Of total plast of total plasti or	te of the two alternative cic parts' weight > 25 c c by weight) is 0%.	•	ered;	ulated as a percentage
	f the biobased plastic if	material is <i>0</i> g. less than 0,1 mg/lamp		
	specify: Number of lar		ium mercury content pe	
P8 Batteries				
•	composition: LI-ION			
	otion (See NOTE B8)			
P9.1 For the product th Energy mode *	e following power leve Power level at	ls or energy consumpti Power level at	ons are reported: Power level at	Reference/Standard for energy
	100 V AC	115 V AC	230 V AC	modes and test method *
Peak (On-max)	45 VV	45 VV	45 VV	Full load
Category I1				
Short Idle State - WOL Enabled	8.82 W	8.79 W	8.89 W	Use for ENERGY STAR V6 registration (P _{idle})
Long Idle State - WOL Enabled	4.21 W	4.03 W	4.05 W	Use for ENERGY STAR V6 registration (P _{idle})
Sleep (S3) - WOL Enabled	0.76 W	0.74 W	0.75 W	Use for ENERGY STAR V6 registration(P _{sleep})
Sleep (S3) - WOL Disabled	0.76 W	0.74 W	0.74 W	Reference
Off (S5) - WOL Enabled	0.45 W	0.44 W	0.46 W	Use for ENERGY STAR V6 registration(P _{off})
Off (S5) - WOL Disabled	0.45 W	0.44 W	0.46 W	Use for ErP
	W	W	W	Reference
Category				
Short Idle State - WOL Enabled	W	W	W	Reference
Long Idle State - WOL Enabled	W	W	W	Reference
Sleep (S3) - WOL Enabled	W	W	W	Reference
Sleep (S3) - WOL Disabled	W	W	W	Reference
Off (S5) - WOL Enabled	W	W	W	Reference
Off (S5) - WOL Disabled	W	W	W	Reference
	W	W	W	Reference
Category				
Short Idle State - WOL Enabled	W	W	W	Reference
Long Idle State - WOL Enabled	W	W	W	Reference
	1	1		

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Sleep (S3	3) - WOL Enabled	W	W	W	Reference		
Sleep (S3	3) - WOL Disabled	W	W	W	Reference		
Off (S5) -	WOL Enabled	W	W	W	Reference		
Off (S5) -	WOL Disabled	W	W	W	Reference		
		W	W	W	Reference		
	r supply / charger plugged in the	0.052 W	0.056 W	0.053 W			
PTEC *	lisconnected from the product.)	W	W	W			
	nergy Consumption						
ETEC * Annual Er	nergy Consumption	30.18 kWh/year	29.86 kWh/year	30.35 kWh/year	E _{TEC} = (8760/1000) x (P _{off} x 0.25 + P _{sleep} x 0.35 + P _{long_ldle} x 0.10+ P _{short_ldle} x 0.30)		
		P _{off} : Off Mode(S5) - W	/OL Enabled; P _{sleep} : Slee	ep Mode(S3) - WOL Enal	bled; P _{idle} : Idle State - WOL Enabled		
External F	Power Supply Efficier	ncy Level (Internationa	al Efficiency Marking P	rotocol) * : V			
Display re	esolution * : 2880*19	20 megapixels					
Default tin	ne to enter energy sa	ave mode: 30 minutes	}				
P9.2*	Information about	the energy save funct	tion is provided with the	e product.			
P9.3		class (monitors only):		•			
P10	Emissions	, , ,					
		- Declared according t	to ISO 9296 (See NOT	E B9)			
P10.1	Mode N	Mode description		Statistical upper li	mit A-weighted sound power level, L _{WA,c} (B)		
	Idle *	HDD:Idle		* 2.5			
	Operation *	HDD: Operating		* 3.5			
	Other mode L	Declared A-weighted soul	nd pressure level (dB) $L_{\it pl}$	21.1 (operator po	sition desktop – idle)		
	Other mode L	Declared A-weighted soul	nd pressure level (dB) L_{pk}	28.8 (operator po	sition desktop – operating)		
	Measured according to: SISO 7779 ECMA-74 Other (only if not covered by ECMA-74)						

wodei nu	ımber "	80VV					Logo	Long	VO	
Issue dat	te *	2016-08-18						Leno	VU	тм
Product	environr	nental attributes	s - Market requiren	nents (cor	ntinued)			Require	ment	me
Item								Yes	No	n.a
		nagnetic emissio								
P10.4		er display meets th (s): <i>MPR-II(3 pin A</i>	e requirement for low the second of the seco	frequency e	lectromagneti	c fields of the fol	lowing voluntary			
P12		mics for computir								
P12.1*			nomic requirements o				gies.	\boxtimes		
P12.2*	The phys	sical input device n	neets the requirements	s of ISO 999	95 and ISO 92	241-410.		\boxtimes		
P13	Packagi	ng and document	tation							
P13.1*	Product	packaging materia	I type(s): CARTON I type(s): CUSHION I type(s): Gift BOX	weight (ko weight (ko weight (ko	g): 0.053					
P13.2*	Product	plastic primary pac	kaging is free from PV	/C.				\boxtimes		
P13.3*		duct primary corruger recovered fiber of	gated fiberboard pack content: 100 %	aging, spe	cify the conta	ined percentage	of minimum po	st-		
P13.4*		media for user and ronic, ⊠Paper, ☐	product documentation Other	n (tick box)	:					
P13.5	Ùser and		item if paper documer tation on paper media							
	,	hlorine-free al chlorine-free								
	Process	ed chlorine-free								
P14	Volunta	ry programs								
P14.1	The prod	duct meets the requ	uirements of the follow	ing voluntai	ry program(s):					
	Eco-labe		Criteria version: 6. Criteria version: 16 Criteria version:		Date: NA Date: NA Date:	Product	category: <i>I1</i> category: <i>Silver</i> category:			
P15		nal information (S								
P9			pecific configuration							
	informati knowled	ion contained in thi ge available at the I here is approxima	representations, guara s document. All inform time of completion, ar te and provided for inf	nation provided and supplier s	ded by supplies hall have no	er in this docume obligation to upda	nt is provided bas ate such informat	sed on supp tion. The inf	olier's format	ion
P9	See Ene	ergy Star Qualified	Notebooks & Tablet C index.cfm?fuseaction=				_code=CO			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo MIIX 720-12IKB	Logo	
Model Number	80VV		Lenovo
Issue Date	2016-08-18		reliovo"
Additional information			

Year of manufacture:	2017						
Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display.							
enable	y and capability adjust	ments applied when a	iii discrete grapnics (cards (dGtx) are			
	Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)			
Memory over base [GB]	12						
Additional internal storage	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)			
Discrete television tuner	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)			
Discrete Audio Card	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)			
Discrete graphics Card(s) [number / #]	No #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)			
Category of discrete graphics Card(s)							
Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	13.85						
Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled			19.91				
Idle state power demand (Watts); 4.14							
Sleep mode power demand (Watts);							
Sleep mode with WOL enabled power demand (Watts) (where enabled);							
Off mode power demand (Watts);							
Off mode with WOL enabled power demand (Watts) (where enabled);							
Internal power supply efficiency at 10 %,	20 %, 50 % and 100 °	% of rated output pow	er (if applicable):				
10% 20% 50%	100% Avera	age					
External power supply efficiency (if appli	cable)*:						
Average active efficiency: 45W:89.23%	;88.11%;89.44%						
Minimum number of loading cycles that t	the batteries can withst	tand (applies only to n	otebook computers):	600 cycles			
Measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency:							
	Etec value (kWh) per ErP Lot 3 Categor disabled and if the system is tested with Etec value (kWh) per ErP Lot 3 Categor enable Memory over base [GB] Additional internal storage Discrete television tuner Discrete Audio Card Discrete graphics Card(s) [number / #] Category of discrete graphics Card(s) Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx) are enabled all discrete graphics cards (dGfx) are enabled all discrete graphics cards (dGfx) are enabled of the state power demand (Watts); Sleep mode power demand (Watts); Sleep mode with WOL enabled power demand of mode power demand (Watts); Off mode with WOL enabled power demand linternal power supply efficiency at 10 %, 10% 20% 50% External power supply efficiency (if applited Average active efficiency: 45W:89.23% *internal note: show values for all available external power internal note: show values for all available external power internal note: show values for all available external power internal note: show values for all available external power internal note: show values for all available external power internal note: show values for all available external power internal note: show values for all available external power internal note: show values for all available external power internal note: show values for all available external power internal note: show values for all available external power internal note: show values for all available external power internal note: show values for all available external power internal note: show values for all available external power internal note: show values for all available external power internal note: show values for all available external power internal note: show values for all available external power internal note: show values for all available external power internal note: show values for all available external power internal note: show values for all available external power internal note	Etec value (kWh) per ErP Lot 3 Category and capability adjust disabled and if the system is tested with switchable graphics or Etec value (kWh) per ErP Lot 3 Category and capability adjust enable Category A (according to ErP Lot 3) Memory over base [GB] 12	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when a disabled and if the system is tested with switchable graphics mode with UMA driving Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when a enable Category A (according to ErP Lot 3)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics disabled and if the system is tested with switchable graphics mode with UMA driving the display. Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics of the capability adjustments applied when all discrete graphics of the capability adjustments applied when all discrete graphics of the capability adjustments applied when all discrete graphics of the capability adjustments applied when all discrete graphics of the capability adjustments applied when all discrete graphics of the discrete graphics of the discrete graphics of the discrete graphics of the capability adjustments applied when all discrete graphics of the discrete graphics of the discrete graphics of the discrete graphics of the capability adjustments applied when all discrete graphics of the discrete graphics of the discrete graphics of the discrete graphics of the capability adjustments applied when all discrete graphics of the discrete graphics			

(p-2)	Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency: EPA "Test Method for calculating the Energy Eifficiency of Single-Voltage External AC-DC and AC-AC Power Suppler" dated August 11,2014							
(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: IEC 61960 measurement methodology							
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:							
	IEC 62623 / IEC EN50564:2011 measurement methodology							
(q)	Sequence of steps for achieving a stable condition with respect to power demand::							
	IEC 62623 / IEC EN50564:2011 measurement methodology							
(r)	Description of how sleep and/or off mode was selected or programmed:							
refer to power management, sleep mode: ACPI system level G1/S3 (suspend to RAM) state; off mode: ACPI system level G2/S5 ('soft off') state								
(s)	Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:							
	refer to power management, 30mins automatically reaches sleep mode							
(t)	Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):							
(u)	Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):							
(v)	Length of time before the display sleep mode is set to activate after user inactivity (in minutes):							
(w) Information on the energy-saving potential of power management functionality: *refer to user manual*								
(x) User information on how to enable the power management functionality:								
refer to user manual								
(z) Test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing:								
230V50HZ-2%-Edition 2.0, 2011-01, Section 4, IEC62301								
Additional Notebook Battery Information:								
		Battery[ies] <u>not</u> user replaceable	Battery[ies] user replaceable	n/a				
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)						
Internal/built-in Battery								
External/detachable Battery								
Bios Backup Battery								
Other:								
Additional information								
1) The battery[ies] in this product cannot be easily replaced by users themselves. Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.								

Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

Der Akkurdie Akkus dieses Produkts karin/konnen nicht ohne weiteres vom Benutzer seinst ausgefauscht werden. Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada. Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente. Lietotăji paši nevar nomainît šā ražojuma akumulatoru(-us). Šio gaminio baterijos [bateriju] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni. II-batterija/batteriji f'dan iI-prodott ma tistax/jistgħux tiġi/jigu sostitwita/i mill-utenti stess.

Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar. Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie.

A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores. Bateria (bateriile) din acest produs nu poate (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși. Bateriu(-ie) v tomto výrobku nemôže vymieñat používateľ. Baterij/baterije v tem izdelku uporatoniki sami ne morejo zlahka zamenjati. Tämän tuotteen akku [akut] ej[văt] ole helposti käyttäjän vaihdettavissa. Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.